

EXHIBIT F

Steve Goldwasser

Supplemental General Reliance List *in Addition to Materials Referenced in Report*

MDL Wave 5

Medical Literature

Aaron LA and Buchwald D. Chronic diffuse musculoskeletal pain, fibromyalgia and co-morbid unexplained clinical conditions. <i>Best Practice & Research Clinical Rheumatology</i> (2003); 17(4): 563-574
Abbott S, et al. Evaluation and management of complications from synthetic mesh after pelvic reconstructive surgery: a multicenter study. <i>Am J Obstet Gynecol</i> 2014; 210:163.e1-8
Abdel-Fattah M, Barrington JW, Arunkalaivanan AS. Pelvic pubovaginal sling versus tension free vaginal tape for treatment of urodynamic stress incontinence: a prospective randomized three-year follow-up study. <i>Eur Urol</i> 2004;46:629-35.
Abdel-fattah M, et al. (NHS Scotland) Primary and repeat surgical treatment for female pelvic organ prolapse and incontinence in parous women in the UK: a register linkage study. <i>BMJ</i> (2011)
Abdel-Fattah M, et al. Retrospective multicentre study of the new minimally invasive mesh repair devices for pelvic organ prolapse. <i>BJOG</i> (2008) 115: 22-30. <i>Urogynecol J</i> 22: 789-798.
Abdel-Fattah M, Familusi A, Ramsay I, N'Dow J. A randomised prospective single-blinded study comparing inside-out versus outside-in transobturator tapes in the management of female stress urinary incontinence (E-TOT study): 3 years follow-up. <i>Neurourol Urodyn</i> 2011;30:825-826.
Abdel-fattah M. Evaluation of transobturator tapes (E-TOT) study: randomised prospective single-blinded study comparing inside-out vs. outside-in transobturator tapes in management of urodynamic stress incontinence: Short term outcomes. <i>Eur J Obstet Gynecol Reprod Biol</i> 149 (2010) 106-111
Abdel-fattah M. How common are tape erosions? A comparison of two versions of the transobturator tension-free vaginal tape procedure. <i>BJU International</i> 98, 594-598
Abdel-fattah M. Lower urinary tract injuries after transobturator tape insertion by different routes: a large retrospective study. <i>BJOG</i> 2006;113:1377-1381.
Abdel-fattah M. Prospective Randomised Controlled Trial of Transobturator Tapes in management of Urodynamic Stress Incontinence in Women: 3-Year Outcomes from the Evaluation of Transobturator Tapes Study. <i>EUROPEAN UROLOGY</i> 62 (2012) 843-851
Abdel-fattah M. Randomised prospective single-blinded study comparing 'inside-out' versus 'outside-in' transobturator tapes in the management of urodynamic stress incontinence: 1-year outcomes from the E-TOT study. <i>BJOG</i> 2010;117:870-878.
Abdel-Fattah M. Single-Incision Mini-Slings versus Standard Midurethral Slings in Surgical Management of Female Stress Urinary Incontinence: A Meta-Analysis of Effectiveness and Complications. <i>EUROPEAN UROLOGY</i> 60 (2011) 468-480
Abdelmonem, A. Vaginal length and incidence of dyspareunia after total abdominal versus vaginal hysterectomy. <i>European Journal of Obstetrics & Gynecology and Reproductive Biology</i> 2010; 151: 190-192
Abdelwahab O. Tension-Free Vaginal Tape versus Secure Tension-Free Vaginal Tape in Treatment of Female Stress Urinary Incontinence. <i>Curr Urol</i> 2010;4:93-98
Abduljabbar H. Comparison of the classic TVT and TVT Secur. <i>Prime Research on Education</i> ISSN: 2251-1253. Vol. 2(9), pp. 344-347, October 31st, 2012
Abed H. Incidence and management of graft erosion, wound granulation, and dyspareunia following vaginal prolapse repair with graft materials: a systematic review. <i>Int Urogynecol J</i> ; 2011;11:1384-95.
Abeles M, et al. Update on fibromyalgia therapy. <i>Am J Med</i> (2008) 121, 555-561
Adhoue F, et al. (French, Eng abs) Use of transvaginal polypropylene mesh (Gynemesh) for the treatment of pelvic floor disorders in women. Prospective study in 52 patients. <i>Prog Urol</i> 2004;14(2):196-196.

Medical Literature

Adile B, Granese R, Lo Bue A, GuglioOta G, Cardella AM, Adile C. A prospective randomized study comparing laparoscopic Burch versus TVT: short and long term follow-up. ICS 2003:Abstract 550.
Afonso. Mechanical Properties of Polypropylene Mesh Used in Pelvic Floor Repair. Int Urogynecol J (2008) 19:375-380
Agarwala N. A randomized comparison of two synthetic mid-urethral tension-free slings. Uro Today Int J 2008 Oct;1(4) doi: 10.3834/uij. 1939-4810.2008.10.5.
Agarwala N. Laparoscopic sacral colpopexy with Gynemesh as graft material - Experience and results, J Minim Invasive Gynecol. 2007 Sep-Oct;14(5):577-83
Agarwala. A randomized comparison of two synthetic mid-urethral tension-free slings. Uro today International Journal Vol 1 Iss 4 October 2008
Agostini A, et al. [Pop 12,280] Immediate complications of tension-free vaginal tape (TVT): results of a French survey. Eur J Obstet Gynecol. 2006; 124:237-239.
Ahn, C. Analysis of voiding dysfunction after transobturator tape procedure for stress urinary incontinence. Korean J Urol 2015; 56: 823-830
Aigmuller T, et al. [10 yr fu] Ten-year follow-up after the tension-free vaginal tape procedure. Am J Obstet Gynecol. 2011; 205:496.e1-5.
Aigmuller T. Reasons for dissatisfaction ten years after TVT Procedure. Int Urogynecol J (2014) 25:213-217.
Ala-Nissila. [Pop 130, mean 8 yr fu] TVT - a suitable procedure for patients with recurrent SUI; Acta Obstetrica et Gynecologica. 2010; 89:210-216
Albo M, Richter, Zimmern, Moalli, Siris. - NEJM - SISTER study - Burch Colposuspension versus Fascial Sling to Reduce Urinary Stress Incontinence. N Engl J Med 2007;356:2143-55.
Albo ME, et al. [Pop 516, 24 mo fu] Treatment Success of Retropubic and Transobturator Mid Urethral Slings at 24 Months. Journal of Urology, 2012; Vol. 188, 2281-2287
Albo, Richter. [SISTER 2 yr] Burch Colposuspension versus Fascial Sling to Reduce Urinary Stress Incontinence. N Engl J Med 2007; 356: 2143-55
Albo, Zyczynski, Lemack. Treatment Success of Retropubic and Transobturator Mid Urethral Slings at 24 Months. The Journal of Urology Volume 188, Issue 8, December 2012; pp.2281-2287
Alcalay, M. Burch colposuspension: a 10-20 year follow up. British Journal of Obstetrics & Gynaecology. 1995; 102: 740-745
Alewijnse D, et al. Effectiveness of pelvic floor muscle exercise therapy supplemented with a health education program to promote longterm adherence among women with urinary incontinence. Neurourol Urodyn 2003;22:284-295
Ali S, et al. [Abs 292] A Prospective Randomized Trial using Gynemesh PS for the Repair of Anterior Vaginal Wall Prolapse. Int Urogynecol J (2006) 17 (Suppl 2): S221.
Almassi, N. Intraoperative Ultrasound-Guided Removal of Retained Mini Sling Anchor Causing Vaginal Pain: A Case Report. Female Pelvic Med Reconstr Surg 2015; 1-3
Al-Nazer, et al. [Abs 084] Comparative study between anterior colporrhaphy versus vaginal wall repair with Mesh for Management of Anterior Vaginal Wall Prolapse. Int Urogynecol J (2007) 18 (Suppl 1): S25-S105.
Altman D, et al. Anterior colporrhaphy versus transvaginal mesh for pelvic-organ prolapse. N Engl J Med 2011; 364:1826-36.
Altman D, et al. Perioperative morbidity using transvaginal mesh in pelvic organ prolapse repair. Obstet Gynecol 2007;109:303-8.
Altman D, et al. Sexual Dysfunction after Trocar-Guided Transvaginal Mesh Repair of Pelvic Organ Prolapse. Obstet Gynecol (2009) 113: 127-33

Medical Literature

Altman D. Short-term outcome after transvaginal mesh repair of pelvic organ prolapse. <i>Int Urogynecol J</i> :2008 DOI 10.1007/S00192-007-0526-2.
Altman D. Surgery for cystocele II: replies. <i>Int Urogynecol J</i> (2012) 23:663-664.
Altman MD, et al. Anterior Colporrhaphy versus Transvaginal Mesh for Pelvic-Organ Prolapse. <i>N Engl J Med</i> 2011;364:1826-36 [corrected 1.23.13]
Alvarez, J. Complications in pelvic floor surgery. <i>Minerva Ginecol</i> 2013; 65: 53-67
Amaro JL, Yamamoto H, Kawano PR, Barros G, Gameiro MOO, Agostinho AD. Clinical and quality-of-life outcomes after autologous fascial sling and tension-free vaginal tape: a prospective randomized trial. <i>Int Braz J Urol</i> 2009;35:60-66; discussion 66-67.
Amat I Tardiu L, Martinez Franco E, Lailla Vicens JM. Contasure-Needleless® compared with transobturator-TVT for the treatment of stress urinary incontinence. <i>Int Urogynecol J</i> 2011;22:827-833.
Amid PK. Classification of biomaterials and their related complications in abdominal wall hernia surgery. <i>Hernia</i> :1997;1:15-21.
Amid, P. Biomaterials for abdominal wall hernia surgery and principles of their applications. <i>Langenbecks Arch Chir</i> 1994; 379: 168-171
Amorim-Costa. Laparoscopic-Assisted Retropubic Midurethral Sling Placement: A Technique to Avoid major Complications. <i>The Journal of Minimally Invasive Gynecology</i> (2016), doi:10.1016/j.jmig.2016.03.011
Anderson, Flynn. PD50-05 - Surgical management of ICS, IUGA class 1-4 transvaginal mesh (TVM) prolapse kit complications 8-year review of 82 patients from a single center. (2015)
Andonian S, Chen T, St-Denis B, Coreas J. Randomized clinical trial comparing suprapubic arch sling (SPARC) and tension-free vaginal tape (TVT): one-year results. <i>Eur Urol</i> 2005;47:537-541.
Andonian S, St-Denis B, Lemieux MC, Coreas J. Prospective clinical trial comparing Obtape® and DUPS to TVT: one-year safety and efficacy results. <i>Eur Urol</i> 2007;52:245-251.
Anger, J. Trends in the Surgical Management of Stress Urinary Incontinence among Female Medicare Beneficiaries. <i>Urology</i> 2009; 74(2): 283-287
Angioli R, Plotti F, Muzii L, Montera R, Panici PB, Zullo MA. Tension-free vaginal tape versus transobturator suburethral tape: five-year follow-up results of a prospective, randomised trial. <i>Eur Urol</i> 2010;58 :671-677.
Angioli. [Pop 72, 5 yr fu] TVT versus transobturator suburethral Tape Five-Year Follow-up Results of a Prospective, Randomised Trial; <i>European Urology</i> 58 (2010) 671-677
Aniuliene R. Tension-free vaginal tape versus tension-free vaginal tape obturator (inside-outside) in the surgical treatment of female stress urinary incontinence. <i>Medicina (Kaunas)</i> . 2009;45(8):639-643.
Aniuliene. TVT-Exact and midurethral sling (SLING-IUFT) operative procedures: a randomized study; <i>Open Med</i> . 2015; 10:311-317
Appelbaum, P. Assessment of Patients' Competence to Consent to Treatment. <i>N Engl J Med</i> 2007; 357: 1834-40
Araco F, Gravante G, Sorge R, et al. TVT-O vs TVT: a randomized trial in patients with different degrees of urinary stress incontinence. <i>Int Urogynecol J Pelvic Floor Dysfunct</i> 2008;19:917-926.
Arts-de Jong. [Pop 55, 1 yr fu] Improvement of sexual function after transobturator tape procedure in women with stress urinary incontinence. <i>Gynecol Surg</i> (2011) 8:315-319
Arunkalaivanan AS, Barrington JW. Randomized trial of porcine dermal sling (Pelvicol implant) vs. tension-free vaginal tape (TVT) in the surgical treatment of stress incontinence: a questionnaire-based study. <i>Int Urogynecol J Pelvic Floor Dysfunct</i> 2003;14:17-23; discussion 21-22.

Medical Literature

Arunkalaivanan AS, Barrington JW. Randomized trial of porcine dermal sling Pelvicol implant vs TVT in the surgical treatment of stress incontinence: a questionnaire-based study. <i>Int Urogynecol J</i> (2003) 14:17-23
Aslan, E. Female sexual dysfunction. <i>Int Urogynecol J</i> 2008; 19: 293-305
Athanasios S. Grigoriadis T, Zacharakis D, Skampardonis N, Lourantou D, Antsaklis A. [Pop 124, 7 yr fu] Seven years of objective and sub-jective outcomes of transobturator (TVT-O) vaginal tape: why do tapes fail? <i>Int Urogynecol J</i> (2014) 25:219-225
Atis, G. Tissue Reaction of the Rat Urinary Bladder to Synthetic Mesh Materials. <i>The Scientific World Journal</i> 2009; 9: 1046-1051
Aube M, et al. (Prolift, Elevate, Avaulta, et al.) [Pop 225, median 37 mo fu] ICS Abs 456 Long term efficacy and patient satisfaction of pelvic organ prolapse reduction using trans-vaginal mesh. (2015)
Aydin, A, et al. Recurrent urinary tract infections in women. <i>Int Urogynecol J</i> (2015) 26:795-804.
Bai SW, Sohn WH, Chung DJ, Park JH, Kim SK. Comparison of the efficacy of Burch colposuspension, pubovaginal sling, and tension-free vaginal tape for stress urinary incontinence. <i>Int J Gynaecol Obstet</i> 2005;91:246-251.
Balchandra P. [Pop 59, median 28 mo fu - product not named] Perioperative outcomes and prospective patient reported outcome measures for transvaginal mesh surgery. <i>Arch Gynecol Obstet</i> (2015)
Bang, S. Autologous pubovaginal slings: back to the future or a lost art? <i>Research and Reports in Urology</i> 2016; 8: 11-20
Barber M. Comparison of 2 transvaginal surgical approaches and perioperative behavioral therapy for apical vaginal prolapse – The OPTIMAL randomized trial. <i>JAMA</i> :2014;311:1023-1034.
Barber M. Factorial comparison of 2 transvaginal surgical approaches and perioperative behavioral therapy for apical vaginal prolapse. <i>JAMA</i> :2014;11:1719.
Barber MD, et al. Defining Success After Surgery for Pelvic Organ Prolapse. <i>Obstetrics & Gynecology</i> (Sept 2009), Vol 114, No. 3, pgs 600-609
Barber MD, et al. Transobturator tape compared with tension-free vaginal tape for the treatment of stress urinary incontinence: A randomized controlled trial. <i>Obstetrics & Gynecology</i> , Vol 111, No 3, March 2008
Barber MD, Kleeman S, Karram MM, et al. Transobturator tape compared with tension-free vaginal tape for the treatment of stress urinary incontinence: a randomized controlled trial. <i>Obstet Gynecol</i> 2008;111:611-621.
Barber MD, Weidner AC, Sokol AI, et al. Single-incision mini-sling compared with tension-free vaginal tape for the treatment of stress urinary incontinence: a randomized controlled trial. <i>Obstet Gynecol</i> 2012;119:328-337.
Barry C, Lim YN, Muller R, et al. [Pop 187, 3 mo fu] [TOT] A multi-centre, randomised clinical control trial comparing the retropubic (RP) approach versus the transobturator approach (TO) for tension-free, suburethral sling treatment of urodynamic stress incontinence: the TORP study. <i>Int Urogynecol J Pelvic Floor Dysfunct</i> 2008;19:171-178.
Bartley J. Secondary surgery after vaginal prolapse repair with mesh is more common for stress incontinence and voiding dysfunction than for mesh problems or prolapse recurrence. <i>Int Urol Nephrol</i> 2015;DOI 10.1007/s11255-015-0930-3.
Basu M, Duckett J. A randomised trial of a retropubic tension-free vaginal tape versus a mini-sling for stress incontinence. <i>BJOG</i> 2010;117:730-735.
Bazi, T. Polypropylene Midurethral Tapes do not have similar biologic and biomechanical performance in the Rat. <i>European Urology</i> 2007; 51: 1364-1375

Medical Literature

Beckmann, C. Table 47.1 Categories of Sexual Dysfunction in Obstetrics and Gynecology Sixth Edition Chapter 47 - Human Sexuality; 419
Benbouzid S, et al. Pelvic organ prolapse transvaginal repair by the Prolift system: evaluation of efficacy and complications after a 4.5 years follow up. Int J Urol 2012;19:1010-1016.
Bendavid, Iakovlev. Mesh-related SIN syndrome. A surreptitious irreversible neuralgia and its morphologic background in the Etiology of Post-Herniorrhaphy Pain. International Journal of Clinical Medicine, 2014, 5, 799-810.
Benson J. Vaginal versus abdominal reconstructive surgery for the treatment of pelvic support defects: A prospective randomized study with long-term outcome evaluation. Am J Obstet Gynecol 1996;175:1418-1422.
Bent, A. Tissue reaction to expanded polytetrafluoroethylene suburethral sling for urinary incontinence: clinical and histologic study. Am J Obstet Gynecol 1993; 169: 1198-204
Berger, A. The Role of Obesity in Success and Complication in Patients Undergoing Retropubic Tension-free Vaginal Tape Surgery. Female Pelvic Medicine & Reconstructive Surgery; 2015
Bernasconi F. TVT SECUR System: Final results of a prospective, observational, multicentric study. Int Urogynecol J (2012) 23:93-98
Berrocal J, et al. (the TVM group) Conceptual advances in the surgical management of genital prolapse. J. Gynecol Obstet Biol Reprod. 2004;33:577-587
Bezerra. [Full version Cochrane Review] Suburethral sling operations for urinary incontinence in women (review); The Cochrane Library 2001, Issue 3
Bezhenar V, et al. [Pop 467. 7 yr] ICS Abs 768. 7-Year old Clinical Experience of Treating women's urinary incontinence using suburethral slings. (2013)
Bhatia, Murphy, Lucente. [AUGS Oral Poster 19] A comparison of sexual function outcomes 1 year after undergoing a transvaginal mesh procedure using polypropylene mesh vs. hybrid polypropylene/poliglecaprone mesh. Female Pelvic Med Reconstr Surg 2012;18:S20-S21. Oral Poster 19.
Bianchi-Ferraro A. Single-incision sling compared with transobturator sling for treating stress urinary incontinence: a randomized controlled trial. Int Urogynecol J (2012)
Bing, M. Clinical risk factors and urodynamic predictors prior to surgical treatment for stress urinary incontinence: a narrative review. Int Urogynecol J 2014; Epub Ahead of Print
Binnebosel. Biocompatibility of prosthetic meshes in abdominal surgery. Semin Immunopathol (2011) 33:235-543
Birolini C, et al. [case report] Mesh cancer: long-term mesh infection leading to squamous-cell carcinoma of the abdominal wall. Hernia (2013).
Black, N. The effectiveness of surgery for stress incontinence in women: a systematic review. British Journal of Urology 1996; 78: 497-510
Blaivas, Iakovlev. (corrected in color) Safety considerations for synthetic sling surgery. Nat. Rev. Urol. 12, 481-509 (2015)
Blaivas, J. Ch. 17 Pubovaginal Sling. Female Urology, edited by Elroy D. Kursh and Edward McGuire. J.B. Lippincott, Philadelphia, 1994; ISBN 0-397-51154-X
Blaivas. Pubovaginal Fascial Sling for the Treatment of all Types of SUI: Surgical Technique and Long-term Outcome. Urol Clin N Am 38 (2011) 7-15
Blaivas. Pubovaginal fascial sling for the treatment of complicated SUI. J Urol, 145, 1214-1218, June 1991
Blaivas. Salvage surgery after failed treatment of synthetic mesh sling complications. The Journal of Urology Vol. 190, 1281-1286, October 2013

Medical Literature

Blandon Article, Complications from vaginally placed mesh in pelvic reconstructive surgery. In Urogynecol J (2009) 20:523-531.
Blitstein, J. A novel composite sling for the Treatment of Stress Urinary Incontinence: First Clinical Experience. Presented June 22, 2001, Milan Italy, XXIII International Congress of the European Hernia Society
Bo K, Kvarstein B, Nygaard I: Lower urinary tract symptoms and pelvic floor muscle exercise adherence after 15 years. Obstet Gynecol 2005, 105(5 Pt 1):999-1005
Bonnet, P. Transobturator vaginal tape inside out for the surgical treatment of female stress urinary incontinence: anatomical considerations. The Journal of Urology 2005; 173: 1223-1228
Boukerro. Objective analysis of mechanical resistance of tension-free devices. Eur J Obstet Gynecol Reprod Biol 124 (2006) 240-245
Boukerrou M, et al. Study of the biomechanical properties of synthetic mesh implanted in vivo. Eur J Obstet Gynecol Reprod Biol (2007) 134:262-267
Boulanger L, Boukerrou M, Lambaudie E, Defossez A, Cosson M. Tissue integration and tolerance to meshes used in gynecologic surgery: an experimental study, Eur J Obstet Gynecol Reprod Biol 2006; 125(1): 103-8.
Brennand, E. Twelve-month outcomes following midurethral sling procedures for stress incontinence: impact of obesity. BJOG 2015; 122: 1705-1712
Bringman S, et al. Hernia repair: The search for ideal meshes. Hernia (2010) 14:81-87.
Brown BN, et al. Characterization of the host inflammatory response following implantation of prolapse mesh in rhesus macaque. Am J Obstet Gynecol (2015), doi:10.1016/j.ajog.2015.08.002.
Brown, Abramowitch, Moalli, et al. Characterization of the host inflammatory response following implantation of prolapse mesh in rhesus macaque. Am J Obstet Gynecol (2015), 213:668.e1-10. doi:10.1016/j.ajog.2015.08.002.
Brown. Pelvic organ prolapse surgery in the United States, 1997. Am J Obstet Gynecol (2002), Volume 186, Number 4 , pg. 712-716
Brubaker L, et al. Adverse events over two years after retropubic or transobturator midurethral sling surgery: Findings from the trial of midurethral slings (TOMUS) Study. Am J Obstet Gynecol 2011;205:498e.1-6
Brubaker, Zimmern. (E-SISTER 5 yr) [Pop 482] 5-year Continence Rates, Satisfaction and Adverse Events of Burch Urethropexy and Fascial Sling Surgery for Urinary Incontinence. J Uro (2012) Vol. 187, 1324-1330
Bryans, F. Marlex gauze hammock sling operation with Cooper's ligament attachment in the management of recurrent urinary stress incontinence. Am J Obstet Gynecol 1979; 133: 292-294
Burgmans, et al. [Pop 950 2 yr fu] Long-term Results of a Randomized Double-blinded Prospective Trial of Lightweight (Ultrapro) versus a Heavyweight Mesh (Prolene) in Laparoscopic Total Extraperitoneal Inguinal Hernia Repair (TULP-trial). Ann Surg 2016; 263: 862-866
Bury. Five-year results of a randomized clinical trial comparing a polypropylene mesh with a polyglecaprone and polypropylene composite mesh for inguinal hernioplasty. Herina DOI 10.1007/s10029-012-0916-3
But I, Faganelj M. Complications and short-term results of two different transobturator techniques for surgical treatment of women with urinary incontinence: a randomized study. Int Urogynecol J Pelvic Floor Dysfunct 2008;19:857-861.
Byung. [pop 151, 6 mo fu] Changes in sexual function after mid-urethral tape sling operations for stress urinary incontinence in Korean women. Korean Journal of Urology Vol. 50 No 9:908-915 September 2009

Medical Literature

Cadish, L. Preoperative vaginal estrogen and midurethral sling exposure: a retrospective cohort study. <i>Int Urogynecol J</i> 2016; 27: 413-417
Cammu H, Van Nylen M, Blockeel C, Kaufman L, Amy JJ. Who will benefit from pelvic floor muscle training for stress urinary incontinence? <i>Am J Obstet Gynecol</i> 2004, 191(4):1152-1157
Cammu, H. Dramatic increase (1997-2007) in the number of procedures for stress urinary incontinence in Belgium. <i>Int Urogynecol J</i> 2010; 21: 1511-1515
Campeau L, Tu LM, Lemieux MC, et al. A multicenter, prospective, randomized clinical trial comparing tension-free vaginal tape surgery and no treatment for the management of stress urinary incontinence in elderly women. <i>Neurourol Urodyn</i> 2007;26:990-994.
Canel, V. Postoperative groin pain and success rates following transobturator midurethral sling placement: TVT Abbrevio® system versus TVT™ obturator system. <i>Int Urogynecol J</i> 2015; Epub Ahead of Print
Capobianco, G. TVT-Abbrevio: efficacy and two years follow-up for the treatment of stress urinary incontinence. <i>Clin Exp Obstet Gynecol</i> 2014; 41(4): 445-447
Caquant F, et al. Safety of Trans Vaginal Mesh procedure - retrospective study of 684 patients (Gynemesh PS). <i>J Obstet Gynaecol Res</i> 2008; 34:449-456.
Carbone JM, Kavalier E, Hu JC, Raz S. Pubovaginal sling using cadaveric fascia and bone anchors: disappointing early results. <i>J Urol.</i> 2001 May;165(5):1605-11.
Carey M, et al. Vaginal repair with (Gynemesh PS) mesh versus colporrhaphy for prolapse; a randomized controlled trial. <i>BJOG</i> 2009;116:1380-1386.
Carey M. Vaginal surgery for pelvic organ prolapse using mesh and a vaginal support device. <i>BJOG</i> 2008;115:391-397
Caruso S, Rugolo S, Bandiera S, Mirabella D, Cavallaro A, Cianci A. Clitoral blood flow changes after surgery for stress urinary incontinence: pilot study on TVT Versus TOT procedures. <i>Urology</i> 2007;70:554-557.
Cassidenti A. The crushing of innovation for treating female pelvic floor disorders: A Story of “Lead or be Led.” <i>OBG Management</i> 2016; 28(4): 9-14
Cavkaytar, S. Effects of Horizontal vs. Vertical Vaginal Cuff Closure Techniques on Vagina Length After Vaginal Hysterectomy: A Prospective Randomized Study. <i>Journal of Minimally Invasive Gynecology</i> 2014; 21(5): 884-7
Cayan, F. Sexual function after surgery for stress urinary incontinence: vaginal sling versus Burch colposuspension. <i>Arch Gynecol Obstet</i> 2008; 277: 31-36
Celebi. [Pop 563, 5 yrs fu] Results of the TVT procedure for treatment of female SUI: a 5 year follow-up study; <i>Arch Gynecol Obstet</i> (2009) 279:463-467
Chaikin, Blaivas. Pubovaginal fascial sling for all types of SUI Long-term analysis. <i>The Journal of Urology</i> , Vol. 160, 1312-1316 Oct. 1998
Chaikin, Blaivas. Results of pubovaginal sling for stress incontinence - a prospective comparison of 4 instruments for outcome analysis. <i>The Journal of Urology</i> Vol. 162, 1670-1673, November 1999
Chaliha C & Stanton SL. Complications of surgery for genuine stress incontinence. <i>Br J Obstet Gynaecol</i> 1999; 106:1238-45
Chapple, Zimmern, et al. Mesh sling in an era of uncertainty. Lessons learned and the way forward. <i>European Urology</i> 64(2013) 525-529.
Chen, H. Efficacy and complication of TVT procedure and TVT-O procedure in treatment of female stress urinary incontinence. <i>Journal of Shanghai Jiaotong University Medical Science</i> 2012; 32(4): 412-415
Chen, Ridgeway, Paraiso. Biologic Grafts and Synthetic Meshes in Pelvic Reconstructive Surgery. <i>Clinical Obstetrics and Gynecology</i> (2007); 50(2): 383-411

Medical Literature

Cheng D. [Pop 103, 5 yr fu] Tension-free vaginal tape-obturator in the treatment of stress urinary incontinence: a prospective study with five-year follow-up. Eur J of Obstet Gynecol Reprod Biol 161 (2012) 228-231
Chermansky, C. Role of pelvic floor in lower urinary tract function. Autonomic Neuroscience Basic and Clinical 2015; http://dx.doi.org/10.1016/j.autneu.2015.06.003
Cheung, R. Inside-out versus outside-in transobturator tension-free vaginal tape: A 5-year prospective comparative study. International Journal of Urology 2014; 21: 74-80
Choe JM, Bell T. Genetic material is present in cadaveric dermis and cadaveric fascia lata. J Urol. 2001 Jul;166(1):122-4.
Choe, J. Ch. 33 The Use of Synthetic Materials in Pubovaginal Sling. Bladder Disease: Research Concepts and Clinical Applications. Edited by A. ATala and D. Slade, Kluwer Academic/Plenum Publishers; 2003: 481-492
Cholhan H. Dyspareunia association with paraurethral banding in the transobturator sling. Am J Obstet Gynecol 2010;202:481.e1-5.
Christensen, H. Long-term Results of the Stamey Bladder-Neck Suspension Procedure and of the Burch Colposuspension. Scand J Urol Nephrol 1997; 31: 349-353
Christofi, N. Which procedure for incontinence? Journal of the British Menopause Society 2005; 11(1): 23-27
Chughtai B, et al. Association between the amount of vaginal mesh used with mesh erosions and repeated surgery after repairing pelvic organ prolapse and stress urinary incontinence. JAMA Surg (2016) doi: 10.1001/jamasurg.2016.4200.
Chughtai BI, et al. [SUFU Paper 35] Long term synthetic effects of vaginal mesh: seeking the truth. Female Pelvic Med Reconstr Surgery (2016); 22(5) (Suppl 1): S16-S17
Chughtai BI. Midurethral Sling Is the Dominant Procedure for Female Stress Urinary Incontinence: Analysis of Case Logs From Certifying American Urologists. Urology. 2013 Oct 15. doi:pii: S0090-4295(13)00963-1. 10.1016/j.urology.2013.07.040. (Epub ahead of print)
Chughtai, Anger, et al. [AUGS Abs 35] Long term systemic effects of vaginal mesh: seeking the truth. Female Pelvic Med Reconstr Surg (2016); 22(5): S16-S17
Chughtai, Anger, et al. [SUFU Abs Podium 22] Is vaginal mesh a stimulus of autoimmune disease? (2017)
Chughtai, Anger, et al. [SUFU Abs Poster NM96] Transvaginal mesh is not associated with carcinogenesis. (2017)
Chughtai, B. Midurethral Sling is the dominant procedure for Female Stress Urinary Incontinence: Analysis of Case Logs From Certifying American Urologists. Urology 2013; 82(6): 1267-71
Chughtai. Use and risks of surgical mesh for pelvic organ prolapse surgery in women in New York state: population based cohort study; BMJ 2015;350:h2685
Chung, M. Comparison of Laparoscopic Burch and Tension-free Vaginal Tape in Treating Stress Urinary Incontinence in Obese Patients. JSLS 2002; 6: 17-21
Clark A. Epidemiologic evaluation of reoperation for surgically treated pelvic organ prolapse and urinary incontinence. Am J Obstet Gynecol 2003;189:1261-7
Clave A, et al. Polypropylene as a reinforcement in pelvic surgery is not inert: comparative analysis of 100 explants. Int Urogynecol J (2009).
Clave. Polypropylene as a reinforcement in pelvic surgery is not inert comparative analysis of 100 explants. Int Urogynecol J (2010) 21:261-270
Clemons. Impact of the 2011 FDA Transvaginal Mesh Safety Update on AUGS Members' use of Synthetic Mesh and Biologic Grafts in Pelvic Reconstructive Surgery. Female Pelvic Med Reconstr Surg 2013;19:191-198

Medical Literature

Coady D. Chronic sexual pain. A layered guide to evaluation. Contemporary Ob/Gyn, September 2015, pp. 18-28.
Cobb WS, et al. The Argument for Lightweight Polypropylene Mesh in Hernia Repair. Surgical Innovation, Vol 12, No 1 (March), 2005: pp69-69.
Cobb, Carbonell. Open Retromuscular Mesh Repair of Complex Incisional Hernia: Predictors of Wound Events and Recurrence. J Am Coll Surg 2015; 220:606-616
Cobb, Heniford, Kercher, et al. Textile Analysis of Heavy Weight, Mid-Weight, and Light Weight Polypropylene Mesh in a Porcine Ventral Hernia Model. Journal of Surgical Research 136, 1-7 (2006)
Coda A, et al. Classification of prosthetics used in hernia repair based on weight and biomaterial. Hernia (2012) 16:9-20.
Coda, Bendavid. Structural alterations of prosthetic meshes in humans. Hernia (2003) 7:29-34
Coelho, S. Female pelvic organ prolapse using pessaries: systematic review. Int Urogynecol J 2016; Epub ahead of print
Collinet P. [Pop 277, 2 mo fu] Transvaginal mesh technique for pelvic organ prolapse repair: mesh exposure management and risk factors. Int Urogynecol J (2006) 17: 315-320
Collinet P. The safety of the inside-out transobturator approach for transvaginal tape (TVT-O) treatment in stress urinary incontinence: French registry data on 984 women. Int Urogynecol J (2008) 19:711-715
Comprehensive Review Course in Female Pelvic Medicine and Reconstructive Surgery- Master Suggested Readings List. Jan. 2013
Conze, J. New Polymer for Intra-Abdominal Meshes - PVDF Copolymer. J Biomed Mater Res B Appl Biomater 2008; 87(2): 321-8
Conze, Klinge, et al. Polypropylene in the intra-abdominal position Influence of pore size and surface area. Hernia (2004) 8:365-372.
Corona, R. Tension-free Vaginal Tapes and Pelvic Nerve Neuropathy. Journal of Minimally Invasive Gynecology 2008; 15: 262-267
Cosson M, et al. Prolift (Mesh (Gynecare) for Pelvic Organ Prolapse Surgical Treatment: Using the TVM Group Technique: A Retrospective Study of 687 Patients. ICS Abstract (2005), pgs. 590-591
Cosson M. Mechanical properties of synthetic implants used in the repair of prolapse and urinary incontinence in women: which is the ideal material? Int Urogynecol J (2003) 14: 169 178
Costantini. [Pop 87, median 100 mos fu] Long-term efficacy of the trans-obturator and retropubic MUS for SUI: update from a randomized clinical trial; World J Urol, DOI 10.1007/s00345-015-1651-z, 2015
Costello CR, et al. Characterization of Heavyweight and Lightweight Polypropylene Prosthetic Mesh Explants from a Single Patient. Surgical Innovation 2007; 14(3): 168-176.
Cox A, Herschorn S, Lee L. [Nat Rev Urol] Surgical management of female SUI: is there a gold standard? Nat Rev Urol. 2013 Feb;10(2):78-89.
Cox A, Herschorn S. Evaluation of Current Biologic Meshes in Pelvic Organ Prolapse Repair. Curr Urol Rep (2012) 13: 247-255
Cresswell J, et al. [pop 118, mean 6.6 yrs fu] Long-term evaluation of tension-free vaginal tape (TVT) outcomes for a UK Surgeon: Objective assessment and patient satisfaction questionnaires. British Journal of Medical and Surgical Urology (2008) 1, 58-62.
Cuevas R, et al. [Abs 1108] Prolift like (PL) surgery: A management option for severe pelvic organ prolapse (POP) in a public hospital in a developing country. Int Urogynecol J (2011) 22 (Suppl 2): S197-S1768

Medical Literature

Da Silveira S. Multicenter, randomized trial comparing native vaginal tissue repair and synthetic mesh repair for genital prolapse surgical treatment. <i>Int Urogynecol J</i> 2014.
da Silveira, Simone dos Reis Brandao. [Pop 184, 1 yr fu] Multicenter, randomized trial comparing native vaginal tissue repair and synthetic mesh repair for genital prolapse surgical treatment, <i>Int Urogynecol J</i> . 2015 Mar;26(3):335-42
Daly JO. Commentary on Jallah, Moalli 2015 Vaginal mesh products, each an entity unto itself. (2015)
Damoiseaux A, et al. [IUGA Abs PP 01] Long-term follow-up (7 years) of a randomized controlled trial. Trocar guided mesh compared with conventional vaginal repair in recurrent pelvic organ prolapse. <i>Int Urogynecol J</i> (2015) 26 (Suppl 1): S23-S174
Dandolu V, Pathak P. [IUGA Abs PP 37] Mesh complications in U.S. after transvaginal mesh repair versus abdominal or laparoscopic sacrocolpopexy. <i>Int Urogynecol J</i> (2015) 26 (Suppl 1): S23-S174
Daneshgari, F. Complications of Mid Urethral Slings: Important Outcomes for Future Clinical Trials. <i>Journal of Urology</i> 2008; 180: 1890-1897
Darai E. Functional Results After the Suburethral Sling Procedure for Urinary Stress Incontinence: A Prospective Randomized Multicentre Study Comparing the Retropubic and Transobturator Routes. <i>EUROPEAN UROLOGY</i> 51 (2007) 795-802
Dati S, et al. Prolift vs. Avaulta for transvaginal repair of severe pelvic prolapse. (2008)
Dati, S. M432 Single-Incision minisling (AJUST) vs. Obturator tension-free vaginal shortened tape (TVT-Abbrevio) in surgical management of female stress urinary incontinence. <i>Int J Gynecol Obstet</i> 2012; 119S3: S670
Davila GW. Pelvic Floor Dysfunction Management Practice Patterns: A Survey of Members of the International Urogynecological Association. <i>Int Urogynecol J</i> (2002) 13:319-325
De Landsheere L. Surgical intervention after transvaginal Prolift mesh repair: retrospective single-center study including 524 patients with 3 years' median follow up. <i>Am J Obstet Gynecol</i> 2012;206:83.e1-7.
de Leval J, Thomas A, Waltregny D. The original versus a modified inside-out transobturator procedure: 1-year results of a prospective randomized trial. <i>Int Urogynecol J</i> 2011;22:145-156.
de Leval J. Novel Surgical Technique for the Treatment of Female Stress Urinary Incontinence. Transobturator Vaginal Tape Inside-Out. <i>European Urology</i> 44 (2003) 724-730.
De Leval. Novel Surgical Technique for the Treatment of Female Stress Urinary Incontinence: Transobturator Vaginal Tape Inside-Out. (2003)
de Oliveira L, Girao MJ, Sartori MG, Castro RA, Fonseca E. Comparison of retro-pubic TVT, pre-pubic TVT and TVT transobturator in surgical treatment of women with stress urinary incontinence. <i>Int Urogynecol J</i> 2007;18(Suppl I):S180-S181.
De Souza A. Sexual Function following retropubic TVT and transobturator Monarc sling in women with intrinsic sphincter deficiency: a multicenter prospective study. <i>Int Urogynecol J</i> 2012; 23: 153-158
de Tayrac R, Droupy S, Calvanese L, and Fernandez H. A prospective randomized study comparing TVT and transobturator suburethral tape (T.O.T.) for the surgical treatment of stress incontinence. <i>ICS 2003:Abstract</i> 344.
de Tayrac R, et al. Cystocele repair by the vaginal route with a tension-free sub-bladder prosthesis. <i>J Gynecol Obstet Biol Reprod (Paris)</i> 2002;31(6):597-599.
de Tayrac R, et al. [Abs. 149] Cystocele Repair with a Fixation-Free Prosthetic Polypropylene Mesh. (2001)

Medical Literature

de Tayrac R. A prospective randomized trial comparing tension-free vaginal tape and transobturator suburethral tape for surgical treatment of stress urinary incontinence. American Journal of Obstetrics and Gynecology (2004) 190, 602e8
De Tayrac, Letouzey. Basic Science and Clinical Aspects of Mesh Infection in Pelvic Floor Reconstructive Surgery. Int Urogynecol J (2011) doi 10.1007/s00192-011-1405-4
Dean, N. Laparoscopic colposuspension and tension-free vaginal tape: a systematic review. BJOG 2006; 113: 1345-1353
Debodinance P. Trans-obturator urethral sling for surgical correction of female stress urinary incontinence: outside-in (Monarc®) versus inside-out (TVT-O®). Are both ways Safe? J Gynecol Obstet Biol Reprod 2006; 35: 571-577
Debodinance P. Trans-obturator urethral sling for the surgical correction of female stress urinary incontinence: Outside-in (Monarc) versus inside-out (TVT-O) are the two ways reassuring? Eur J Obstet Gynecol Reprod Biol 133 (2007) 232-238
Deffieu, et al. (French, Eng Abs) Vaginal mesh extrusion after transvaginal repair of cystocele using a prosthetic mesh: treatment and functional outcomes. J Gynecol Obstet Biol Reprod 2006; 35: 678-684.
Deffieux X. Transobturator TVT-O versus retropubic TVT: results of a multicenter randomized controlled trial at 24 months follow-up. Int Urogynecol J (2010) 21:1337-1345
Delmas - Ltrs to editor Re. de Leval's -Novel surgical technique for the treatment of female stress urinary incontinence: transobturator vaginal tape inside-out. (2004)
Delorme E. Trans-obturator tape- a mini invasive procedure for the treatment of female stress urinary incontinence. Progres en Urologie (Progress in Urology) (2001), II, 1306-1313
Demirci F, et al. Long-term results of Burch colposuspension Gynecol Obstet Invest 2001; 51:243-247
Demirci, F. Comparison of pubovaginal sling and burch colposuspension procedures in type I/II genuine stress incontinence. Arch Gynecol Obstet 2001; 265: 190-194
Deng, Raz. Presentation and Management of Major Complications of Midurethral Slings: Are Complications Under-reported? Neurolgoy and Urodynamics 26:46-52 (2007)
Deng. Risk factors for mesh erosion after female pelvic floor reconstructive surgery: a systemic review and meta-analysis BJU Int 2015 doi:10.1111/bju.13158
Denis S. [IUGA Abs 620] Pelvic Organ prolapse treatment by the vaginal route using a Vypro composite mesh: preliminary results about 106 cases. (2004)
Deprest J, et al. The biology behind fascial defects and the use of implants in pelvic organ prolapse repair. Int Urogynecol J (2006) 17:S16-S25.
Deprest. Synthetic and biodegradable prostheses in pelvic floor surgery. International Congress Series 1279 (2005) 387-397
Dhingra, C. Urogynecological Causes of Pain and the Effect of Pain on Sexual Function in Women. Female Pelvic Med Reconstr Surg 2012; 18: 259-267
Di Biase, M. Management of stress urinary incontinence. Seminars in Colon and Rectal Surgery 2016; 27: 46-50
Diamond MP and Freeman ML. Clinical implications of postsurgical adhesions. Human Reproduction Update (2001); 7(6): 567-576.
Dietz H. TVT vs Monarc: a comparative study. Int Urogynecol J (2006) 17: 566-569
Dietz HP, et al. [Pop 68, median 1.6 yrs fu] Does the Tension-Free Vaginal tape stay Where you Put It? Am J Obstet Gynecol 2003; 188:950-3
Dietz HP, et al. Mechanical properties of urogynecologic implant materials. Int Urogynecol J (2003) 14:239-243.

Medical Literature

Dietz V and Maher C. Pelvic organ prolapse and sexual function. Int Urogynecol J (2013) 24: 1853-1857
Dietz. [Pop 68, median 1.6 yrs fu] Does the tension-free vaginal tape stay where you put it? Am J Obstet Gynecol 2003; 188:950-3
Diwadkar G. Complication and reoperation rates after apical vaginal prolapse surgical repair. Obstet Gynecol 2009;113:367-73.
Dmochowski R, Blaivas. (AUA Guidelines) Update of AUA Guideline on the Surgical Management of Female Stress Urinary Incontinence. J Uro, Vol. 183, 1906-1914, May 2010
Dmochowski, et al. Slings: Autologous, Biologic, Synthetic, and Midurethral. Chapter 273 in Wein 10th ed (2011)
Dmochowski. AUA Abs 1520 One year results from a World-Wide Registry of TVT-secur in women with SUI; The Journal of Urology, Vol. 181, No. 4, Supplement, 2009
Dooley. Urinary Incontinence Prevalence: Results from the National Health and Nutrition Examination Survey. (2008)
dos Reis Brandao da Silveira S. [Pop 184, 1 yr fu] Multicenter, randomized trial comparing native vaginal tissue repair and synthetic mesh repair for genital prolapse surgical treatment. Int Urogynecol J. 2014. 26: 335-342.
Drahoradova P, Maata J, Martan A, Svabfk K. Comparative development of quality of life between TVT and Burch colposuspension. ICS 2004:Abstract 278.
Drutz HP. Updated IUGA guidelines for training in female pelvic medicine and reconstructive surgery (FPM-RPS). Int Urogynecol J (2010) 21:1445-1453.
Duckett, J. Groin pain after a tension-free vaginal tape or similar suburethral sling: management strategies. BJU International 2005; 95: 95-97
Duckett, J. Pain after suburethral sling insertion for urinary stress incontinence. Int Urogynecol J 2013; 24: 195-201
Dunn GE. Changed women. The long-term impact of vaginal mesh complications. Female Pelvic Med. Reconstr Surg 2014; 20:131-136
Dwyer PL and Riss P. Synthetic mesh in plevic reconstructive surgery: an ongoing saga. Int Urogynecol J (2016) 27:1287-1288.
Dwyer, N. An update on slings. Curr Opin Urol 2005; 15: 244-249
Dyrkorn OA, et al. TVT compared with TVT-O and TOT - Results from the Norwegian National Incontinence Registry; Int Urogynecol J (2010) 21:1321-1326
Dyrkorn OA, Kulseng-Hanssen S, Sandvik L. TVT compared with TVT-O and TOT: Results from the Norwegian National Incontinence Registry; Int Urogynecol J (2010) 21:1321-1326.
Eickmeyer, S. Pelvic Floor Disorders. Chapter 38 in Braddom's Physical Medicine & Rehabilitation Fifth Edition ISBN: 978-0-323-28046-4
El-Barky E, El-Shazly A, El-Wahab OA, Kehinde EO, Al-Hunayan A, Al-Awadi KA. Tension free vaginal tape versus Burch colposuspension for treatment of female stress urinary incontinence. Int Urol Nephrol 2005;37:277-281.
El-Din Shwki, H. The Role of Trans-obturator Vaginal Tape (TVT-O) and some Traditional Surgical interventions in the management of female genuine stress urinary incontinence - randomized controlled trial. International Journal of Gynecology & Obstetrics 2012; 119S3: S337
El-Hefnawy AS, Wadie BS, El Mekresh M, Nabeeh A, Bazeed MA. TOT for treatment of stress urinary incontinence: how should we assess its equivalence with TVT? Int Urogynecol J 2010;21:947-953.
Elmer C, et al. Risk factors for mesh complications after trocar guided transvaginal mesh kit repair of anterior vaginal wall prolapse. Neurourol Urodyn. 2012 Sep;31(7):1165-9

Medical Literature

Elmer C, et al. Trocar-Guided Transvaginal Mesh Repair of Pelvic Organ Prolapse. <i>Obstet Gynecol</i> (2009) 113: 117-26.
El-Nazer MA, et al. Anterior colporrhaphy versus repair with Gynemesh PS for anterior vaginal wall prolapse: a comparative clinical study. <i>Arch Gynecol Obstet</i> (2012)286:965-972.
Elyasi, F. Sexual Dysfunction in Women with Type 2 Diabetes Mellitus. <i>Iran J Med Sci</i> 2015; 40(3): 206-213
Elzevier H. Female Sexual Function after Surgery for Stress Urinary Incontinence: Transobturator Suburethral Tape vs. Tension-Free Vaginal Tape Obturator. <i>J Sex Med</i> 2008;5:400-406
Endo, M. Mesh contraction: in vivo documentation of changes in apparent surface area utilizing meshes visible on magnetic resonance imaging in the rabbit abdominal wall model. <i>Int Urogynecol J</i> 2014; 25(6): 737-43
Ercan, O. Comparison of postoperative vaginal length and sexual function after abdominal, vaginal, and laparoscopic hysterectomy. <i>International Journal of Gynecology and Obstetrics</i> 2016; 132: 39-41
Eriksen, B. Long-term effectiveness of the burch colposuspension in Female Urinary Stress Incontinence. <i>Acta Obstet Gynecol Scand</i> 1990; 69: 45-50
Fabian, G. Vaginal excision of the sub-urethral sling: analysis of indications, safety and outcome. <i>Arch Med Sci</i> 2015; 11(5): 982-988
Falconer C, Ulmsten U. Influence of Different Sling Materials on Connective Tissue Metabolism in Stress Urinary Incontinent Women. <i>Int Urogynecol J</i> (2001) (Suppl 2): S19-S23
Falconer C. Clinical Outcome and Changes in Connective Tissue Metabolism After Intravaginal Slingplasty in Stress Incontinent Women. <i>Int Urogynecol J</i> (1996) 7:133-137
Fan X, et al. [sheep] Comparison of polypropylene mesh and procine-derived, cross-linked urinary bladder matrix materials implanted in the rabbit vagina and abdomen, <i>Int Urogynecol J</i> (2014) 25: 683-689
Farthmann J, et al. Lower exposure rates of partially absorbable mesh compared to nonabsorbable mesh for cystocele treatment: 3-year follow-up of a prospective randomized trial, <i>Int Urogynecol J</i> (2013) 24: 749-758
Fatton B. Transvaginal repair of genital prolapse: preliminary results of a new tension-free vaginal mesh (Prolift technique) – a case series multicentric study. <i>Int Urogynecol J</i> 2007;18:743-752.
Feiner, et al. Efficacy and safety of transvaginal mesh kits in the treatment of prolapse of the vaginal apex: a systematic review. <i>BJOG</i> (2008) 116: 15-24.
Feola A, et al. [monkeys] Deterioration in biomechanical properties of the vagina following implantation of a high-stiffness prolapse mesh, <i>BJOG</i> 2013 Jan;120(2):224-32
Ferrero, S. Deep dyspareunia: causes, treatments, and results. <i>Current Opinion in Obstetrics and Gynecology</i> 2008; 20: 394-399
Fialkow M. Incidence of recurrent pelvic organ prolapse 10 years following primary surgical management: a retrospective cohort study. <i>Int Urogynecol J</i> : 2008;19:1483-1487.
Firoozi F. Short and intermediate-term complications of the Prolift transvaginal mesh procedure. <i>Int Urogynecol J</i> 2009;3:S283.
FitzGerald MP, Edwards SR, Fenner D. Medium-term follow-up on use of freeze-dried, irradiated donor fascia for sacrocolpopexy and sling procedures. <i>Int Urogynecol J Pelvic Floor Dysfunct.</i> 2004 Jul-Aug;15(4):238-42.
Fitzgerald MP, Mollenhauer J, Brubaker L. Failure of allograft suburethral slings. <i>BJU Int.</i> 1999 Nov;84(7):785-8.
Fitzgerald MP, Mollenhauer J, Brubaker L. The antigenicity of fascia lata allografts. <i>BJU Int.</i> 2000 Nov;86(7):826-8.

Medical Literature

Fitzgerald, M. Failure of allograft suburethral slings. BJU International 1999; 84: 785-788
Fokaefs, E. Experimental evaluation of free versus pedicled Fascial Flaps for Sling Surgery of Urinary Stress Incontinence. The Journal of Urology 1997; 157: 1039-1043
Fong, E. Mid-urethral synthetic slings for female stress urinary incontinence. BJU Int 2010; 106(5): 596-608
Ford AA, et al. (Cochrane Review[FULL]) Mid-urethral sling operations for stress urinary incontinence in women. The Cochrane Library 2015, Issue 7
Ford AA. (Summary Cochrane Review) Mid-urethral sling operations for stress urinary incontinence in women (review). (2015)
Ford AA. Mid-urethral sling operations for stress urinary incontinence in women (Review); The Cochrane Collaboration (Full) 2015
Fortelny, et al. Adverse effects of polyvinylidene fluoride-coated polypropylene mesh used for laparoscopic intraperitoneal onlay repair of incisional hernia. Br J Surg 2010; 97: 1140-1145
Fortelny, R. Adverse effects of polyvinylidene fluoride-coated polypropylene mesh after for laparoscopic intraperitoneal onlay repair of incisional hernia. British Journal of Surgery 2010; 97: 1140-1145
Foxman B. Epidemiology of Urinary Tract Infections: Incidence, Morbidity, and Economic Costs. Am J Med 2002; 113(1A):5S-13S.
Francis WJA, Jeffcoate TNA. Dyspareunia following vaginal operations. J Obstet Gynaecol Br Commonwealth (1961);68(1):1-10.
Freeman R, Holmes D, Hillard T, et al. What patients think: patient-reported outcomes of retropubic versus trans-obturator mid-urethral slings for urodynamic stress incontinence-a multi-centre randomised controlled trial. Int Urogynecol J 2011;22:279-286.
Fuentes AE. A prospective randomised controlled trial comparing vaginal prolapse repair with and without tensionfree vaginal tape transobturator tape (TVT-O) in women with severe genital prolapse and occult stress incontinence: long term follow up. Int Urogynecol J 2011;22(Suppl I):S60-S61.
Fultz, N. Burden of stress urinary incontinence for community-dwelling women. Am J Obstet Gynecol 2003; 189: 1275-82
Funk, M. Sling revision/removal for mesh erosion and urinary retention: long-term risk and predictors. Am J Obstet Gynecol 2013; 208:73.e1-7
Funk, M. Trends in the Surgical Management of Stress Urinary Incontinence. Obstet Gynecol 2012; 119(4): 845-851
Galloway, N. The Complications of Colposuspension. British Journal of Urology 1987; 60: 122-124
Gandhi S, et al. TVT versus SPARC - Comparison of Outcomes for two midurethral tape procedures. Int Urogynecol J (2006) 17:125-130
Ganj FA, et al. Complications of transvaginal monofilament polypropylene mesh in pelvic organ prolapse repair. Int Urogynecol J (2009) 20:919-925
Garcia, S. Complications of Polypropylene Mesh for the Treatment of Female Pelvic Floor Disorders. Neurologic and Urodinamical Urology Arch. Esp. Urol. 2011; 64(7): 620-628
Gehrich, A. Risk of postoperative urinary tract infections following midurethral sling operations in women undergoing hysterectomy. Int Urogynecol J 2015; Epub Ahead of Print
Gerstenbluth. [case report] Simultaneous urethral erosion of TVT and woven polyester pubovaginal sling. The Journal of Urology Vol. 170, 525-526, August 2003
Gerwin RD. A review of myofascial pain and fibromyalgia-factors that promote their persistence. Acupuncture in Medicine (2005); 23(3): 121-134.

Medical Literature

Ghezzi F. Impact of tension-free vaginal tape on sexual function: results of a prospective study. <i>Int Urogynecol J</i> (2005) 17: 54-59
Ghezzi F. Influence of the type of anesthesia and hydrodissection on the complication rate after tension-free vaginal tape procedure. <i>European Journal of Obstetrics & Gynecology and Reproductive Biology</i> 118 (2005) 96-100
Ghoneim, G. Female pelvic medicine and reconstructive surgery practice patterns: IUGA member survey. <i>Int Urogynecol J</i> 2015; 26(10): 1489-94
Gilbert AI, et al. Ch. 9 Polypropylene. <i>The Standard of Mesh Materials. Meshes - Benefits and Risks</i> (2004)
Gilpin SA. The pathogenesis of genitourinary prolapse and stress incontinence of urine. A histological and histochemical study. <i>British Journal of Obstetrics and Gynaecology</i> January 1989, Vol. 96, pp. 15-23
Glatt A. The prevalence of dyspareunia. <i>Obstet & Gynecol</i> ; 1990;75:433-436.
Glavind K and Shim Susy. Incidence and treatment of postoperative voiding dysfunction after the tension-free vaginal tape procedure. <i>Int Urogynecol J</i> 2015; 26: 1657-1660
Gleason, Sung, Richter. Outcomes of MUS procedures in women with mixed urinary incontinence; <i>Int Urogynecol J</i> (2015) 26:715-721
Godazandeh, G. Laparoscopic Repair of Morgagni Hernia Using Polyvinylidene Fluoride (PVDF) Mesh. <i>Middle East J. Dig Dis</i> 2012; 4:232-235
Goldman, HW. Complications of Female Incontinence & Pelvic Reconstructive Surgery. <i>Current Clinical Urology</i> 2013.
Golomb, J. Management of urethral erosion caused by a pubovaginal fascial sling. <i>Urology</i> 2001; 57: 159-160
Gomelsky, A. Midurethral sling: is there an optimal choice? <i>Curr Opin Urol</i> 2016; 26: 000-000 DOI: 10.1097/MOU.0000000000000282
Gomelsky. (Ann Long-Term Care) Urinary incontinence in the elderly female. <i>Annals of Long-Term Care: Clinical Care and Aging</i> 2009; 17[10]:41-45
Goode PS, Burgio KL, Locher JL, Roth DL, Umlauf MG, Richter HE, Varner RE, Lloyd LK: Effect of behavioral training with or without pelvic floor electrical stimulation on stress incontinence in women: a randomized controlled trial. <i>JAMA</i> 2003, 290(3):345-352
Goretzlehner, U. PVDF as an implant material in urogynaecology. <i>BIOmaterialien</i> 2007; 8(S1): 28-29
Greer WJ. Obesity and pelvic floor disorders: a systematic review. <i>Obstet Gynecol.</i> 2008 Aug;112(2 Pt 1):341-9
Groutz A, Rosen G, Cohen A, Gold R, Lessing JB, Gordon D. [Pop 52, 10 yr fu] Ten-year subjective outcome results of the retropubic tension-free vaginal tape for treatment of stress urinary incontinence. <i>J Minim Invasive Gynecol</i> (2011) 18:726-729
Groutz A. [Pop 61, 5 yr fu] Long-Term Outcome of Transobturator Tension-Free Vaginal Tape: Efficacy and Risk Factors for Surgical Failure. <i>Journal of Women's Health, Volume 20, Number 10, 2011</i> 1525-1528
Groutz, Blaivas. Pubovaginal sling surgery for simple SUI - analysis by an outcome score. <i>The Journal of Urology</i> Vol. 165, 1597-1600, May 2001
Groutz. "Inside Out" Transobturator Tension-free Vaginal Tape for Management of Occult Stress Urinary Incontinence in Women Undergoing Pelvic Organ Prolapse Repair. (2010)
Guerrero KL. A randomised controlled trial comparing TVT Pelvicol and autologous fascial slings for the treatment of stress urinary incontinence in women. <i>BJOG</i> 2010;117:1493-1503
Gupta, Sirls, et al. [AUA Abs PD20-08] The impact of comorbid chronic pain syndromes on sexual activity and dyspareunia after pelvic organ prolapse repair. (2015)

Medical Literature

Haferkamp. [case report] Urethral erosion of tension-free vaginal tape. The Journal of Urology Vol. 167, 250, January 2002
Halaska M, et al. A multicenter, randomized, prospective, controlled study comparing sacrospinous fixation and transvaginal mesh in the treatment of posthysterectomy vaginal vault prolapse. Am J Obstet Gynecol. 2012 Oct;207(4):301.e1-7
Halder, G. Botox with Physical Therapy for Myofascial Pelvic Pain. Presentation Number: Poster 193. Female Pelvic Medicine & Reconstructive Surgery 2015; 21(5)(Suppl 1): S143
Hamer M. One-year results of a prospective randomized, evaluator-blinded, multicenter study comparing TVT and TVT Secur. Int Urogynecol J (2013) 24:223-229
Hamer MA, Larsson PG, Teleman P, Eten-Bergqvist C, Persson J. Short-term results of a prospective randomized evaluator blinded multicenter study comparing TVT and TVT-Secur. Int Urogynecol J Pelvic Floor Dysfunct 2011;22:781-787.
Hammad. Erosions and Urinary Retention Following Polypropylene Synthetic Sling. Australasian Survey. European Urology 47 (2005) 641-647
Han J-Y, Park J, Choo M-S. [Pop 88, 12 yr fu] Long-term durability, functional outcomes, and factors associated with surgical failure of tension-free vaginal tape procedure. Int Urol Nephrol (2014) 46:1921-1927
Han JY. Effectiveness of retropubic tension-free vaginal tape and transobturator inside-out tape procedures in women with overactive bladder and stress urinary incontinence. Int Neurourol J. 2013 Sep;17(3):145-51
Han, Ji-Yeon. Efficacy of TVT-Secur and factors affecting cure of female stress urinary incontinence: 3-year follow-up. Int Urogynecol J (2012) 23:1721-1726
Handa VL, Zyczynski HM, Brubaker L, et al. Sexual function before and after sacrocolpopexy for pelvic organ prolapse. Am J Obstet Gynecol 2007;197:629.e1-6.
Hanes CR, Long FH. [SGS Oral Poster 24] Vaginal Sacral Colpopexy (Gynemesh PS). J Pelvic Med Surg (2009); 15(2)
Hansen, Gradel. [Danish Registry] Reoperation for urinary incontinence-a nationwide cohort study, 1998 thru 2007; Am J Obstet Gynecol 2016;214:263.e1-8
Hathaway JK, Choe JM. Intact genetic material is present in commercially processed cadaver allografts used for pubovaginal slings. J Urol. 2002 Sep;168(3):1040-3. PubMed PMID: 12187218.
Haug JD. Physicians preferences for information sources - a meta-analytical study. Bull Med Libr Assoc 85(3), July 1997.
Haylen BT, et al. Recurrent urinary tract infections in women with symptoms of pelvic floor dysfunction. Int Urogynecol J (2009) 20:897-842.
Hazell L. and Shakir SAW. Under-reporting of adverse drug reactions. Drug Safety 2006; 29(5):385-396.
Heinonen P, et al. [Pop 161, Median 7 yr fu] IUGA Abs OP 093 - Long-term outcome after transvaginal mesh repair of pelvic organ prolapse. Int Urogynecol J (2015) 26 (Suppl 1): S23-S174
Heinonen P, et al. Long-term outcome after transvaginal mesh repair of pelvic organ prolapse. Int Urogynecol J (2016)
Heinonen P. [Pop 191, mean 10.5 yrs fu] Tension-free vaginal tape procedure without preoperative urodynamic examination: Long-term outcome. Int J Urol 2012; 19:1003-1009
Heinz. The Reaction of Formaldehyde with Proteins - Formalin Reaction. From the Western Regional Research Laboratory. September 7, 1948
Hellberg D. The very obese woman and the very old woman: tensionfree vaginal tape for the treatment of stress urinary incontinence. Int Urogynecol J (2007) 18:423-429

Medical Literature

Hendrix S. Pelvic organ prolapse in the Women's Health Initiative: Gravity and gravidity. Am J Obstet Gynecol, (2002) Volume 186, Number 6
Herbertsson. Surgical results and urodynamic studies 10 years after retropubic colpourethrocystopexy. Acta Obstet Gynecol Scand 1993; 72:298-301
Hermieu. Les bandelettes sous-uretrales synthetiques dans le traitement de l'incontinence urinaire d'effort feminine. Peoples en Urologie (2003), 13, 636-647
Hill, Barber. Histopathology of excised midurethral sling mesh. Int Urogynecol J (2015) 26:591-595
Hilton, P. The "learning curve" for retropubic mid-urethral sling procedures: a retrospective cohort study. Int Urogynecol J 2016; 27: 565-570
Hinoul P, Vervest HAM, den Boon J, et al. A randomized, controlled trial comparing an innovative single incision sling with an established transobturator sling to treat female stress urinary incontinence. J Urol 2011;185:1356-1362.
Hinoul P, Vervest HAM, Venema P, Den Boon J, Milani A, Roovers J. TVT obturator system versus TVT Secur: a randomized controlled trial, short term results. Int Urogynecol J Pelvic Floor Dysfunct 2009;20:S213.
Hinoul P. An anatomic comparison of the original versus a modified inside-out transobturator procedure. Int Urogynecol J (2011) 22:997-1004
Hinoul P. Anatomical variability in the trajectory of the inside-out transobturator vaginal tape technique (TVT-O). Int Urogynecol J (2007) 18:1201-1206
Hinoul P. Surgical management of urinary stress incontinence in women: A historical and clinical overview. European Journal of Obstetrics & Gynecology and Reproductive Biology 145 (2009) 219-225
Hinoul, P. An Anatomic Comparison of the Traditional TVT-O Versus a modified TVT-O Procedure. Int Urogynecol J 2011; 22 (Suppl 2): S1190-1191
Hoenil J, et al. Efficacy and outcome of anterior vaginal wall repair using polypropylene mesh (Gynemesh). J Obstet Gynaecol Res (2007) Vol. 33, No 5: 700-704
Holmgren C. Frequency of de novo urgency in 463 women who had undergone the tension-free vaginal tape (TVT) procedure for genuine stress urinary incontinence - A long-term follow-up. Eur J Obstet Gynecol Reprod Biol 132 (2007) 121-125
Holmgren, Nilsson (S, not CG) [Pop 760, 8 yr fu] Long-Term Results With Tension-Free Vaginal Tape on Mixed and SU; Obstetrics & Gynecology; Vol. 106, No. 1, July 2005
Holmgren. Quality of life after TVT surgery for female stress incontinence; Scandinavian Journal of Urology and Nephrology, 2006; 40: 131-137
Hota, L. TVT-Secur (Hammock) Versus TVT-Obturator: A Randomized Trial of Suburethral Sling Operative Procedures. Female Pelvic Med Reconstr Surg 2012; 18:41-45
Houwert RM, Renes-Zijl C, Vos MC, Vervest HA. TVT-O versus Monarc after a 2-4-year follow-up: a prospective comparative study. Int Urogynecol J (2009) 20:1327-1333
Houwert, R. Perspectives by patients and physicians on outcomes of mid-urethral sling surgery. Int Urogynecol J 2010; 21: 415-421
Hu, T. Costs of Urinary incontinence and overactive bladder in the United States: A comparative Study. Urology 2004; 63: 461-465
Huang YH, Lin AT, Chen KK, Pan CC, Chang LS. High failure rate using allograft fascia lata in pubovaginal sling surgery for female stress urinary incontinence. Urology. 2001 Dec;58(6):943-6.
Huang, Y. High Failure Rate using Allograft Fascia Lata in Pubovaginal sling surgery for Female Stress Urinary Incontinence. Urology 2001; 58: 943-946

Medical Literature

Hubka, P. Anatomical study of position of the TVT-O to the obturator nerve influenced by the position of the legs during the procedure: based upon findings at formalin-embalmed and fresh-frozen bodies. Arch Gynecol Obstet 2011; 284: 901-905
Hubka, P. TVT Abbrevio: cadaveric study of tape position in foramen obturatum and adductor region. Int Urogynecol J 2016; Epub Ahead of Print
Huser, M. OP 106 Prospective Randomized Comparison of the Trans-obturator mid-urethral sling and the single-incision sling in women with stress urinary incontinence: One-year follow-up study. Int Urogynecol J 2015; 26(Suppl1): S135-136
Hwang E. Predictive factors that influence treatment outcomes of innovative single incision sling: comparing TVT-Secur to an established transobturator sling for female stress urinary incontinence. Int Urogynecol J (2012) 23:907-912
Iakovlev, Mekel, Blaivas - ICS Abs 228 Pathological findings of transvaginal polypropylene slings explanted for late complications: mesh is not inert.(2014)
Iglesia C. Vaginal Mesh for Prolapse: A Randomized Controlled Trial. OBSTETRICS & GYNECOLOGY, 116:2:1, August 2010
Iglesia, C. The Use of mesh in Gynecologic Surgery. Int Urogynecol J 1997; 8: 105-115
Iliev VN and Andova IT. Minimally invasive surgery for stress urinary incontinence - mesh complications. Med. Sci. 2, 2014.
Imel A, et al. In vivo oxidative degradation of polypropylene pelvic mesh. Biomaterials 73 (2015) 131-141.
Ingber, M. Retropubic Synthetic Midurethral Slings: Techniques and Outcomes. Current Urology Reports 2009; 10: 375-383
Irwin, D. Population-based survey of urinary incontinence, overactive bladder, and other lower urinary tract symptoms in five countries: results of the EPIC study. European Urology 2006; 50: 1306-1315
Jackson, S. Stress urinary incontinence: new management options. Current Medical Research and Opinion 2005; 21(10): 1669-1675
Jacquetin B, et al. Total transvaginal mesh technique for treatment of pelvic organ prolapse: a 3-year prospective follow-up study. Int Urogynecol J (2010) 21: 1455-1462
Jacquetin B. Total transvaginal mesh (TVM) technique for treatment of pelvic organ prolapse: 1 5-year prospective follow-up study. Int Urogynecol J 2013. DOI 10.1007/s00192-013-2080-4.
Jacquetin, Cosson. [Pop 2,078] Complications of vaginal mesh: our experience. Int Urogynecol J 2009; 20: 893-896.
Jacquetin, et al. (Abstract) Prospective Clinical Assessment of the Trans Vaginal Mesh Technique for Treatment of Pelvic Organ Prolapse - One Year Results of 175 Patients. (2006)
Jacquetin. Transvaginal Mesh: A 5 year prospective follow-up study. Int Urogynecol J (2013)
Jain P, Jirschele K, Botros SM, Latthe PM. Effectiveness of midurethral slings in mixed urinary incontinence: a systematic review and meta-analysis. Int Urogynecol J. 2011;22:923-932
Jain, P. Effectiveness of midurethral slings in mixed urinary incontinence: a systematic review and meta-analysis. Int Urogynecol J DOI: 10.1007/s00192-011-1406-3
Jallah Z, et al. The impact of prolapse mesh on vaginal smooth muscle structure and function. (2015)
Jamieson, D. The Prevalence of dysmenorrhea, dyspareunia, pelvic pain, and irritable bowel syndrome in primary care practices. Obstet Gynecol 1996; 87(1): 55-58
Jarnagin, B. Postoperative ureteral obstruction after confirmed ureteral patency: a case report. Int Urogynecol J 2004; 15: 356-357

Medical Literature

Jelovsek J, et al. [Pop 72, mean 62 mos fu] Randomized trial of laparoscopic Burch colposuspension versus tension-free vaginal tape: long-term follow up. BJOG 2008; 115: 219-225.
Jelovsek, J. Predicting Risk of Urinary Incontinence and Adverse Events After Midurethral Sling Surgery in Women. Obstet Gynecol 2016; 127: 330-40
Jeon. [pop 253] Comparison of the treatment outcome of pubovaginal sling, TVT, and TVT-O for SUI with intrinsic sphincter deficiency; American Journal of Obstetrics & Gynecology; July 2008; Volume 1999, Number 1
Jeppson, S. NON-ORAL POSTER 31 Effect of TVT-O Abbrevio on Post-Operative Groin Pain Journal of Minimally Invasive Gynecology 2014; 21: S27-S28
Jern. [pop 144, 62 at 7 yr fu] Long-Term Follow-up of the TVT Procedure for Treating Female SUI; Journal of Urology Volume 181, Number 4; April 2009
Jha, S. Surgical Management of Stress Urinary Incontinence A Questionnaire Based Survey. European Urology 2005; 47: 648-652
Jha. (see 2011 full article) IUGA Abs 213 Impact of incontinence surgery on sexual function: a systematic review and meta-analysis. Int Urogynecol J (2010) 21 (Suppl 1):S1-S428
Jha. [Meta-analysis] Impact of incontinence surgery on sexual function. A systematic review and meta-analysis. J Sex Med 2012;9:34-43
Jha. Prolapse or incontinence - what affects sexual function the most? Int Urogynecol J (2016) 27:607-611
Jonsson Funk M. Sling Revision/ Removal for Mesh Erosion and Urinary Retention: Long-Term Risk and Predictors. Am J Obstet Gynecol. 2013; 208(1): 73.e1-73.e7
Juang C-M, Yu K-J, Chou P, et al. Efficacy analysis of trans-obturator tension-free vaginal tape (TVT-O) plus modified Ingelman-Sundberg procedure versus TVT-O alone in the treatment of mixed urinary incontinence: a randomized study. Eur Urol 2007;51:1671-1678
Kaelin-Gambirasio I. Complications associated with transobturator sling procedures: analysis of 233 consecutive cases with a 27 months follow-up. BMC Women's Health 2009, 9:28
Kahn M. Posterior colporrhaphy: its effects on bowel and sexual function. British Journal of Obstet & Gynaecol; 1997;104:82-86.
Kalichman, L. Association between fibromyalgia and sexual dysfunction in women. Clin Rheumatol 2009; 28: 365-369
Kammerer-Doak DN, Rogers RG, Bellar B. Vaginal erosion of cadaveric fascia lata following abdominal sacrocolpopexy and suburethral sling urethropexy. Int Urogynecol J Pelvic Floor Dysfunct. 2002;13(2):106-9; discussion 109.
Kaplan, S. Comparison of Fascial and Vaginal Wall Slings in The Management of Intrinsic Sphincter Deficiency. Urology 1996; 47: 885-889
Karaman, U. AUA ABS PS28-07 The impact of obesity on outcomes after retropubic midurethral sling for female stress urinary incontinence. 2015
Karateke A, Haliloglu B, Cam C, Sakalli M. Comparison of TVT and TVT-O in patients with stress urinary incontinence: short-term cure rates and factors influencing the outcome. A prospective randomized study. Australian NZ J Obstet Gynaecol 2009;49:99-105.
Karim, N. Review on midurethral sling procedures for stress urinary incontinence. Gynecology and Minimally Invasive Therapy 2015; 4: 33-36
Karlovsy M. Synthetic Biomaterials for Pelvic Floor Reconstruction. Current Urology Report 2005; 6:376-384
Karmakar, D. Long-Term Outcomes (8-Years) From the Prospective Randomized Control Trial of Trans-obturator tapes for stress incontinence in women (The ETOT Study). Int Urogynecol J 2015; 26 (Suppl 1): S74-75

Medical Literature

Karram M and Maher C. Surgery for posterior vaginal wall prolapse. Int Urogynecol J (2013) 24: 1835-1841
Karram M. Complications and Untoward Effects of the Tension-Free Vaginal Tape Procedure. Am Coll Obstet Gynecol (2003) Vol. 101, No. 5, Part 1
Karram, M. When and how to place an autologous rectus fascia pubovaginal sling. OBG Management 2012; 24(11): 24-33
Kaufman MR. Contemporary role of autologous fascial bladder neck slings: a urology perspective. Controversies in Female Pelvic Reconstruction, 2012, 39(3): 317-323.
Kaufman Y , et al. Age and sexual activity are risk factors for mesh exposure following transvaginal mesh repair. Int Urogynecol J (2011) 22: 307-313
Kavvadias, Klinge. Ch. 56 Alloplastic Implants for the Treatment of SUI and Pelvic Organ Prolapse. Hernia Repair Sequelae Chapter 56 pp. 440-444
Kelly EC, et al. Surgeon Experience and Complications of Transvaginal Prolapse Mesh. Obstet Gynecol 2016; 0:1-8
Kenton K, Zyczynski H, Sirls LT, Richter HE, et al. (TOMUS published) 5-Year Longitudinal Followup after Retropubic and Transobturator Mid-urethral slings. Journal of Urology 2015; 193: 203-210
Kenton, K. Surgical Management of Stress Urinary Incontinence in Women: Bladder neck fascial sling procedures. UpToDate; 2015: 1-4
Kenton, KS., Richter, H. Risk Factors Associated with Urge Incontinence after Continence Surgery. J Urol 2009 Dec; 182 (6):2805-2809
Kersey J. The gauze hammock sling operation in the treatment of stress incontinence. Br J Obstet Gynecol 1983; 90:945-949.
Khan. [Pop 162, median 10 yr fu] Long term follow-up of a multicentre randomised controlled trial comparing TVT, xenograft and autologous fascial slings for the treatment of SUI in women; doi:10.1111/bju.12851; 2014
Khandwala S, et al. (Prolift +M) Transvaginal mesh surgery for pelvic organ prolapse: One-Year Outcomes Analysis. Female Pelvic Med Reconstr Surg. 2013 Mar-Apr;19(2):84-89
Khandwala S. Experience with TVT-Secur sling for stress urinary incontinence: a 141-case analysis. Int Urogynecol J (2010) 21:767-772
Khandwala. [ICS Abstract 571] Clinical Outcomes Of An Observational Registry Utilizing A Trocar-Guided Mesh Repair Of Vaginal Prolapse Using Partially Absorbable Mesh (Proxima). (2010)
Khandwala. [ICS Abstract 571] clinical outcomes of an observational registry utilizing a trocar-guided mesh repair of vaginal prolapse using partially absorbable mesh. (2011)
Kim, Jung Jun. Randomized Comparative Study of the U-and H-type Approaches of the TVT-Secur Procedure for the Treatment of Female Stress Urinary Incontinence: One Year Follow-Up. Korean J Urol 2010;51:250-256
King AB, Goldman HB. Current controversies regarding oncologic risk associated with polypropylene midurethral slings. Curr Urol Rep (2014) 15:453.
King, A. Prospective Evaluation of the Effect of Thigh Dissection for Removal of Transobturator Midurethral Slings on Refractory Thigh Pain. (Author's Manuscript) The Journal of Urology 2016; 10.1016/i.iuro.2016.03.153
Kinn, A. Burch Colposuspension for Stress Urinary Incontinence. Scand J Urol Nephrol 1995; 29: 449-455
Kirby A. Midurethral slings: which should I choose and what is the evidence for use? Curr Opin Obstet Gynecol 2015; 27: 359-365
Kjohlhede, P. Long-Term Efficacy of Burch Colposuspension: a 14-year follow-up study. Acta Obstet Gynecol Scand 2005; 84: 767-772

Medical Literature

Klein-Patel, Moalli, et al. [mice] [Abs S-230] Synthetic Mesh Implantation Results in Increased Active MMP-2 and -9 in a Mouse Model, Reproductive Sci 2013 Mar, Suppl, 20(3), S-230
Klinge U. Alloplastic Implants for the Treatment of Stress Urinary Incontinence and Pelvic Organ Prolapse. Hernia Repair Sequelae, Ch. 56, 440-444
Klinge U. Demands and Properties of the Alloplastic Implants for the Treatment of Stress Urinary Incontinence. Expert Rev. Med. Devices 4(3), 349-359 (2007)
Klinge, Klosterhalfen, Schumpelick. Shrinking of Polypropylene Mesh in vivo: an experimental study in dogs*. Eur J Surg 1998 164:965-969
Klinge. Foreign Body Reaction to Meshes Used for the Repair of Abdominal Wall Hernias. Eur J Surg 1999; 165:665-673
Klinge. Impact of Polymer Pore Size on the Interface Scar Formation in a Rat Model. Journal of Surgical Research 103, 208-214 (2002)
Klinge. Polypropylene in the intra-abdominal position: Influence of pore size and surface area. Hernia (2004) 8:365-372
Klinge. [review-discussion] Advances in Urogynecology (discusses TVT). Int J Fertil 50[1]:18-23, 2005
Klink, C. Comparison of Long-Term Biocompatibility of PVDF and PP Meshes. Journal of Investigative Surgery 2011; 24: 292-299
Klosterhalfen B, Klinge U, Schumpelick V. Ch. 29 - Carcinogenicity of Implantable Biomaterials. Ben David's Abdominal Wall Hernias (2001)
Klosterhalfen, B. Influence of implantation interval on the long-term biocompatibility of surgical mesh. British Journal of Surgery 2002; 89: 1043-1048
Klosterhalfen, Klinge, et al. Ch. 16 - Long-term inertness of meshes In Meshes. Biomaterial-related FBR. IN Meshes-Benefits and Risks. (2004)
Klosterhalfen, Klinge. The lightweight and large porous mesh concept for hernia repair. Expert Rev. med. Devices 2(1), 103-117 (2005)
Klosterhalfen. Foreign-body Carcinogenesis of Surgical Meshes. Meshes: Benefits and Risks. Chapter 24 pp.254-261
Kobashi K. Erosion of woven Polyester Pubovaginal Sling. J Urology, Vol. 162, 2070-2072, December 1999
Kobashi, K. Management of vaginal erosion of polypropylene mesh slings. The Journal of Urology 2003; 169: 2242-2243
Kobashi, K. Perioperative complications: The First 140 Polypropylene Pubovaginal Slings. The Journal of Urology 2003; 170: 1918-1921
Kokanali MK, et al. [Pop 1439] Risk factors for mesh erosion after vaginal sling procedures for urinary incontinence. Eur J Obstet Gynecol 2014; 177:146-150.
Kolle D. Bleeding Complications With The Tension-Free Vaginal Tape Operation. American Journal of Obstetrics and Gynecology (2005) 193. 2045-9
Komesu Y. Posterior repair and sexual function. AJOG:2007:54:101-103.
Komesu, Y. Epidemiology of mixed, stress, and urgency urinary incontinence in middle-aged/older women: the importance of incontinence history. Int Urogynecol J 2014; Epub Ahead of Print
Kondo A, I so be Y, Kimura K, et al. Efficacy, safety and hospital costs of tension-free vaginal tape and pubovaginal sling in the surgical treatment of stress incontinence. J Obstet Gynaecol Res 2006;32:539- 544.
Koo, Gormley. [published] Transvaginal Mesh in the Media Following the 2011 US FDA Public Health Notification Update; Neurourology and Urodynamics DOI 10.1002/nau 2015
Koo, Gormley. AUA Abs MP81-05 Transvaginal Mesh in the Media Following the 2011 FDA Update

Medical Literature

Kozal S. Morbidity and functional mid-term outcomes using Prolift pelvic floor repair systems. <i>Can Urol Assoc J</i> 2014;8(9-10):e605-9.
Krambeck, A. Time-Dependent Variations in Inflammation and Scar Formation of Six Different Pubovaginal Sling Materials in the Rabbit Model. <i>Urology</i> 2006; 67: 1105-1110
Krause H, et al. Biomechanical properties of raw meshes used in pelvic floor reconstruction. <i>Int Urogynecol J</i> (2008) 19:1677-1681.
Krofta L, Feyereisl J, Otcenasek M, Velebil P, Kasikova E, Krcmar M. TVT and TVT-O for surgical treatment of primary stress urinary incontinence: prospective randomized trial. <i>Int Urogynecol J</i> 2010;21:141-148.
Krofta L. TVT-S for surgical treatment of stress urinary incontinence: prospective trial, 1-year follow-up. <i>Int Urogynecol J</i> (2010) 21:779-785
Kuhn A, et al. [Pop 18, 3 mo fu] Sexual function after suburethral sling removal for dyspareunia. <i>Surg Endosc</i> (2009) 23:765-768
Kulseng-Hanssen S. Follow-up of TVT Operations in 1,113 women with mixed urinary incontinence at 7 and 38 months. <i>Int Urogynecol J</i> (2008) 19:391-396
Kurien, A. EP13.17 TVT Abbrevio for management of female stress urinary incontinence: a prospective analysis over 22 months in a tertiary care hospital. <i>BJOG</i> 2014; 121(2): 235-236
Kurtz. Effects of reactive oxygen species on the physical properties of polypropylene surgical mesh at various concentrations: a model for inflammatory reaction as a cause for mesh embrittlement and failure. <i>Surg Endosc</i> doi 10.1007/s00464-015-4614-3
Kuuva N, Nilsson. [Pop 1455, 2 mo fu] A nationwide analysis of complications associated with the tension-free vaginal tape (TVT) procedure. <i>Acta Obstet Gynecol Scand</i> 2002; 81: 72-77
Kuuva, Nilsson. [Pop 129, 6 yr fu] Long-term results of the TVT operation in an unselected group of 129 stress incontinent women; <i>Acta Obstetricia et Gynecologica</i> . 2006; 85: 482-487
Kuuva, Nilsson. [pop 51] TVT procedure. An effective minimally invasive operation for the treatment of recurrent SUI?; <i>Gynecol Obstet Invest</i> 2003;56:93-98
Labrie J, et al. Protocol for Physiotherapy Or TVT Randomised Efficacy Trial (PORTRET): a multicentre randomized controlled trial to assess the cost-effectiveness of the tension free vaginal tape versus pelvic floor muscle training in women with symptomatic moderate to severe stress urinary incontinence. <i>BMC Womens Health</i> . 2009;9:24
Labrie, Julien. Surgery versus Physiotherapy for Stress Urinary Incontinence. <i>N Engl J Med</i> (2013) 369:12, 1124-33.
Lamers BH, Vaart CH van der: Medium-term efficacy of pelvic floor muscle training for female urinary incontinence in daily practice. <i>Int Urogynecol J Pelvic Floor Dysfunct</i> 2007, 18(3):301-307
Lamvu, G. Vaginal Apex Resection: A Treatment Option for Vaginal Apex Pain. <i>Obstet Gynecol</i> 2004; 104: 1340-6
Lane F. Repair of Posthysterectomy vaginal-vault prolapse. <i>Obstet & Gynecol</i> . 1962;20:72-77.
Langer. Long-Term (10-15 years) Follow-up after Burch Colposuspension for Urinary Stress Incontinence. <i>Int Urogynecol J</i> (2001) 12:323-327
Lapitan, Cody. [Summary Cochrane review] Open retropubic colposuspension for urinary incontinence in women (review). <i>Cochrane Database of Systemic Reviews</i> 2016 , Issue 2. Art. No.:CD002912
Lapitan. (Cochrane Rev) Open Retropubic Colposuspension Urinary Inc in Women Short Version Cochrane Review; <i>Neurourology and Urodynamics</i> 28:472-480 (2009)
Lapitan. Open Retropubic Colposuspension for urinary incontinence in women (Review) Reprint of Cochran review prepare and maintained by The Cochrane collaboration and published in The Cochrane Library 2012, Issue 6

Medical Literature

Larouche M. [Pop 103, Med fu 340 days] Outcomes of trocar-guided Gynemesh PS versus single-incision trocarless Polyform transvaginal mesh procedures. Int Urogynecol J (2014)
Lathe P, Foon R, Tooze-Hobson P. [Meta-analysis] Transobturator and retropubic tape procedures in stress urinary incontinence: a systematic review and meta-analysis of effectiveness and complications. BJOG 2007;114:522-531.
Latthe PM, Singh P, Foon R, Tooze-Hobson P. [meta-analysis] Two routes of transobturator tape procedures in stress urinary incontinence: a meta-analysis with direct and indirect comparison of randomized trials. BJU Int (2010) 106:68-76
Laumann, E. Sexual Dysfunction in the United States: Prevalence and Predictors. JAMA 1999; 281: 537-544
Laurikainen E, Takala T, Aukee P, et al. Retropubic TVT compared with transobturator TVT (TVT-O) in treatment of stress urinary incontinence: five-year results of a randomized trial. Neurourol Urodyn 2011;30:803-805.
Laurikainen E, Valpas A, Aukee P, Kivelä A, Rinne K, Takala T, Nilsson CG. [Pop 254, 5 yr fu] Five-year results of a randomized trial comparing retropubic and transobturator midurethral slings for stress incontinence. Eur Urol (2014) 65:1109-1114
Laurikainen E. Retropubic Compared With Transobturator Tape Placement in Treatment of Urinary Incontinence. J Obstet Gynecol 2007;109:4-11
Laurikainen, E. Five-year Results of a Randomized Trial Comparing Retropubic and Transobturator Midurethral Slings for Stress Incontinence. European Urology 2014; http://dx.doi.org/10.1016/j.eururo.2014.01.031
Lavelle, E. Stress Urinary Incontinence: Comparative Efficacy Trials. Obstet Gynecol Clin N Am 2016; 43: 45-57
Lee KS, Choo M-S, Lee YS, et al. Prospective comparison of the 'inside-out' and 'outside-in' transobturator-tape procedures for the treatment of female stress urinary incontinence. Int Urogynecol J Pelvic Floor Dysfunct 2008;19:577-582.
Lee K-S, Han DH, Choi YS, et al. [Pop 120, 1 yr fu] A prospective trial comparing tension-free vaginal tape and transobturator vaginal tape inside-out for the surgical treatment of female stress urinary incontinence: 1-year followup. J Urol 2007;177:214-218.
Lee, E. Midurethral slings for all stress incontinence: A urology Perspective. Urol Clin N Am 2012; 39: 299-310
Lee, et al. Efficacy and Safety of "Tension-Free" Placement of Gynemesh PS for the Treatment of Anterior Vaginal Wall Prolapse, Int Neurourol J. 2010 Apr;14(1):34-42
Lee, Kyu-Sung. A Prospective Multicenter Randomized Comparative Study Between the U-and H-type Methods of the TVT Secur Procedure for the Treatment of Female Stress Urinary Incontinence: 1-Year Follow-up. EUROPEAN UROLOGY 57 (2010) 973-979
Lee. [Pop 141, 85.5 mo fu] Long-term outcome of the TVT procedure in female urinary incontinence: a 6 year follow-up; Korean J Urol 2010; 51:409-415
Lenz F, et al. [cadaver] Anatomical Position of Four Different Transobturator Mesh Implants for Female Anterior Prolapse Repair. Geburtsh Frauenheilk 2013; 73: 1035-1041.
Letouzey V, et al. [AAGL Abs 102] Long-Term Results after Trans-Vaginal Cystocele Repair Using Polypropylene Mesh. Journal of Minimally Invasive Gynecology 15 (2008) S1-S159
Leval J. The original versus a modified inside-out transobturator procedure: 1-year results of a prospective randomized trial. Int Urogynecol J (2011) 22:145-156
Li B, Zhu L, Lang JH, Fan R, et al. [Pop 55, 7 yr fu] Long-term outcomes of the tension-free vaginal tape procedure for female stress urinary incontinence: 7-year follow-up in China. J Minim Invasive Gynecol. 2012 Mar-Apr;19(2):201-5.

Medical Literature

Liang R, et al. Impact of prolapse meshes on the metabolism of vaginal extracellular matrix in Rhesus Macaque. Am J Obstet Gynecol. 2015 Feb;212(2):174.e1-7
Liang R, et al. Vaginal degeneration following implantation of synthetic mesh with increase stiffness. BJOG 2013 Jan;120(2):233-43
Liapis A, Bakas P, Christopoulos P, Giner M, Creatsas G. Tension-free vaginal tape for elderly women with stress urinary incontinence. Int J Gynaecol Obstet 2006;92:48-51.
Liapis A, Bakas P, Creatsas G. [Pop 115, 4 yr fu] Efficacy of inside-out transobturator vaginal tape (TVTO) at 4 years follow-up. Eur J Obstet Gynecol Reprod Biol (2010) 148:199-201
Liapis A, Bakas P, Creatsas G. [Pop 65, 5 & 7 yr fu] Long-term efficacy of tension-free vaginal tape in the management of stress urinary incontinence in women: at 5- and 7-year follow-up. Int Urogynecol J (2008) 19:1509-1512
Liapis A, Bakas P, Creatsas G. Burch colposuspension and tension-free vaginal tape in the management of stress urinary incontinence in women. Eur Urol 2002;41:469-473.
Liapis, A. Monarc vs TVT-O for the treatment of primary stress incontinence: a randomized study. Int Urogynecol J (2008) 19:185-190
Liapis, A. Tension-Free Vaginal Tape versus Tension-Free Vaginal Tape Obturator in Women with Stress Urinary Incontinence. Gynecol Obstet Invest 2006;62:160-164
Liebert. Subcutaneous Implants of Polypropylene Filaments. J Biomed Mater. Res. Vol. 10 pp939-951 (1976)
Lim J. Short-term clinical and quality-of-life outcomes in women treated by the TVT-Secur procedure. Australian and New Zealand Journal of Obstetrics and Gynaecology 2010; 50: 168-172
Lim JL. Clinical and quality-of-life outcomes in women treated by the TVT-O procedure. BJOG 2006;113:1315-1320.
Lim YN, Muller R, Corstiaans A, Dietz HP, Barry C, Rane A. Suburethral slingplasty evaluation study in North Queensland, Australia: the SUSPEND trial. Australian NZ J Obstet Gynaecol 2005;45:52-59.
Lim. [Pop 664] Do the Advantage slings work as well as the tension-free vaginal tapes? Int. Urogynecol J (2010) 21:1157-1162
Lin, A. In Vivo Tension sustained by Fascial Sling in Pubovaginal sling surgery for Female Stress Urinary Incontinence. The Journal of Urology 2005; 173: 894-897
Linder B. Predictors of vaginal mesh exposure after midurethral sling placement a case-control study; Int Urogynecol J (2016), DOI 10.1007/s00192-016-2947-2
Linder BJ, et al. Evaluation of the local carcinogenic potential of mesh used in the treatment of female stress urinary incontinence. Int Urogynecol J (2016), doi 10.1007/s00192-016-2961-4
Lindquist. [pop 44, mean 4.9 yr fu] Long-term follow-up of sexual function in women before and after TVT operation for stress urinary incontinence. Int Urogynecol J doi 10.1007/s00192-016-3004-x
Liu C, et al. [IUGA Abs. 331] The Mechanical Properties and Deformation of Three Commonly Used Artificial Meshes, Int Urogynecol J (2009) 20(Suppl 3): S241-S491
Lleberia J. Surgical Treatment of Mixed Urinary Incontinence: effect of anterior colpoplasty. Int Urogynecol J (2011) 22:1025-1030
Lo TS, et al. Ultrasound assessment of mid-urethra tape at three-year follow-up after tension-free vaginal tape procedure. Urology 63:671-675, 2004
Lohse, C. A Rare Complication with TVT: Vaginal Protursion of the Tape. Int Urogynecol J 2002; 13: 330-331
Long C. Three-year outcome of transvaginal mesh repair for the treatment of pelvic organ prolapse. Eur J Obstet Gynecol 2012;161:105-108.
Long Lin A. In Vivo Tension Sustained By Fascial Sling in Pubovaginal Sling Surgery for Female Stress Urinary Incontinence. J urology (March 2005) Vol. 173, 894-897

Medical Literature

Long. (rev TOT v. TVT) Comp TVT & transobturator tape procedure for treatment of SUI; Current Opinion in Obstetrics and Gynecology 2009, 21:342-347
Lord HE, Taylor JD, Finn JC, et al. A randomized controlled equivalence trial of short-term complications and efficacy of tension-free vaginal tape and supra pubic urethral support sling for treating stress incontinence. BJU Int 2006;98:367-376.
Lose, G. Voiding Difficulties After Colposuspension. Obstet Gynecol 1987; 69: 33-38
Lowenstein, L. Does Hysterectomy affect genital sensation? Eur J Obstet Gynecol Reprod Biol 2005; 119: 242-245
Lowenstein, L. Vulvar vestibulitis severity - assessment by sensory and pain testing modalities. Pain 2004; 107: 47-53
Lower AM, et al. Adhesion-related readmissions following gynaecological laparoscopy or laparotomy in Scotland: an epidemiological study of 24,046 patients. Human Reproduction (2004); 19(8): 1877-1885.
Lowman JK, Hale DS, et al. Does the Prolift system cause dyspareunia? AJOG 2008; 199:707.e1-707.e6
Lowman JK. Does the Prolift system cause dyspareunia? Am J Obstet Gynecol 2008;199:707.e1-707.e6.
Lowman JK. Tobacco use is a risk factor for mesh erosion after abdominal sacral colpoperineopexy. Am J. Obstet Gynecol (May 2008) 198(5):561.
Lucas MG, et al. (Short version) EAU Guidelines on Surgical Treatment of Urinary Incontinence. Eur Urol 62 (2012) 1118-1129
Lucas, M.G., et al. EAU Guidelines on Surgical Treatment of Urinary Incontinence. Eur Urol (2012) 62:1118-1129.
Lucena, H. Early postoperative voiding dysfunction after insertion of retropubic midurethral tape. Int Urogynecol J 2016; Epub Ahead of Print
Lucente V, et al. Medium-Term Clinical Outcomes Following Trocar-Guided Mesh Repair of Vaginal Prolapse Using Partially Absorbable Mesh. AUGS Abstract. Submitted 4/5/2012)
Lucente V. Outcome Incidence: A Retrospective Series of Over 1000 Patients Following Transvaginal Mesh Surgery For Pelvic Organ Prolapse. Female Pelvic Med Reconstr Surg, 18:8, Supp. 1 Sept/ Oct 2012.
Lucente V. Pelvic Organ Prolapse Poster. AUGS 2004.
Lucente, et al. [Poster 55] A Clinical Assessment of GYNEMESH PS for the Repair of Pelvic Organ Prolapse (POP). J Pelvic Med Surg (2004) 10 (Suppl 1)
Lucente, et al. A Clinical Assessment of Gynemesh PS for the Repair of Pelvic Organ Prolapse.
Lucente, Hale. [AUGS, SGS Oral poster 55] A Clinical Assessment of Gynemesh PS for the repair of POP. Journal of Pelvic Medicine and Surgery (2004) Vol 10, S35
Luck A. Suture erosion and wound dehiscence with permanent versus absorbable suture in reconstructive posterior vaginal surgery.
Lukacz, Nager. [Pop 54, 1 yr fu] The effects of the TVT on proximal urethral position: a prospective, longitudinal evaluation. Int Urogynecol J (2003) 14:179-184
Lv, J. Risk factors of long-term complications after Tension-Free Vaginal Tape (TVT) procedure in Chinese patients with stress urinary incontinence. Biomedical Research 2015; 26(1): 55-58
Lykke R, et al. The indication for hysterectomy as a risk factor for subsequent pelvic organ prolapse repair. Int Urogynecol J (2015)
Maaita M. Sexual function after using tension-free vaginal tape for the surgical treatment of genuine stress incontinence. BJU International (2002), 90, 540-543

Medical Literature

Madhuvrata, P. Systematic review and meta-analysis of “inside-out” versus “outside-in” transobturator tapes in management of stress urinary incontinence in women. University of York 2012
Magee, G. A Real-World Comparative Assessment of Complications Following Various Mid-Urethral Sling Procedures for the treatment of stress urinary incontinence. Journal of Long-Term Effects of Medical Implants 2012; 22(4): 329-340
Magno-Azevedo V. Single Incision Slings: Is There a Role?. Curr Bladder Dysfunct Rep (2013) 8:19-24
Magnusson, et al. UltraPro Hernia System Prolene Hernia System and Lichtenstein for primary inguinal hernia repair: 3-year outcomes of a prospective randomized controlled trial. Hernia (2016) 20:641-648
Maher C, et al. (full 141pp) Transvaginal mesh or grafts compared with native tissue repair for vaginal prolapse (Review). The Cochrane Collaboration (2016)
Maher C, et al. (Summary) Transvaginal mesh or grafts compared with native tissue repair for vaginal prolapse (Review). The Cochrane Collaboration (2016).
Maher C, et al. Surgical Management of Pelvic Organ Prolapse in Women: A Short Version Cochrane Review. Neurourol Urodyn (2008) 27: 3-12
Maher C, Qatawneh A, Baessler K, Croppe M, Schluter P. Laparoscopic colposuspension or tension-free vaginal tape for recurrent stress urinary incontinence and/or intrinsic sphincter deficiency-a randomized controlled trial. Neurourol Urodyn 2004;23:433-434.
Maher C. Laparoscopic sacral colpopexy versus total Vaginal mesh for Vaginal vault Prolapse: A Randomized Trial. Am J Obstet Gynecol 2011;204 1.e1-1.d7
Maher C. Surgical management of pelvic organ prolapse in women. Cochrane Review (2013).
Malcolm G. Lucas, et al. EAU Guidelines on Surgical Treatment of Urinary Incontinence. European Urology 62 (2012) 1118-1129.
Malek, J. The Effect of Age on Stress and Urgency Urinary Incontinence Outcomes in Women Undergoing Primary Midurethral Sling. Int Urogynecol J 2015; 26(6): 831-835
Manodoro S, et al. (Sheep) Graft-related complications and biaxial tensiometry following experimental vaginal implantation of flat mesh of variable dimensions. BJOG 2013: 120:244-250.
Markland. Prevalence and trends of urinary incontinence in adults in the United States, 2001 to 2008. (2011)
Martan A. TVT SECUR System - Tension-free Support of the Urethra in Women Suffering from Stress Urinary Incontinence - Technique and Initial Experience. Ces. Gynek. 72, 2007, C. 1 s.42-49
Mary C, et al. Comparison of the in vivo behavior of polyvinyliden fluoride and polypropylene sutures used in vascular surgery. ASAIO Journal 1998; 44:199-206.
Masata J, Svabik K, Drahoradova P, et al. Randomized prospective trial of a comparison of the efficacy of TVT-O and TVT secur system in the treatment of stress urinary incontinent women - comparison of the long- and short-term results. Neurourol Urodyn 2011;30:805-806.
Masata J. Randomized trial of a comparison of the efficacy of TVT-O and single-incision tape TVT Secur systems in the treatment of stress urinary incontinent women -2-year follow-up. Int Urogynecol J (2012) 23:1403-1412
Masata, J. Comparison of the efficacy of tension-free vaginal tape obturator (TVT-O) and single-incision tension-free vaginal tape (Ajust™) in the treatment of female stress urinary incontinence: a 1-year follow-up randomized trial. Int Urogynecol J 2016; Epub Ahead of Print
Masata, J. Randomized Prospective Trial of a Comparison of the Efficacy of TVT-O and TVT Secur system in the treatment of stress urinary incontinent women - Long-term results with a minimum of five years follow-up. Int Urogynecol J 2015; 26 (Suppl 1): S137-138

Medical Literature

Mathias, S. Chronic Pelvic Pain: Prevalence, Health-Related Quality of Life, and Economic Correlates. <i>Obstet Gynecol</i> 1996; 87(3): 321-327
Mattimore J, et al. [AUA Abs FR11-07] The History of Pelvic Organ Prolapse from Antiquity to Present Day. (2015)
Mazzilli, R. Sexual Dysfunction in diabetic women: prevalence and differences in type 1 and type 2 diabetes mellitus. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> 2015; 8: 97-101
McCracken. Five Year Follow-Up Comparing TVT and Colposuspension; <i>Ulster Med J</i> ; 76 (3) 146-149
McGregor. Evaluation of the carcinogenic risks to humans associated with surgical implants and other foreign bodies - a report of an IARC Monographs Programme Meeting. <i>European Journal of Cancer</i> 36 (2000) 307-313
McGuire, E. Pubovaginal Sling Procedure for Stress Incontinence. <i>The Journal of Urology</i> 1978; 119: 82-84
McGuire. Experience with pubovaginal slings for urinary incontinence at the University of Michigan. <i>J. Urol</i> , 138:525-526;1987
McLennan M. Bladder Perforation During Tension-Free Vaginal Tape Procedures: Abdominal versus Vaginal Approach. <i>Female Pelvic Medicine & Reconstructive Surgery</i> , Volume 18, Number 1, January/February 2012
Meana, M. Painful Intercourse Genito-Pelvic Pain/Penetration Disorder Chapter 11 in Katherine Hertlein's <i>Systemic Sex Therapy Second Edition</i> . ISBN: 978-0-415-73821-7
Meana, M. Psychosocial Correlates of Pain Attributions in Women With Dyspareunia. <i>Psychosomatics</i> 1999; 40: 497-502
Medscape - Fibromyalgia and overlapping conditions: Comprehensive Assessment. (2010)
Mellano, E. The Role of Chronic Mesh Infection in Delayed-Onset Vaginal Mesh Complications or Recurrent Urinary Tract Infections: Results from Explanted Mesh Cultures. <i>Female Pelvic Med Reconstr Surg</i> 2016; 00: 00-00
Memon HU, et al. [rats] Comparison of graft-reinforced repairs and suture repair using a novel biomechanical test. <i>Int Urogynecol J</i> (2015)
Meschia M, et al. [IUGA Abs 003] A Multicenter Randomized Comparison of Tension-Free Vaginal Tape (TVT) and Trans-Obturator In-Out Technique (TVT-O) For The Treatment of stress urinary incontinence: One year results. <i>Int Urogynecol J</i> (2007) 18 (Suppl 1): S2.
Meschia M, Pifarotti P, Bernasconi F, et al. [Pop 190, 2 yr fu] Tension-free vaginal tape (TVT) and intravaginal slingplasty (IVS) for stress urinary incontinence: a multi center randomized trial. <i>Am J Obstet Gynecol</i> 2006;195:1338-1342.
Meschia M, Pifarotti P, Spennacchio M, Buonaguidi A, Gattei U, Somigliana E. A randomized comparison of tension-free vaginal tape and endopelvic fascia plication in women with genital prolapse and occult stress urinary incontinence. <i>Am J Obstet Gynecol</i> 2004;190:609-613.
Meschia M. Tension-free vaginal tape: analysis of risk factors for failures. <i>Int Urogynecol J</i> (2007) 18:419-422
Meschia M. TVT-Secur: A Minimally invasive procedure for the treatment of primary stress urinary incontinence. One year data from a multi-centre prospective trial. <i>Int Urogynecol J</i> (2009) 20:313-317
Meyer, I., et al. Synthetic Graft Augmentation in Vaginal Prolapse Surgery: Long-Term Objective and Subjective Outcomes. <i>J Minim Invasive Gynecol</i> ; 2016: 16)00117-5. doi: 10.1016/j.jmig.2016.02.014. [Epub ahead of print]
Migliari R. Tension-free vaginal mesh repair for anterior vaginal wall prolapse. <i>Eur Urol</i> . 2000;38:151-155.

Medical Literature

Milani A. Trocar-guided mesh repair of vaginal prolapse using partially absorbable mesh: 1 year outcomes. Am J Obstet Gynecol 2011;204:74.e1-8
Milani AL, et al. [IUGA, ICS Abs 81] Medium-Term Clinical Outcomes Following Trocar-Guided Mesh Repair of Vaginal Prolapse Using Partially Absorbable Mesh. Int Urogynecol J (2012) 23 (Suppl 2):S128-S129
Miller D, Lucente V, Babin E, Beach P, Jones P, Robinson D. [AUGS Abs Paper 24] Prospective Clinical Assessment of the Transvaginal Mesh Technique for Treatment of Pelvic Prolapse: 5-Year Results. Female Pelvic Med Reconstr Surg 2011;17: 139-143
Miller JM, et al. Clinical Evaluation of Monofilament Polypropylene Suture. Am. Surgeon 33 - 666-70. (1967)
Minassian, V. Urinary incontinence as a worldwide problem. International Journal of Gynecology and Obstetrics 2003; 82: 327-338
Minassian. [pop 108] TVT: do patients who fail to follow-up have the same results as those who do?; Neurourology and Urodynamics 24:35-38 (2005)
Misrai, V. Surgical Resection for Suburethral Sling Complications After treatment for Stress Urinary Incontinence. Journal of Urology 2009; 181: 2198-2203
Mistrangelo E. Rising use of synthetic mesh in transvaginal pelvic reconstructive surgery: A review of the risk of vaginal erosion. Journal of Minimally Invasive Gynecology. 2007. 14:5. 564-569.
Moalli P. Tensile properties of five commonly use mid-urethral slings relative to the TVT. Int Urogynecol J (2008) 19:655-663
Moalli PA, et al. Tensile Properties of five commonly used mid-urethral slings relative to the TVT. Int Urogynecol J (2008) 19:655-663.
Moalli, Nager. Polypropylene mesh evidence for lack of carcinogenicity. Int Urogynecol J (2014) 25:573-576
Moen, M. A Comparison of Midurethral Sling Versus Burch Urethropexy for Treating Urodynamic Stress Incontinence at the Time of Abdominal Sacrocolpopexy. Journal of Pelvic Medicine & Surgery 2009; 15(2): 56
Mohamad Al-Ali, B. Clinical Impact of Body Mass Index on the Outcome of the SPARC-sling system for the treatment of female stress urinary incontinence. World J Urol 2013; 31: 875-880
Moir J. The Gauze-Hammock Operation. A Modified Aldrige Sling Procedure. The Journal of Obstetrics and Gynaecology of the British Commonwealth Vol. 75, No. 1 January 1968
Moore R and Miklos JR. Vaginal mesh kits for pelvic organ prolapse, friend or foe: a comprehensive review. The Scientific World Journal 2009; 9: 163-189.
Moore, R. Minimally Invasive Treatment for Female Stress Urinary Incontinence: (SUI): A Review Including TVT, TOT, and Mini-Sling. Surg Technol In 2009; 18: 157-73
Morgan, J. A Sling operation, using Marlex polypropylene mesh, for treatment of recurrent stress incontinence. Am J Obstet Gynec 1970; 106(3): 369-377
Morgan, J. The Marlex sling operation for the treatment of recurrent stress urinary incontinence: a 16-year review. Am J Obstet Gynecol 1985; 151: 224-6
Mueller, E. Comparison of flowrates and voided volumes during non-instrumented uroflowmetry and pressure-flow studies in women with stress incontinence. Neurourol Urodyn. 2015; 34(6): 549-553
Mueller, E. Relative efficacy of retropubic and transobturator slings. Nat Rev Urol 2009; 6(10): 523-4
Mueller, E. Retropubic Bladder Neck Suspensions. Chapter 10 in Howard B. Goldman's Complications of Female Incontinence and Pelvic Reconstructive Surgery ISBN 978-1-61779-923-5
Muhl T, et al. New Objective Measurement to Characterize the Porosity of Textile Implants. Wiley InterScience (2007)

Medical Literature

Murphy M, et al. Outcome Incidence: A Retrospective Series of Over 1000 Patients Following Transvaginal Mesh Surgery for Pelvic Organ Prolapse. American Urogynecologic Society. 2012
Murphy M, et al. Time to rethink: An Evidence based response from pelvic surgeons to the FDA Safety Communication: "UPDATE on Serious Complications Associated with Transvaginal Placement of Surgical Mesh for Pelvic Organ Prolapse". Int Urogynecol J (2011) D01 10.1007/s00192 001 1581 2
Muzsnai, D. Retropubic Vaginopexy for Correction of Urinary Stress Incontinence. Obstetrics & Gynecology 1982; 59:113-118
Myers, E. Differences in recurrent prolapse at 1 year after total vs. supracervical hysterectomy and robotic sacrocolpopexy. Int Urogynecol J 2015; 26: 585-589
Nager C. Midurethral Slings: Evidence-based Medicine vs. The Medicolegal System. <i>Accepted Manuscript to appear in: American Journal of Obstetrics and Gynecology; 2016</i> doi: 10.1016/j.ajog.2016.04.018
Nager C. Midurethral Slings: Evidence-Based Medicine vs. The Medicolegal System. American Journal of Obstetrics and Gynecology 2016 DOI: 10.1016/j.ajog.2016.04.018
Nager C. Synthetic full-length midurethral slings remain the standard of care for SUI surgery. OBG Management 2012; 24(11): 6-7
Nager, Charles. Design of the Value of Urodynamic Evaluation (ValUE) Trial: A Non-Inferiority Randomized Trial of Preoperative Urodynamic Investigations. Contemp Clin Trials. 2009 November; 30(6): 531-539
Nager, Charles. Randomized Trial of Urodynamic Testing before Stress-Incontinence Surgery. N Engl J Med 366;21 1987-1997; Supplementary Index
Nager. [FMPRS] Editorial. AUGS-SUFU Position statement on mesh midurethral slings for SUI. Female Pelvic Medicine & Reconstructive Surgery, Vol. 20, No. 3 (2014)
Nager. A Randomized Trial of Urodynamic Testing before Stress-Incontinence Surgery. N Engl J Med 366; 21 (2012)
Najjai, L. ICS ABS 401 Comparing Different Types of Suburethral Slings using Perineal Ultrasound. 2012
Najjari, L. Visualization of Polypropylene and Polyvinylidene Fluoride Slings in Perineal Ultrasound and Correlation with Clinical Outcome. BioMed Research International 2014; 181035, 8 pages
Nappi, R. Clinical Biologic Pathophysiologies of Women's Sexual Dysfunction. J Sex Med 2005; 2: 4-25
Narimoto K, et al. [Abs 456] Safeness of tension free vaginal mesh procedure for treatment of post hysterectomy prolapse in Japan. Int Urogynecol J (2009) 20 (Suppl 3): S241-S491
Natale F, et al. A prospective, randomized, controlled study comparing Gynemesh, a synthetic mesh, and Pelvicol, a biologic graft, in the surgical treatment of recurrent cystocele. Int Urogynecol J (2009) 20:75-81.
Nerli RB, Kumar AG, Koura A, Prabha V, Alur SB. Transobturator vaginal tape in comparison to tensionfree vaginal tape: A prospective trial with a minimum 12 months follow-up. Indian J Urol 2009;25:321- 325.
Neuman M. Perioperative Complication and Early Follow-up with 100 TVT-Secur Procedures. Journal of Minimally Invasive Gynecology (2008) 15,480-484
Neuman M. Post Tension-free Vaginal Tape Voiding Difficulties. Journal of Pelvic Medicine and Surgery, Volume 10, Number 1, January/February 2004
Neuman M. Training TVT Secur: The first 100 Teaching Operations. Int Urogynecol J (2007) 18 (Suppl 1):S25-S105

Medical Literature

Neuman M. Transobturator vs. Single-Incision Suburethral Mini-slings for Treatment of Female Stress Urinary Incontinence: Early Postoperative Pain and 3-Year Follow-up. <i>Journal of Minimally Invasive Gynecology</i> (2011) 18, 769-773
Neuman M. TVT and TVT-Obturator: Comparison of Two Operative Procedures. <i>Eur J Obstet Gynecol Reprod Biol</i> 131 (2007) 89-92.
Neuman M. TVT and TVT-Obturator: Comparison of Two Operative Procedures. <i>Int Urogynecol J</i> (2006) 17 (Supp. 2) S101-152
Nguyen J. [Pop 4,142] Perioperative Complications and Reoperations After Incontinence and Prolapse Surgeries Using Prosthetic Implants, <i>Obstet Gynecol</i> . 2012 Mar;119(3):539-546
Nichols DH. The Mersilene Mesh Guaze-Hammock for Severe Urinary Stress Incontinence. <i>Obstet Gynecol</i> 1973; 41(1): 88-93.
Nicita G. A new operation for genitourinary prolapse. <i>Journal of Urology</i> .1998;160:741-745.
Nicolau-Toulouse V, et al. Does Bilateral Sacrospinous Fixation with Synthetic Mesh Recreate Nulliparous Pelvic Anatomy? An MRI Evaluation. <i>Femal Pelvic Med Reconstr Surg</i> (2014) 20:4; 222-227.
Niemczyk, P. United States Experience with Tension-free Vaginal Tape Procedure for Urinary Stress Incontinence: Assessment of Safety and Tolerability. <i>Techniques in Urology</i> 2001; 7(4): 261-265
Nilsson C. [7 yr fu] Seven-Year Follow-up of the Tension-Free Vaginal Tape Procedure for Treatment of Urinary Incontinence. <i>Obstet Gynecol</i> (2004) 104, 1259-1262
Nilsson C. Creating a gold standard surgical procedure. The development and implementation of TVT (Ulf Ulmsten Memorial Lecture 2014). <i>Int Urogynecol J</i> (2015) DOI 10.1007/s00192-014-2616-2
Nilsson CG, et al. [Pop 90, median 56 mo fu] Long-term Results of the Tension-free Vaginal Tape (TVT) Procedure for Surgical Treatment of Female Stress Urinary Incontinence. <i>Int Urogynecol J</i> , 2001 (Suppl 2): S5-S8
Nilsson CG, Palva K, Aarnio R, Morcos E, Falconer C. [Pop 58, 17 yrs fu] Seventeen years' follow-up of the tension-free vaginal tape procedure for female stress urinary incontinence. <i>Int Urogynecol J</i> (2013) 24: 1265-1269
Nilsson CG. Eleven years prospective follow-up of the tension-free vaginal tape procedure for treatment of stress urinary incontinence. <i>Int Urogynecol J</i> (2008) 19: 1043-1047
Nilsson M, et al. (Swedish Registry) [Pop 3334, 12 mo fu] Female urinary incontinence: patient-reported outcomes 1 year after midurethral sling operations. <i>Int Urogynecol J</i> . 2012 Oct;23(10):1353-1359.
Nilsson, C. Creating a gold standard surgical procedure: the development and implementation of TVT. <i>Int Urogynecol J</i> 2015; 26(4): 467-469
Norris, J. Use of Synthetic Material in Sling Surgery: A Minimally Invasive Approach. <i>Journal of Endourology</i> 1996; 10(3): 227-230
North C, et al. A 2-year observational study to determine the efficacy of a novel single incision sling procedure (Minitape) for female stress urinary incontinence. <i>BJOG</i> 2010; 117:356-360.
Norton P. Collagen synthesis in women with Genital Prolapse or Stress Urinary Incontinence. (Abstract only) 1992
Novara G, et al. [review-meta-analysis] Tension-free midurethral slings in the treatment of female stress urinary Incontinence: A Systematic Review and meta-analysis of Randomized Controlled Trials of Effectiveness; <i>European Urology</i> 52(2007) 663-679
Novara G, et al. Updated systematic review and meta-analysis of the comparative data on colposuspensions, pubovaginal slings, and midurethral tapes in the surgical treatment of female stress urinary incontinence. <i>Eur Urol</i> . 2010;58:218-38

Medical Literature

Novara G, Galfano A, Boscolo-Berto R, Secco S, Cavalleri S, Ficarra V, Artibani W. [meta-analysis] Complication rates of tension-free midurethral slings in the treatment of female stress urinary incontinence: a systematic review and meta-analysis of randomized controlled trials comparing tension-free midurethral tapes to other surgical procedures and different devices. <i>Eur Urol</i> 53 (2008):288-309
Nwabineli. [Pop 124, 5 yr fu] Long-term results of urinary stress incontinence treated with mid-urethral tape as a standalone operation or in combination with pelvic floor reconstruction; <i>Journal of Obstetrics and Gynecology</i> , November 2012; 32:773-777
Nygaard I. Long-term outcomes following abdominal sacrocolpopexy for pelvic organ prolapse. <i>JAMA</i> . 2013;309;19;2016-2024
Nygaard I. Prevalence of symptomatic pelvic floor disorders in US Women. <i>JAMA</i> 2008; 300:1311-1316.
Nygaard. Pelvic Floor Disorders Network: Prevalence of symptomatic pelvic floor disorders in US women. <i>JAMA</i> . 2008 Sep 17;300(11):1311-6. doi: 10.1001/jama.300.11.1311.
Ogah J. Minimally invasive synthetic suburethral sling operations for stress urinary incontinence in women. <i>Cochrane Database Syst Rev</i> . (2009) Oct 7;(4):CD006375
Ogah J. Minimally Invasive Synthetic Suburethral Sling Operations for Stress Urinary Incontinence in Women: A Short Version Cochrane Review. <i>Neurourology and Urodynamics</i> 30:284-291 (2011)
Okuda H, et al. [Abs 474] Improvement of Voiding Function by a Tension-Free Vaginal Mesh Procedure for Cystocele and the Necessity of a Second-Stage Transobturator Vaginal Tape Procedure. <i>Eur Urol Suppl</i> 2009; 8(4): 239.
Okulu E. [Pop144, 4 yr fu] Use of three types of synthetic mesh material in sling surgery: A prospective randomized clinical trial evaluating effectiveness and complications. <i>Scand J Urol</i> 2013; 47(3): 217-224
Oliphant, S. Trends in Stress Urinary Incontinence Inpatient Procedures in the United States, 1979-2004. <i>Am J Obstet Gynecol</i> 2009; 200(5): 521.e1-521.e6
Oliveira LM et al. [Pop 85, med 14 mos fu] Abs 328 Comparison of retro-pubic TVT, pre-pubic TVT and TVT transobturator in surgical treatment of women with stress urinary incontinence. <i>Int Urogynecol J</i> 2006; 17 (Suppl 2): 5171-5359
Oliveira R. Exploratory Study Assessing Efficacy and Complications of TVT-O, TVT_Secur, and Mini-Arc: Results at 12-month Follow-up. <i>Eur Urol</i> (2011),doi:10.1016/j.eururo.2011.01.018
Oliveira R. Short-term assessment of a tension-free vaginal tape for treating female stress urinary incontinence. <i>BJU International</i> 104, 225-228
Olivera, C. Non-Antimuscarinic Treatment for Over Active Bladder: A Systematic Review. (Author's Manuscript) <i>American Journal of Obstetrics and Gynecology</i> 2015 10.1016/j.ajog.2016.01.156
Olsen AL. Epidemiology of surgically managed pelvic organ Prolapse and Urinary Incontinence. <i>Obstet Gynecol</i> . 1997 Apr;89(4):501-6.
Olsson I, Abrahamsson AK, Kroon UB. Long-term efficacy of the tension-free vaginal tape procedure for the treatment of urinary incontinence: a retrospective follow-up 11.5 years post-operatively. <i>Int Urogynecol J</i> (2010) 21:679-683
Olsson. A Three-Year Postoperative Evaluation of TVT; <i>Gynecol Obstet Invest</i> 1999; 48:257-269
Olsson. Long-term efficacy of the TVT procedure for the treatment of urinary incontinence. <i>Int Urogynecol J</i> (2010) 21:679-683
Ong, K. PP. 19 The Myth: In Vivo Degradation of Polypropylene Meshes. 41st Annual Meeting - Cape Town, South Africa August 4-5, 2016 <i>Int Urogynecol J</i> 2016; 27(Suppl 1): S19-S149
Ong, Thames, White. [IUGA Abs PP 19] The Myth: In Vivo Degradation of Polypropylene Meshes. <i>Int Urogynecol J</i> (2016) 27 (Suppl 1): S37-S38.

Medical Literature

Ortega-Castillo, V. Surgical Complications with Synthetic Materials. Urinary Incontinence Edited by Mr. Ammar Alhasso; 2012 ISBN 978-953-51-0484-1: 241-262
Osborn D. Obesity and Female Stress Urinary Incontinence. Urology 2013 http://dx.doi.org/10.1016/j.urology.2013.06.020
Osborn DJ. Obesity and female stress urinary incontinence. Urology. 2013 Oct;82(4):759-63
Osborn. [Pop 77] Analysis of patient and technical factors associated with MUS mesh exposure and perforation. Int J Urol (2014) 21, 1167-1170
Oswald. The deterioration of polypropylene by oxidative degradation. Polymer Engineering and Science, July 1965
Padilla-Fernández B, et al. Results of the surgical correction of urinary stress incontinence according to the type of transobturator tape utilized. Arch Ital Urol Androl. 2013;85:149-53.
Padmanabhan, P. Change in urinary storage symptoms following treatment for female stress urinary incontinence. Int Urogynecol J 2016 Jan 21 Epub ahead of print
Paily V. [IUGA Abs 854] Transvaginal Repair of Vault Prolapse with Full Length Polypropylene Mesh at Los Cost. Int Urogynecol J (2011) 22 (Suppl 2): S197-S1768
Paiva K, Rinne K, Aukee P, et al. A randomized trial comparing tension-free vaginal tape with tensionfree vaginal tape-obturator: 36-month results. Int Urogynecol J 2010;21:1049-1055.
Palma F, et al. Vaginal atrophy of women in postmenopause. Results from a multicentric observational study: The AGATA study. Maturitas 83 (2016) 40-44
Palobma S. A randomized controlled trial comparing three vaginal kits of single-incision mini-slings for stress urinary incontinence: surgical data. European Journal of Obstetrics & Gynecology and Reproductive Biology 163 (2012) 108-112
Pandit A. Design of surgical meshes - an engineering perspective. Technology and Health Care 2004; 12: 51-65
Pandit L. Postmenopausal vaginal atrophy and atrophic vaginitis. Am J Med Sci; 1997;314:228-231.
Paraiso MFR, Walters MD, Karram MM, Barber MD. Laparoscopic Burch colposuspension versus tensionfree vaginal tape: a randomized trial. Obstet Gynecol 2004;104:1249-1258.
Park, et al. Laparoscopic Reconstructive Surgery is Superior to Vaginal Reconstruction in the Pelvic Organ Prolapse, Int J Med Sci. 2014; 11(11): 1082-1088
Parnell, J. Management of Recurrent Urinary Stress Incontinence by the Marshall- Marchetti-Krantz Vesicourethropexy. The Journal of Urology 1984; 132: 912-914
Pastore AL, et al. [Pop 42, 1 yr fu] Evaluation of sexual function and quality of life in women treated for stress urinary incontinence: tension-free transobturator suburethral tape versus single-incision sling. Journal of Women's Health (2016) 25(4): 1-5
Patel, M. Is Burch or mid-urethral sling better with abdominal sacral colpopexy? Int Urogynecol J 2009; 20: 787-790
Pauls, R. Practice patterns of physician members of The American Urogynecologic Society regarding female sexual dysfunction: results of a national survey. Int Urogynecol J 2005; 16: 460-467
Pearce, M. The Female urinary microbiome in urgency urinary incontinence. Am J Obstet Gynecol 2015; 213: 347.e1-11
Pereira, I. Incontinence surgery in obese women: comparative analysis of short- and long-term outcomes with a transobturator sling. Int Urogynecol J 2016; 27: 247-253
Perkins. The Role of Mid-urethral Slings in 2014_ Analysis of the Impact of Litigation on Practice; Curr Bladder Dysfuct Rep (2015) 10:39-45
Petri, E. Reasons for the treatment of surgical complications with alloplastic slings. Int Urogynecol J 2005; 17: 3-13

Medical Literature

Petri. [Pop 359] Complications of synthetic slings used in female SUI and applicability of the new IUGA-ICS classification. European Journal of Obstetrics & Gynecology and Reproductive Biology 165 (2012) 347-351
Petri. Comparison of late complications of retropubic and transobturator slings in stress urinary incontinence. Int Urogynecol J (2012) 23:321-325
Petros P, Ulmsten U. An integral theory and its method for the diagnosis and management of female urinary incontinence. Scand J Urol Nephrol Suppl. No. 153, 1993.
Petros P. Creating a gold standard device. Scientific discoveries leading to TVT and beyond (Ulf Ulmsten Memorial Lecture 2014). Int Urogynecol J (2015) DOI 10.1007/s00192-015-2639-3
Petros P. Creating a gold standard surgical device: scientific discoveries leading to TVT and beyond: Ulf Ulmsten Memorial Lecture 2014. Int Urogynecol J 2015.
Petrou, S. Suprameatal transvaginal urethrolisis. The Journal of Urology 1999; 161: 1268-1271
Petzke F, et al. Increased pain sensitivity in fibromyalgia: effects of stimulus type and mode of presentation. Pain 105 (2003) 403-413
Pogatzki-Zahn EM, et al. Acute pain management in patients with fibromyalgia and other diffuse chronic pain syndromes. Current Opinion in Anaesthesiology (2009); 22: 627-633.
Polat, M. Comparison of the Effect of Laparoscopic and Abdominal Hysterectomy on Lower Urinary Tract Function, Vaginal Length, and Dyspareunia: A Randomized Clinical Trial. Journal of Laparoendoscopic & Advanced Surgical Techniques 2016; 26(2): 116-121
Porena M, Costantini E, Frea B, et al. Tension-free vaginal tape versus transobturator tape as surgery for stress urinary incontinence: results of a multicentre randomised trial. Eur Urol 2007;52:1481-1490.
Pourdeyhimi B. Porosity of surgical mesh fabrics: new technology. J Biomed. Mater. Res.: Applied Biomaterials, Vol 23, No A1, 145-152 (1989)
Pradhan, A. Surgical management of stress urinary incontinence. Obstetrics, Gynaecology and Reproductive Medicine 2010; 20(7): 207-211
Prakash P, et al. A prospective randomised controlled trial comparing chronic groin pain and quality of life in lightweight versus heavyweight polypropylene mesh in laparoscopic inguinal hernia repair. Journal of Minimal Access Surgery, 2016; 12(2):154-161.
Prien-Larien. [Pop 660, 1 yr fu] Influence of TVT properties on outcomes of midurethral sling. Int Urogynecol J doi 10.1007/s00192-015-2921-4
Prien-Larsen. [Pop 316, 5 yr fu] Long-term outcomes of TVT and IVS operations for treatment of female SUI: monofilament vs. multifilament polypropylene tape. Int Urogynecol J (2009) 20:703-709
Pulliam S. Use of synthetic mesh in pelvic reconstructive surgery: a survey of attitudes and practice patterns of urogynecologists. Int Urogynecol J (2007) 18:1405-1408
Qatawneh A. Transvaginal cystocele repair using tension-free polypropylene mesh at the time of sacrospinous colpopexy for advanced uterovaginal prolapse: a prospective randomised study. Gynecol Surg (2013) 10:79-85
Quemener, J. Rate of re-interventions after transvaginal pelvic organ prolapse repair using partially absorbable mesh: 20 months median follow-up outcomes. European Journal of Obstetrics & Gynecology and Reproductive Biology 2014; 175: 194-198
Rackley, R. Tension-free Vaginal Tape and Percutaneous Vaginal Tape Sling Procedures. Techniques in Urology 2011; 7(2): 90-100
Raders J, Lucente V, Haff R. [ICS, IUGA Abs 688] Transobturator TVT (TVT-O) "Inside-to-Out" Suburethral Sling for the treatment of Stress Urinary Incontinence: Early U.S. Experience. (2004)

Medical Literature

Raders JL, Lucente VR, Murphy M. [Abs. 310] Transobturator TVT (TVT-O) "Inside-Out" Suburethral sling for the treatment of stress urinary incontinence: Early Clinical Experience. (2005)
Rahn, D. Vaginal estrogen use in postmenopausal women with pelvic floor disorders: systematic review and practice guidelines. In Urogynecol J 2014; Epub Ahead of Print
Rapp, D. The Evolution of Midurethral Slings. Nature Clinical Practice Urology 2008; 5(4): 194-201
Rardin, C. Long-term Followup of a Transvaginal Burch Urethropexy for Stress Urinary Incontinence. Journal of Pelvic Medicine & Surgery 2007; 13(2): 73
Rardin, Rosenblatt. Outcomes of TVT in Women With Intrinsic Sphincter Deficiency With or Without Urethral Hypermobility; Journal of Pelvic Medicine & Surgery Volume 11, Number 6 November/December 2005
Rechberg T, Rzezniczuk K, Skorupski P, et al. A randomized comparison between monofilament and multifilament tapes for stress incontinence surgery. Int Urogynecol J Pelvic Floor Dysfunct 2003;14:432-436.
Rechberger T. Role of fascial collagen in stress urinary incontinence. Am J Obstet Gynecol (1998) 1511-1514
Rehman (Bezerra) - [Cochrane Review] Traditional suburethral sling operations for urinary incontinence in women (Review); The Cochrane Library 2011, Issue 1
Reich A, Kohorst F, Kreienberg R, Flock F. [7 yr fu] Long-term results of the tension-free vaginal tape procedure in an unselected group: a 7-year follow-up study. Urology (2011) 78(4):774-777
Reid RI and Luo K. Site-specific prolapse surgery. II. Vaginal paravaginal repair augmented with either synthetic mesh or remodeling xenograft, Int Urogynecol J (2011) 22:601-609
Reisenauer, C. Transobturator vaginal tape inside-out A Minimally invasive treatment of stress urinary incontinence: Surgical procedure and anatomical conditions. European Journal of Obstetrics & Gynecology and Reproductive Biology 2006; 127: 123-129
Rezapour M, et al. [Pop 49, Mean 4 yr fu] Tension-Free Vaginal Tape (TVT) in Stress Incontinent Women with Intrinsic Sphincter Deficiency (ISD) - A Long-Term Follow-up. Int Urogynecol J (2001) (Suppl 2):S12-S14.
Rezapour M, Ulmsten U. [Pop 34, 4 yr fu] Tension-Free Vaginal Tape (TVT) in Women with Recurrent Stress Urinary Incontinence – A Long-term Follow Up. Int Urogynecol J (2001) (Suppl 2):S9-S11.
Rezapour M, Ulmsten U. [Pop 80, 4 yr fu] Tension-Free Vaginal Tape (TVT) in Women with Mixed Urinary Incontinence - A Long-Term Follow-up. Int Urogynecol J (2001) (Suppl 2):S15-S18.
Riachi, Miklos. [case report] Repeat TVT Sling for the Treatment of Recurrent SUI; Int Urogynecol J (2002) 13:133-135
Richter H. Retropubic versus Transobturator Midurethral Slings for Stress incontinence. n engl j med (2010) 362;22. 2066-2076
Richter HE. A Trial of Continence Pessary vs. Behavioral Therapy vs. Combined Therapy for Stress Incontinence (ATLAS); Obstet Gynecol. 2010 March; 115(3): 609-617
Richter, Brubaker, Zimmern, Sirls (UITN) SISTEr [Pop 482, 7 yr fu] Patient Related Factors Associated with Long-Term Urinary Continence After Burch Colposuspension and Pubovaginal Fascial Sling Surgeries. The Journal of Urology 2012; 188: 485-489
Richter, H. Demographic and Clinical Predictors of Treatment Failure One Year After Midurethral Sling Surgery. Obstet Gynecol 2011; 117(4): 913-921
Richter, HE, Kenton, KS. Retropubic versus Transobturator Midurethral Slings for Stress Incontinence. 10.1056/NEJMoao912658
Ridgeway, Chen, Paraiso [Clin Ob Gyn] The Use of Synthetic Mesh in Pelvic Reconstructive Surgery. Clin Ob Gyn (2008); 51(1): 136-152

Medical Literature

Rinne K. A randomized trial comparing TVT with TVT-O: 12-month results. <i>Int Urogynecol J</i> (2008) 19:1049-1054
Riva D, Sacca V, Tonta A, et al. T.V.T. versus T.O.T: a randomized study at 1-year follow-up. <i>Int Urogynecol J</i> 2006;17(Suppl 2):S93.
Robinson, D. What is the best surgical intervention for stress urinary incontinence in the very young and very old? An International Consultation on Incontinence Research Society update. <i>Int Urogynecol J</i> 2015; 26: 1599-1604
Rogers, R. [ICS, IUGA ABS 155] Anatomic Considerations for the TVT-Obturator Approach for the Correction of Female Stress Urinary Incontinence. 2004
Rogo-Gupta, L. Symptom Improvement After Prolapse and Incontinence Graft Removal in a Case Series of 306 Patients. <i>Female Pelvic Med Reonstr Surg</i> 2015; 21: 319-324
Rogo-Gupta, L. Trends in the Surgical Management of Stress Urinary Incontinence Among Female Medicare Beneficiaries, 2002-2007. <i>Urology</i> 2013; 82(1): 38-41
Rogo-Gupta, L., Raz, S. Pain Complications of Mesh Surgery. <i>Current Clinical Urology</i> , DOI 10.10007/978-1-61779-924-2_9
Rohrbauer B, et al. [rabbit] Combined biaxial and uniaxial mechanical characterization of prosthetic meshes in a rabbit model, <i>J Biomech</i> . 2013 Jun 21;46(10):1626-32
Roovers J-P. Collaboration with the mesh industry: who needs who? <i>Int Urogynecol J</i> (2016) 27: 1293-1295.
Rosati M, et al. A review on the role of laparoscopic sacrocervicopexy, <i>Curr Opin Obstet Gynecol</i> . 2014 Aug;26(4):281-9
Ross S, Robert M, Lier D, Eliasziw M, Jacobs P. Surgical management of stress urinary incontinence in women: safety, effectiveness and cost-utility of trans-obturator tape (TOT) versus tension-free vaginal tape (TVT) five years after a randomized surgical trial. <i>BMC Women's Health</i> 2011;11:34.
Rostaminia, G. Surgeon preference for surgical treatment of stress urinary incontinence among urogynecologic surgeons, comparison after 15 years. <i>Pelviperrineology</i> 2015; 34: 75-78
Roth CC, et al. Synthetic slings: which material, which approach. <i>Curr Opin Urol</i> 2006; 16:234-239.
Roth, T. Management of persistent groin pain after transobturator slings. <i>Int Urogynecol J</i> 2007; 18: 1371-1373
Roy. Cardiovascular sutures as assessed by scanning electron microscopy. <i>Scanning Electron Microscopy</i> 1980 volume III
Rubin, E. States Worse Than Death Among Hospitalized Patients with Serious Illnesses. <i>JAMA Intern Med</i> 2016 AUG 1. DOI: 10.1001.
Samour H, et al. Minimally invasive cystocele repair technique using a polypropylene mesh introduced with the transobturator route. <i>Arch Gynecol Obstet</i> (2014)
Sand P. Prospective randomized trial of polyglactin 910 mesh to prevent recurrence of cystoceles and rectoceles. <i>Am J Obstet Gynecol</i> . 2001;184:1357-1364.
Sato K, et al. [AUA Abs PD50-03] Sexual function in female patients who underwent pelvic floor reconstruction with follow-up for a minimum of 5 years (2015)
Schauer. 10 years follow-up after mid-urethral sling implantation: high rate of cure yet a re-occurrence of OAB-Symptoms; <i>Neurourology and Urodynamics</i> DOI 10.1002/nau 2016
Scheiner, D. Twelve months effect on voiding function of retropubic compared with outside-in and inside-out transobturator midurethral slings. <i>Int Urogynecol J</i> 2012; 23: 197-206
Schierlitz L, et al. A prospective randomised controlled trial comparing vaginal prolapse repair with and without tensionfree vaginal tape (tvt) in women with severe genital prolapse and occult stress incontinence: long term follow up. <i>Int Urogynecol J</i> 2010;21(Suppl I):S2-S3.

Medical Literature

Schimpf MO, Rahn DD, Wheeler TL et al. (published) [meta-analysis] Sling surgery for stress urinary incontinence in women: a systematic review and meta-analysis. Am J Obstet Gynecol (2014) 211:71.e1-71.e27
Schimpf, Murphy, et al. (SGS) Graft and Mesh Use in Transvaginal Prolapse Repair: A Systematic Review. Obstet Gynecol 2016; 0:1-11
Schiotz H. [Pop 33,10 yrfu] Ten-year follow-up after conservative treatment of stress urinary incontinence. Int Urogynecol J (2008) 19:911-915
Schoen. 11.1.5 Tissue Response to Injury. Inflammation, Repair and Regeneration (Granulation tissue p464). Biomaterials Science, An introduction to Materials in Medicine, 3 rd edition, Section II.1 pp.464-466
Schraffordt Koops, S. Prospective analysis of complications of tension-free vaginal tape from The Netherlands Tension-free Vaginal Tape Study. American Journal of Obstetrics and Gynecology 2005; 193: 45-52
Schraffordt Koops. [Pop 634, 2 yr fu] Quality of life before and after TVT, a prospective multicenter cohort study, results from the Netherlands TVT database; BJOG 2006; 113:26-29
Schraffordt Koops. The effectiveness of tension-free vaginal tape (TVT) and quality of life measured in women with previous urogynecologic surgery; Analysis from the Netherlands TVT database; American Journal of Obstetrics and Gynecology (2006) 195, 439-44
Scientific Committee on Emerging and Newly Identified Health Risks - Opinion on The Safety of Surgical Meshes used in urogynecological Surgery. Approved December 3, 2015
Seklehner, S. A Meta-Analysis of the Performance of Retropubic Mid Urethral Slings Versus Transobturator Mid Urethral Slings. Journal of Urology 2015; 193: 909-915
Serati M, Bauer R, Cornu JN, Cattoni E, Braga A, Siesto G, Lizée D, Haab F, Torella M, Salvatore S. [Pop 191 5 yr fu] TVT-O for the treatment of pure urodynamic stress incontinence: efficacy, adverse effects, and prognostic factors at 5-year follow-up. Eur Urol (2013) 63:872-878
Serati M, et al. Is there a learning curve for the TVT-O procedure. A prospective single-surgeon study of 372 consecutive cases. Eur J Obstet Gynecol Reprod Biol 186 (2015) 85-90.
Serati M, Ghezzi F, Cattoni E, Braga A, Siesto G, Torella M, Cromi A, Vitobello D, Salvatore S. [Pop 58, but 10 yrs fu] Tension-free vaginal tape for the treatment of urodynamic stress incontinence: efficacy and adverse effects at 10-year follow-up. Eur Urol (2012) 61:939-946
Serati, et al. [Pop 191 5 yr fu] TVT-O for the treatment of pure urodynamic stress incontinence: efficacy, adverse effects, and prognostic factors at 5-year follow-up. European Urology 63 (2013) 872-878
Sergent F, et al. Which prostheses to use in mesh sacrocolpopexy. Experimental and clinical study. (2014)
SGS - Executive Committee Statement Regarding the FDA Communication: Surgical placement of mesh to repair pelvic organ prolapse imposes risks. (2011)
Shah S. Impact of Vaginal Surgery for Stress Urinary Incontinence of Female Sexual Function; Is the Use of Polypropylene Mesh Detrimental? UROLOGY 65: 270-274, 2005
Shah. Mesh complications in female pelvic floor reconstructive surgery and their management: A Systemic review. Indian J Urol. 2012 Apr-Jun; 28(2): 129-153
Shah. Surgical management of lower urinary mesh perforation after mid-urethral polypropylene mesh sling: mesh excision, urinary tract reconstruction and concomitant pubovaginal sling with autologous rectus fascia. Int Urogynecol J (2013) 24:2111-2117

Medical Literature

Shao U, et al. [Pop 24, median 57 mo fu] Tension-free vaginal tape retropubic sling for recurrent stress urinary incontinence after Burch colposuspension failure. International Journal of Urology (2011) 18, 452-457
Shao. [Pop 24, median 57 mo fu] TVT retropubic sling for recurrent SUI after Burch colposuspension failure; International Journal of Urology (2011) 18, 452-457
Sharifiaghdas F, Martazavi N. Tension-free vaginal tape and autologous rectus fascia pubovaginal sling for the treatment of urinary stress incontinence: a medium-term follow-up. Med Prim Pract 2008;17:209-214.
Sheiner, D. FV-Gyn 02.02 Tension-free vaginal Tape TVT Compared with Outside-in TOT and inside-put TVT-O transobturator tapes: a randomized controlled trial. Arch Gynecol Obstet 2010; 282(Suppl 1): S26-27
Shepherd, Moalli, et al. [AUGS Poster 22] Ex Vivo Tensile Properties of Seven Vaginal Prolapse Meshes. Female Pelvic Med Reconstr Surg 2010; 16(5) (Suppl 2): S108.
Shin Y. Efficacy and Safety of the TVT-Secur and Impact on Quality of Life in Women with Stress Urinary Incontinence: A 2-Year Follow-up. Korean J Urol 2011;52:335-339
Shippey S. Contemporary Approaches to Cystocele Repair: A Survey of AUGS Members. The Journal of Reproductive Medicine, 53:11 (Nov 2008).
Sho T, et al. Retrospective study of tension-free vaginal mesh operation outcomes for prognosis improvement, J Obstet Gynaecol Res. 2014 Jun;40(6):1759-63
Siedhoff, M. Post-hysterectomy Dyspareunia. Journal of Minimally Invasive Gynecology 2014; 21: 567-575
Signorello, L. Postpartum sexual functioning and its relationship to perineal trauma: A retrospective cohort study of primiparous women. Am J Obstet Gynecol 2001; 184: 881-90
Silva W. Uterosacral ligament vault suspension. Five Year Outcomes. Obstet Gynecol:2006;108:255-263.
Sindhwani, N. Immediate postoperative changes in synthetic meshes - In vivo measurements. Journal of the Mechanical Behavior of Biomedical Materials 2015; 55: 228-235
Skaaf JM, et al. [rabbits] ICS Abs 24 - Changing mesh material would change inflammatory response? Differences between Polypropylene (Gynemesh) and Polyvinylidene Fluoride (Dynamesh) mesh implant in rabbits vaginal wall. (2013)
Slack. [ICS Abstract 560] A trocar-free procedure for vaginal prolapse repair using mesh and a vaginal support device - an observational registry (Proxima). (2011)
Sobhgol, S. Rate and related factors of dyspareunia in reproductive age women: a cross-sectional study. International Journal of Impotence Research 2007; 19: 88-94
Soergel TM, Shott S, Heit M. Poor surgical outcomes after fascia lata allograft slings. Int Urogynecol J Pelvic Floor Dysfunct. 2001;12(4):247-53.
Sokol A, et al. One-year objective and functional outcomes of a randomized clinical trial of vaginal mesh for prolapse. Am J Obstet Gynecol 2012 Jan;206(1):86.e1-9
Sola V, et al. Tension Free Monofilament Macropore Polypropylene Mesh (Gynemesh PS) in Female Genital Prolapse Repair. International Braz J Urol, Vol. 32 (4): 410-415, July-August, 2006
Sola V. Third Generation Sub-Mid Urethral Mesh: Experience with 110 TVT-Secur. Arch. Esp. Urol. 2009; 62 (5): 376-388
Sola, V. TVT versus TVT-O for minimally invasive surgical correction of stress urinary incontinence. International Braz J Urol 2007; 33(2): 246-253
Sommer, T. Dynamesh® in the repair of laparoscopic ventral hernia: a prospective trial. Hernia 2013; 17(5): 613-8

Medical Literature

Song PH, Kim YD, Kim HT, Lim HS, Hyun CH, Seo JH, Yoo ES, Park CH, Jung HC, Gomelsky A. [Pop 306, 7 yr fu] The 7-year outcome of the tension-free vaginal tape procedure for treating female stress urinary incontinence. BJU Int. 2009 Oct;104(8):1113-1117.
Song, et al. The long-term outcomes of the tension-free vaginal tape procedure for treatment of female stress urinary incontinence: data for minimum 13 years of follow-up. LUTS (2017) 9, 10-14.
Song, X. The value of the preoperative 1-h pad test with pessary insertion for predicting the need for a mid-urethral sling following pelvic prolapse surgery: a cohort study. World J Urol 2015; Epub Ahead of Print
Song. [EAU Poster 771] Ten-Year Outcomes of the TVT Procedure for Treatment of Female SUI; Eur Urol Suppl 2011; 10(2):244
Song. [Pop 206, 13 yr fu] AUA Abs. MP33-03 The long-term outcomes from TVT procedure for female SUI; Data from minimal 13 years of follow up; http://www.aua2014.org 2014
Spitznagle, T. Myofascial Pelvic Pain. Obstet Gynecol Clin N Am 2014; 41: 409-432
Stanford, Paraiso - A Comprehensive Review of Suburethral Sling Procedure Complications. Journal of Minimally Invasive Gynecology (2008) 15(2), 132-145
Stanford. [rabbit] IUGA Abs. 104 Evaluation of Local Tolerance and of Tissue Integration with a Knitted Urethral Support Prosthesis in Rabbits. Int Urogynecol J (2006) 17 (Suppl 2):S101-S152
Stanton, S. Stress Incontinence. Why and How Operations Work. Urol Clin North Am 1985; 12(2): 279-84
Steege, J. Evaluation and Treatment of Dyspareunia. Obstet Gynecol 2009; 113(5): 1124-1136
Sternschuss, Ostergard. (published) Letter to Editor RE: Post implantation alterations of polypropylene in the human. The Journal of Urology Vol. 188, 27-32, 2012
Strus. The in vitro effect of hydrogen peroxide on vaginal microbial communities. FEMS Immunol Med Microbiol 48 (2006) 56-63
Stubbs J. SGS Video Presentation 3 Repair of Recurrent Pelvic Organ Prolapse Using Polypropylene Mesh. J Pelvic Med Surg (2007); 13(2): 53-94.
Subak L. Cost of Pelvic Organ Prolapse Surgery in the United States. The American College of Obstetricians and Gynecologists, 98:4, Oct 2001.
Summit, R. Suburethral sling procedure for genuine stress incontinence and low urethral closure pressure. A Continued Experience. Int Urogynecol J 1992; 3: 18-21
Summitt, R. Urinary incontinence: Correlation of history and brief office evaluation with multichannel urodynamic testing. Am J Obstet Gynecol 1992; 166: 1835-44
Sung V, et al. Graft Use in Transvaginal Pelvic Organ Prolapse Repair - A Systematic Review. Amer Col Obstet Gynecol (2008) 112(5) 1131-1135.
Sung, V. Comparison of Retropubic versus Transobturator Approach to Midurethral Slings: A Systematic Review and Meta-Analysis. Am J Obstet Gynecol 2007; 197(1): 3-11
Suskind, A. Effectiveness of Mesh Compared With Nonmesh sling surgery in Medicare Beneficiaries. Obstet Gynecol 2013; 0: 1-7
Svabik K, et al. Comparison of vaginal mesh repair with sacrospinous vaginal colpopexy in the management of vaginal vault prolapse after hysterectomy in patients with levator ani avulsion: a randomized controlled trial. Ultrasound Obstet Gynecol. 2014 Apr;43(4):365-71
Svenningsen R, et al. (Norwegian registry) [Pop 542, median 129 mo fu] Long-term follow-up of the retropubic tension-free vaginal tape procedure. Int Urogynecol J. 2013 Aug;24(8):1271-1278
Svenningsen R. [Pop 810, 10 yr fu] Risk Factors for Long-Term Failure of the Retropubic Tension-Free Vaginal Tape Procedure. Neurourology and Urodynamics (2013) 33:1140-1146
Sweat. Polypropylene mesh tape for SUI- complications of urethral erosion and outlet obstruction. The Journal of Urology Vol. 168, 144-146, July 2002

Medical Literature

Swift S. Correlation of symptoms with degree of pelvic organ support in a general population of women: What is pelvic organ prolapse? Am J Obstet Gynecol 2003;189:372-9
Takeyama M, et al. [IUGA Abs 079] Feasibility of the Tension-Free Vaginal Mesh Procedure Using Soft Polypropylene Mesh (Gynemesh PS) in Japan, Int Urogynecol J (2007) 18 (Suppl 1): S25-S105
Tammaa. [Pop 302, 5 yr fu] SGS Poster 18 Retropubic versus Transobturator TVT: Five-year results of the Austrian Trial; Abstracts / Journal of Minimally Invasive Gynecology 21 (2014) S1-S24
Tamussino K. (Austrian registry) [Pop 2543] Transobturator tapes for stress urinary incontinence: Results of the Austrian registry. Am J Obstet Gynecol 2007;197:634.e1-634.e5.
Tamussino KF, et al. Tension-free vaginal tape operation: Results of the Austrian Registry. Obstet Gynecol 2001; 98:732-736.
Tan PF, Yang LL, Ou RB, Tang P, Yang WJ, Huang JB, Wei W, Wei XH, Wang B, Xie KJ. Effectiveness and complication rates of tension-free vaginal tape, transobturator tape, and tension-free vaginal tape-obturator in the treatment of female stress urinary incontinence in a medium- to long-term follow up. Meta-analysis of randomized controlled trials. Saudi Med J (2014) 35:20-32
Tang X. Short-Term Effect of TVT-Secure Procedure on Quality of Life and Sexual Function in Women with Stress Urinary Incontinence. Journal of Minimally Invasive Gynecology (2013) 20, 455-459
Tate A. The use of infection prevention practices in female pelvic medicine and reconstructive surgery. Curr Opin Obstet Gynecol. 2010 Oct;22(5):408-13
Tellez Martinez-Fornes M, Fernandez Perez C, Fouz Lopez C, Fernandez Lucas C, Borrego Hernando J. A three year follow-up of a prospective open randomized trial to compare tension-free vaginal tape with Burch colposuspension for treatment of female stress urinary incontinence. Actas Urol Esp 2009;33: 1088-1096.
Teo R, Moran P, Mayne C, Tincello D. Randomized trial of tension-free vaginal tape and tension-free vaginal tape-obturator for urodynamic stress incontinence in women. J Urol 2011;185:1350-1355.
Thomas, A. IC ABS 153 One Year Results of A Prospective Randomized Trial Comparing The Original Inside-Out Transobturator (TVT-O™) Procedure and Modified Version Using a Shortened Tape and Reduced Dissection for the treatment of Female Stress Urinary Incontinence. 2010
Thubert T. [Pop 98, 1 yr fu] Bladder injury and success rates following retropubic mid-urethral sling: TVT EXACT™ vs. TVT™. Eur J Obstet Gynecol Reprod Biol 2016; 198: 78-83
Thubert, T. Outcomes associated with the use of midurethral slings for stress incontinence surgery according to the type of hospitalization. International Journal of Gynecology and Obstetrics 2015; 129: 123-127
Timbrook Brown, E. Evaluation and Management of Mid-Urethral Sling Complications. Curr Bladder Dysfunct Rep 2016; 11: 160-168
Tincello DG, Kenyon S, Slack M, et al. Colposuspension or TVT with anterior repair for urinary incontinence and prolapse: results of and lessons from a pilot randomised patient-preference study (CARPET 1). BJOG 2009;116:1809-1814.
Tincello. The TVT Worldwide Observational Registry for Long-Term Data: Safety and Efficacy of Suburethral Sling Insertion Approaches for Stress Urinary Incontinence in Women. J Urology (2011) Vol. 186, 2310-2315
Toglia M. Suture erosion rates and long-term surgical outcomes in patients undergoing sacrospinous ligament suspension with braided polyester suture. AJOG:2008;49;600.e1-600.e4.
Tommaselli G. Comparison of TVT-O and TVT-Abbrevio for the surgical management of female stress urinary incontinence: a 12-months preliminary study. International Journal of Gynecology & Obstetrics 119S3 (2012) S261-S530

Medical Literature

Tommaselli G. Efficacy of a modified technique for TVT-O positioning: a twelve-month, randomized, single-blind, multicenter, non-inferiority study. <i>Eur J Obstet Gynecol</i> (2012)
Tommaselli G. Tension-Free Vaginal Tape-O and -Secur for the Treatment of Stress Urinary Incontinence: A Thirty-Six-Month Follow-up Single-blind, Double-arm, randomized study. <i>J Min Invas Gynecol</i> (2013) 20, 198-204
Tommaselli G. TVT-Secur for the treatment of female stress urinary incontinence: a 24-month follow-up retrospective study. <i>Arch Gynecol Obstet</i> (2012) 286:415-421
Tommaselli GA, Di Carlo C, Gargano V, Formisano C, Scala M, Nappi C. Efficacy and safety of TVT-O and TVT-Secur in the treatment of female stress urinary incontinence: 1-year follow-up. <i>Int Urogynecol J</i> 2010;21:1211-1217.
Tommaselli GA, et al. Medium-term and long-term outcomes following placement of midurethral slings for stress urinary incontinence: a systematic review and metaanalysis. <i>Int Urogynecol J</i> (2015) DOI 10.1007/s00192-015-2645-5
Tommaselli GA, et al. Tension-free vaginal tape-obturator and tension-free vaginal tape-Secur for the treatment of stress urinary incontinence: a 5-year follow-up randomized study. <i>Eur J Obstet & Gynecol and Reprod Biol</i> 2015;185:151-55
Tommaselli, G. Efficacy and safety of the trans-obturator TVT-Abbrevio device in normal weight compared to overweight patients affected by stress urinary incontinence. <i>Eur J Obstet Gynecol Reprod Biol</i> 2016; 197: 116-119
Tommaselli, G. ICS ABS 357 Vaginal Exposure in Long-Term Follow-up Studies Evaluating Tran-obturator Tapes for the Surgical Treatment of Female Stress Urinary Incontinence: A Systematic Review of the Literature. 2015
Tomoe H. Improvement of overactive bladder symptoms after tension-free vaginal mesh operation in women with pelvic organ prolapse: correlation with preoperative urodynamic findings. <i>International Journal of Urology</i> (2015) 22, 577-580
Toozs-Hobson -Does age affect the outcome of suburethral tape surgery? The Importance of national registries in answering bigger questions; <i>Int Urogynecol J</i> DOI 10.1007/s00192-016-2995-7
Trabuco, E. Medium-term comparison of continence rates after rectus fascia or midurethral sling placement. <i>Am J Obstet Gynecol</i> 2009; 200:300.e1-300.e6
Trabuco. [Pop 1,375, 10 yr fu] Midurethral Slings for the Treatment of SUI. Long-term Follow-up; <i>Obstetrics and Gynecology</i> Vol. 123, No. 5 (Supplement), May 2014
Tseng LH, Wang AC, Lin Y-H, Li S-J, Ko Y-J. Randomized comparison of the suprapubic arc sling procedure vs tension-free vaginal taping for stress incontinent women. <i>Int Urogynecol J Pelvic Floor Dysfunct</i> 2005;16:230-235.
Tucker, P. Prevalence of sexual dysfunction after risk-reducing salpingo-oophorectomy. <i>Gynecol Oncol</i> 2015; http://dx.doi.org/10.1016/j.gyno.2015.11.002
Tzartzeva, Zimmern, et al. [ICS Abs 366] In-depth nano-investigation of vaginal mesh and tape fiber explants in women. (2014)
Tzartzeva, Zimmern. Abs M36 Who reports sling and mesh complications to the utilization of the manufacturer and user facility device experience (Maude) database?; <i>Neurourology and Urodynamics</i> DOI 10.1002/nau 2014
Ubertazzi E. [Pop 62, median 68 mos fu] IUGA Abs OP 122 - Trans vaginal mesh: argentine experience over 220 consecutives cases. <i>Int Urogynecol J</i> 2011; 22 (Suppl. 2) S924-S925.
Ulmsten U, et al. [Pop 75, 2 yr fu] An ambulatory surgical procedure under local anesthesia for treatment of female urinary incontinence. <i>Int Urogynecol J</i> (1996) 7:81-86
Ulmsten U. [Pop 131, 1 yr fu] A Multicenter Study of Tension-Free Vaginal Tape (TVT) for Surgical Treatment of Stress Urinary Incontinence. <i>Int Urogynecol J</i> , (1998) 9:210-213

Medical Literature

Ulmsten U. A three-year follow up of tension free vaginal tape for surgical treatment of female stress urinary incontinence. British Journal of Obstetrics and Gynecology April 1999, Vol 106, pp. 345-350
Ulmsten U. An Introduction to Tension Free Vaginal Tape (TVT) - A New Surgical Procedure for Treatment of Female Urinary Incontinence. Int Urogynecol J (2001) (Suppl 2):S3-S4
Ulmsten U. Intravaginal Slingplasty (IVS) - an Ambulatory Surgical Procedure for Treatment of SUI. (1995)
Ulmsten U. Intravaginal Slingplasty (IVS): An Ambulatory Surgical Procedure for treatment of Female Urinary Incontinence. Scand J Urol Nephrol 1995; 29:75-82
Ulmsten U. The basic understanding and clinical results of tension-free vaginal tape for stress urinary incontinence. (2011)
Ulmsten, U. Creating a gold standard surgical device: scientific discoveries leading to TVT and beyond. Ulf Ulmsten Memorial Lecture 2014. Int Urogynecol 2015; 26(6): 787-9
Ulmsten, U. Different Biochemical composition of connective tissue in continent and stress incontinent women. Acta Obstet Gynecol Scand 1987; 66: 455-457
Ulmsten, U. The Basic Understanding and Clinical Results of Tension-free vaginal tape for stress urinary incontinence. Urologe 2001; 40: 269-273
Ulrich, D. 10-Year Follow-up after the TVT-O Procedure for Stress Urinary Incontinence. Int Urogynecol J 2015; 26(Suppl 1): S146-147
Unger, Ridgeway, Rizzo. [POP 267] Indications and risk factors for midurethral sling revision. Int Urogynecol J (2015); doi: 10.1007/s00192-015-2769-7
Urinary Incontinence Treatment Network (UITN). The Trial Of Mid-Urethral Slings (TOMUS): Design and Methodology. The Journal of Applied Research, Vol. 8, No. 1, 2008
Usher. Use of Marlex Mesh in the repair of incisional hernias. (1958)
Ustun Y, Engin-Ustun Y, Gungor M, Tezcan S. Tension-free vaginal tape compared with laparoscopic Burch urethropexy. J Am Assoc Gynecol Laparosc 2003;10:386-389.
Valpas A, Kivela A, Penttinen J, Kujansuu E, Haarala M, Nilsson C-G. Tension-free vaginal tape and laparoscopic mesh colposuspension for stress urinary incontinence. Obstet Gynecol 2004;104:42-49.
Valpas, Nilsson. [Pop 121, 5 yr fu] TVT versus laparoscopic mesh colposuspension: 5-year follow-up results of a randomized clinical trial; Int Urogynecol J, DOI 10.1007/s00192-014-2454-2, 2014
Valvekens, E. Long-term outcome of surgical treatment of chronic postoperative groin pain: a word of caution. Hernia 2015; 19: 587-594
van der Weiden RMF and Bergkamp ABM. Colposacropexy with mesh or collagen implant and titanium bone anchors placed in sacral segments 3 and 4. Journal of Pelvic Medicine & Surgery (2003) Vol. 9, No. 1, 9-14
Van Geelen, J. The clinical and urodynamic effects of anterior vaginal repair and Burch colposuspension. Am J Obstet Gynecol 1988; 159: 137-44
Van Rensburg, J. OP 107 Single Incision - Needleless and inside-out TVT-O: a multicenter clinical equivalent randomized trial with preliminary 6 months and one year outcome for stress urine continence. Int Urogynecol J 2015; 26 (Suppl1): S136-137
Vassallo. Management of iatrogenic vaginal constriction. Obstet Gynaecol 2003; 101:512-20
Wadie BS, Edwan A, Nabeeh AM. Autologous fascial sling vs polypropylene tape at short-term followup: a prospective randomized study. J Urol 2005;174:990-993.
Wadie BS, Mansour A, El-Hefnawy AS, Nabeeh A, Khair AA. Minimum 2-year follow-up of mid-urethral slings, effect on quality of life, incontinence impact and sexual function. Int Urogynecol J 2010;21:1485- 1490.

Medical Literature

Wai CY. Patient Satisfaction After Midurethral Sling Surgery for Stress Urinary Incontinence. <i>Obstet Gynecol</i> 2013;121:1009-16
Walid MS, et al. Laparoscopic removal of infected mesh colposacropexy, <i>Arch Gynecol Obstet</i> (2009) 280:103-106
Walsh C. TVT-Secur mini-sling for stress urinary incontinence: a review of outcomes at 12 months. <i>BJU International</i> , 108 , 652-657
Walters, M. Which Sling for Which SUI Patient? <i>OBG Management</i> 2012; 24(5): 28-40
Waltregny d, de Leval J. The TVT-obturator surgical procedure for the treatment of female stress urinary incontinence: a clinical update. <i>Int Urogynecol J</i> (2009) 20:337-348.
Waltregny D, et al. [EAU Abs. 53] Inside-out transobturator vaginal tape (TVT-O)- One-year results of a prospective study. <i>Eur Urol Suppl</i> 4 (2005) No. 3. Pp. 16
Waltregny D, et al. Inside Out Transobturator Vaginal Tape for the Treatment of Female Stress Urinary Incontinence: Interim Results of a Prospective Study After a 1-Year Minimum Followup. <i>Journal of Urology</i> 2006; 175: 2191-2195.
Waltregny D, et al. TVT-O for the treatment of female SUI. Results of a prospective study after a 3-year minimum follow-up. <i>Eur Urol</i> 53 (2008) 401-410.
Waltregny, D. New Surgical Technique for Treatment of Stress Urinary Incontinence TVT-Abbrevio: From Development to Clinical Experience. <i>Surg Technol Int</i> 2012; 22: 149-57
Wang AC, Chen M-C. Comparison of tension-free vaginal taping versus modified Burch colposuspension on urethral obstruction: a randomized controlled trial. <i>Neurourol Urodyn</i> 2003;22:185-190.
Wang AC, et al. [Pop 670, approx 2 yr fu] A histologic and immunohistochemical analysis of defective vagina healing after continence taping procedures: A prospective case-controlled pilot study. <i>American Journal of Obstetrics and Gynecology</i> (2004) 191, 1868-74.
Wang F, Song Y, Huang H. Prospective randomized trial of TVT and TOT as primary treatment for female stress urinary incontinence with or without pelvic organ prolapse in Southeast China. <i>Arch Gynecol Obstet</i> 2010;281:279-286.
Wang W, Zhu L, Lang J. Transobturator tape procedure versus tension-free vaginal tape for treatment of stress urinary incontinence. <i>Int J Gynaecol Obstet</i> 2009;104:113-116.
Wang, Yi-jun. Comparison of three mid-urethral tension-free tapes (TVT, TVT-O, and TVT-Secur) in the treatment of female stress urinary incontinence: 1-year follow-up. <i>Int Urogynecol J</i> (2011) 22: 1369-1374
Ward K. Prospective multicenter randomised trial of tension-free vaginal tape and colposuspension as primary treatment for stress incontinence. <i>BMJ</i> (2002)325:67
Ward KL. [Pop 344, 5 yr fu IRELAND study] Tension-free vaginal tape versus colposuspension for primary urodynamic stress incontinence: 5-year follow up. <i>BJOG</i> 2008;115:226-233
Ward, K. (BMJ) [IRELAND] Prospective multicentre randomised trial of tension-free vaginal tape and colposuspension as primary treatment for stress incontinence. <i>BMJ</i> 2002; 325: 1-7
Ward, K. [Pop 177, 5 yr fu] ABS 50 - Multicentre randomized trial of tension-free vaginal tape and colposuspension for primary urodynamic stress incontinence: five year follow up. <i>Neurology & Urodynamics</i> 2006; 25(6)
Ward, K. A Prospective multicenter randomized trial of tension-free vaginal tape and colposuspension for primary urodynamic stress incontinence: Two-year follow-up. <i>Am J Obstet Gynecol</i> 2004; 190: 324-31
Waylonis GW and Heck W. Fibromyalgia syndrome: new associations. <i>Am J Phys Med Rehabil</i> 1992; 71:343-348.

Medical Literature

Weber A. Anterior colporrhaphy: a randomized trial of three surgical techniques. Am J Obstet Gynecol. 2001;185:1299-1306.
Weber AM, et al. Sexual function and vaginal anatomy in women before and after surgery for pelvic organ prolapse and urinary incontinence. Am. J. Obstet. Gynecol. 2000; 182, 1610-1615.
Weber, A. Commentary on Brown's 2000 Urinary Incontinence Risk is Increased after Hysterectomy. Evidence-Based Obstetrics and Gynecology 2001; 3: 52-53
Weber. Which Sling for which SUI Patient? OBG Management (2012) 24:5, 28-40
Weinberger, M. Long-Term Clinical and Urodynamic Evaluation of the Polytetrafluoroethylene Suburethral Sling for Treatment of Genuine Stress Incontinence. Obstetrics & Gynecology, 86:1, July 1995
Weinberger, M. Postoperative catheterization, urinary retention, and permanent voiding dysfunction after Polytetrafluoroethylene Suburethral Sling Placement. Obstet Gynecol 1996; 87: 50-4
Welk B. (Pop 60K) Removal or Revision of Vaginal Mesh used for the Treatment of Stress Urinary Incontinence. JAMA Surg (2015) Doi:10.1001/jamasurg.2015.2590
Weyhe D, et al. Experimental comparison of monofile light and heavy polypropylene meshes: less weight does not mean less biological response; World J Surg (2006) 30: 1586-1591
Whiteside J. Risk factors for prolapse recurrence after vaginal repair. Am J Obstet Gynecol; 2004:191:1533-1538.
Williams DF. On the mechanisms of biocompatibility. Biomaterials 29 (2008) 2941-2953.
Williams TH, TeLinde RW. The Sling Operation for Urinary Incontinence Using Mersilene Ribbon. Obstet Gynecol 1962; 19(2):241-245.
Williams, D. The Biodegradation of Surgical Polymers. Polyurethanes in Biomedical Engineering, edited by H. Pnack, et al., Amsterfam 1984 - Printed in the Netherlands: 93-102
Williams, E. Stress urinary incontinence: the evolution of the sling. Expert Rev. Med. Devices 2008; 5(4): 507-523
Williams. Review Biodegradation of surgical polymers. Journal of Materials Science 17 (1982) 1233-1246
Wiltz, A. Management of Vaginal Synthetic Graft Extrusion following Surgery for stress Urinary Incontinence and Prolapse. Curr Urol 2009; 3: 82-86
Wiskind, A. The incidence of genital prolapse after the Burhc colposuspension. Am J Obstet Gynecol 1992; 167(2): 399-405
Withagen M, et al. [Pop 49] Laparoscopic sacrocolpopexy with bone anchor fixation: short-term anatomic and functional results, Int Urogynecol J (2012) 23: 481-486
Withagen M, et al. Does trocar-guided tension-free vaginal mesh (Prolift™) repair provoke prolapse of the unaffected compartments? Int Urogynecol J (2010) 21: 271-278
Withagen M, et al. Risk Factors for Exposure, Pain, and Dyspareunia after Tension-Free Vaginal Mesh Procedure. Obstet Gynecol (2011) 118: 629-36.
Withagen M. [Pop 186 (Prolift 83), 1 yr fu] Trocar-Guided Mesh Compared with Conventional Vaginal Repair in Recurrent Prolapse, A Randomized Controlled Trial. Obstet Gynecol 2011;117:242-50
Withagen M. Sexual functioning after tension free vaginal mesh procedure (Prolift) for pelvic organ prolapse. NO DATE OR CITE INFO.
Wood AJ, et al. Materials characterization and histological analysis of explanted polypropylene, PTFE, and PET hernia meshes from an individual patient. J Mater Sci: Mater Med (2013) 24:1113-1122.

Medical Literature

Wood LN and Anger JT. [Review] Urinary Incontinence in women. BMJ (2014); 349: g4531, doi: 10.1136/bmj.g4531.
Woodruff AJ, Cole EE, Dmochowski RR, Scarpero HM, Beckman EN, Winters JC. Histologic comparison of pubovaginal sling graft materials: a comparative study. Urology. 2008 Jul;72(1):85-9. doi: 10.1016/j.urology.2008.03.012
Woodruff AJ, et al. Histologic comparison of pubovaginal sling graft materials: A comparative study. Urology 72 (2008) 85-89.
Wu C. Concomitant trocar-guided transvaginal mesh surgery with a midurethral sling in treating advanced pelvic organ prolapse associated with stress or occult stress urinary incontinence. Taiwanese J Obstet Gynecol 2013;52;516-522.
Wu J. Forecasting the Prevalence of Pelvic Floor Disorders in U.S. women 2010 to 2050. Obstetrics and Gynecology, 114:6, Dec 2009.
Wu J. Lifetime risk of stress urinary incontinence or pelvic organ prolapse surgery. Obstetrics & Gynecology, Vol. 123, 1201-1206, No.6, June 2014.
Wu, C. The surgical trends and time-frame comparison of primary surgery for stress urinary incontinence, 2006-2010 vs. 1997-2005: a population-based nation-wide follow-up descriptive study. Int Urogynecol J 2014; 25: 1683-1691
Wu, J. Predicting the number of women who will undergo incontinence and prolapse surgery, 2010 to 2050. Am J Obstet Gynecol 2011; 205(3): 230.e1-230.e5.
Wu, J. Trends in inpatient urinary incontinence surgery in the USA, 1998-2007. Int Urogynecol J 2011; 22: 1437-1443
Wu. Prevalence and incidence of urinary incontinence in a diverse population of women with noncancerous gynecologic conditions (2010)
Yalcin. [Pop 61, 2 yr fu] Results of TVT operations alone and combined with other vaginal surgical procedures; Arch Gynecol Obstet (2004) 269-96-98
Yazdany T. Suture complications in a teaching institution among patients undergoing uterosacral ligament suspension with permanent braided suture. Int Urogynecol J;2010;21:813-818.
Yonguc, T. Effectiveness of Transobturator Tape Procedure in Obese and Severely Obese Women: 3-Year Follow-Up. Urology 2015; 86: 244-249
Younes, G. Vaginal adhesions after transvaginal pelvic reconstructive surgeries: prevalence and clinical implications. Int Urogynecol J 2016; 27: 141-145
Young, Rosenblatt, et al. The Mersilene mesh suburethral sling a clinical and urodynamic evaluation. Am J Obstet Gynecol 1995; 173; 1719-26
Zacharakis. Occult SUI in women with pelvic organ prolapse Is the one step surgical approach a risky choice?; Female Pelvic Medicine & Reconstructive Surgery; Volume 22, Number 1, January/February 2016
Zhang L, et al. [Pop 171, 3 mo fu] Short-term effects on voiding function after mesh-related surgical repair of advanced pelvic organ prolapse. The Journal of The North American Menopause Society (2015) Vol 22, No 9: 993-999
Zhang Y, Jiang M, Tong X-W, Fan B-Z, Li H-F, Chen X-L. The comparison of an inexpensive-modified transobturator vaginal tape versus TVT-O procedure for the surgical treatment of female stress urinary incontinence. Taiwan J Obstet Gynecol 2011;50:318-321.
Zhang, Z. Retropubic tension-free vaginal tape and inside-out transobturator tape: a long-term randomized trial. Int Urogynecol J 2015; Epub Ahead of Print
Zhu L, Lang J, Hai N, Wong F. Comparing vaginal tape and transobturator tape for the treatment of mild and moderate stress incontinence. Int J Gynaecol Obstet 2007;99:14-17.
Zinn, P. Chronic Pelvic Pain. South African Family Practice 2015; 57(1): 4-9

Medical Literature

Zondervan, K. Prevalence and incidence of chronic pelvic pain in primary care: evidence from a national general practice database. British Journal of Obstetrics and Gynaecology 1999; 106: 1149-1155

Zullo MA, et al. One-Year Follow-up of Tension-free Vaginal Tape (TVT) and Trans-obturator Suburethral Tape from Inside to Outside (TVT-O) for Surgical Treatment of Female Stress Urinary Incontinence: A prospective randomized trial. Eur Urol 51 (2007) 1376-1384.

Zullo MA, Plotti F, Calcagno M, et al. One-year follow-up of tension-free vaginal tape (TVT) and Transobturator suburethral tape from inside to outside (TVT-O) for surgical treatment of female stress urinary incontinence: a prospective randomised trial. Eur Urol 2007;51:1376-1382; discussion 1383-1384.

Zyczynski H. [Pop 597, 2 yr fu] Sexual activity and function in women more than 2 years after midurethral sling placement. Am J Obstet Gynecol 2012;207:421.e1-6.

Zyczynski, et al. One Year clinical outcomes after prolapse surgery with nonanchored mesh and vaginal support device. Am J Obstet Gynecol (2010); 203:587.e1-8

Zyczynski, Goldman, Sirls (UITN) - Change in overactive bladder symptoms after surgery for SUI in women. Obstet Gynecol 2015;126:423-30

Production Materials

Document Description [Bates Range]
2003 (14 Day Rabbit Study) PSE 02-0579 Stamped Copy March 10, 2003 R&D - Central File: ETH-11280; ETH-11285-297; ETH-11312-315
2004 Gynemesh PS Study Poster - AUGS 2004 San Diego
2005-06 Prof Ed Slides _ Exhibit 127
2006 Mar 3 Flatow memo - CPC-2006-0165 Performance evaluation of TVT PROLENE blue Mesh_ Elongation Properties of Mechanical Cut verses Laser Cut
2007 Prolift Professional Education Slide Deck
2007 Prolift Surgeon's Resource Monograph
2007 Prolift Surgical Technique Guide
2008 Prolift Patient Brochure
2011 Pelvic Organ Prolapse and Stress Urinary Incontinence Patient Counseling Guide
2013 Hinoul Clinical Evaluatiown Report - Gynecare TVT™ Family of Products
24 Hour Summary of the Gastroenterology and Urology Devices Panel of the Medical Devices Advisory Committee Meeting [02.26.2016].
91 Day Tissue Reaction Study
A Clinical Assessment of Gynemesh PS for the Repair of Pelvic Organ Prolapse by V. Lucente, et al. 1 pg.
A Solution-Gynecare TVT Tension-Free Support for Incontinence.
Axel Arnaud, M.D. Powerpoint presentation titled Graft or No Graft
Bacterial Analysis of Explanted Transvaginal Meshes
Biocompatibility of Meshes
Biocompatibility Risk Assessment Report for GYNECARE GYNEMESH PS Non-Absorbable PROLENE Soft Mesh
Biocompatibility Risk Assessment Report for GYNECARE GYNEMESH PS Non-Absorbable PROLENE Soft Mesh. Appendix 1
Biocompatibility Risk Assessment Report for GYNECARE GYNEMESH PS Non-Absorbable PROLENE Soft Mesh. Appendix 2
Brochure Pelvic Organ Prolapse Get the Facts, Be Informed, Make Your Best Decision dated in 2005 (8 pgs)
Brochure Treatment Options for Pelvic Organ Prolapse Stop coping. Start living. Dated in 2008 Gynecare Prolift (15 pgs)
Chronology - D-9
D00001256-2005 Prolift Ed.pdf (Gynecare Prolift: Pelvic Floor Repair Systems) [Native Format]
D00001260-2007 and 2008 Prolift and M Prof Ed.pdf (Gynecare Prolift: Pelvic Floor Repair Systems)[Native Format]
DEFT 730.1-730.72 - 2007 Prolift Surgeons Monograph
DEPO.ETH.MESH.00000367-68 - T-2265 (Prolene Explants - IR Microscopy)
DEPO.ETH.MESH.00004755 - Report: Quebec Explants. 1.20.88
DX23600-R.1-3 - Prolene Resin Manufacturing Specifications 1.23.03
Email from Seppa re: Performance Evaluation of TVT Secur PROLENE Mesh: Mechanical vs. Laser Cut. Study (LIMS #BE-2004-1920)
Email from Seppa re: Performance Evaluation of TVT U PROLENE Mesh: Mechanical vs. Laser Cut. Study (LIMS #BE-2004-1920) Version 2
Email string re - Revised write up of the DeLeval and Waltregny visit
ETH MESH 05795421-508 - Gynecare TVT Tension-Free Support for Incontinence: Professional Education Slides.

Production Materials

ETH MESH 08476210-342 - TVT 510(k)
ETH.MESH.00006636 - Interim report mesh explants pelvic floor repair
ETH.MESH.00006796 - Presentation-Stand and Deliver-Pelvic Floor Repair
ETH.MESH.00018344-479 - Gynemesh PS Prof Ed Slide Deck 2007 (Production 02_000001_168547_d)
ETH.MESH.00018382 - Gynemesh PS Prof Ed Slide Deck 2007_DX24191
ETH.MESH.00020763 - Prolift +M Profession Education Slide Deck
ETH.MESH.00020764 - Prolift +M Profession Education Slide Deck
ETH.MESH.00030098 - Memo from Anthony Powell and Marianne Kaminski to Gynecare Continence Health Sales Team re GYNECARE TVT Physician Training Policy
ETH.MESH.0003132 - Memo to Customer from Sean M. O'Bryan dated 2.8.05 regarding Gynecare Prolift [3]
ETH.MESH.00031324-25 - Letter to Gregory Jones from Celia M. Witten with FDA dated 1.8.02 regarding K013718 Trade name Gynemesh Prolene Soft Nonabsorbable Synthetic Surgical Mesh for Pelvic Floor Repair
ETH.MESH.00071794 - Email re: TVT IFUs on tape extrusion, exposure and erosion
ETH.MESH.00074499 - Gynecare Prolift +M-Training Presentation
ETH.MESH.00093526-44 - Prolift +M Profession Education Slide Deck
ETH.MESH.00093991 - Prolift +M Profession Education Slide Deck
ETH.MESH.00130934-41 - July 30, 1998 Meeting Notes re TVT
ETH.MESH.00161131-32 - TVT-Innovative Surgical Alternative for the Treatment of Female SUI
ETH.MESH.00161953-54
ETH.MESH.00167104-110 - 2006 Apr 19 - Laser Cut Mesh for Gynecare TVT- CER Laser Cut Mesh
ETH.MESH.00211259-60 - Email string re - TVT Exact IFU
ETH.MESH.00220335-36 - 12.2.1999 Memo re: Biocompatibility Risk Assessment for Soft Prolene Mesh.
ETH.MESH.00222852-63
ETH.MESH.00222899-909
ETH.MESH.00223779-84
ETH.MESH.00259473-503 - Exhibit T-254
ETH.MESH.00260591-592 - Dan Smith Email Plaintiff's Exhibit 180
ETH.MESH.00262015-016 - Dan Smith Email Plaintiffs Exhibit 2067
ETH.MESH.00262089-123
ETH.MESH.00295355 - 2010 Gynecare TVT Exact Profession Education Slide Deck.
ETH.MESH.00303084-85 - Email string re-Complaint Summaries
ETH.MESH.00309254-350 - Technical File Amendment - Laser Cut Mesh Product Code 830041BL. Septemeber 12, 2006
ETH.MESH.00321804-05 - Definition for Major Invasive Surgeries
ETH.MESH.00339437-42 - Gynecare TVT - 5 Years of Proven Performance
ETH.MESH.00341006-11
ETH.MESH.00349228-37 - Ethicon Memo to C. Linsky Re: Cytotoxicity Risk Assessment for the TVT (Ulmsten) Device 8.8.1997
ETH.MESH.00354732 - Gynecare TVT Abbrevio Professional Education.
ETH.MESH.00369995 - 2008 Treatment of Stress Urinary Incontinence with the Gynecare TVT Family of Products.
ETH.MESH.00371496-594
ETH.MESH.00372564-68 - Clinical Study Report Evaluation of the TVM technique for treatment of genital prolapse Protocol Number 2003-016

Production Materials

ETH.MESH.00373310-88 - 2003 Gynecare TVT Tension-Free Support for Incontinence: General Profession Education Deck.
ETH.MESH.00394849 - Gynemesh PS Panel - Dr. England
ETH.MESH.00397674 - 2002 Dr. Miklos Minimizing and Managing TVT Complications
ETH.MESH.00442129 - PowerPoint Mechanical vs. "Machine"-cut Mesh, January 19, 2005 Prepared by: Allison London Brown & Gene Kammerer
ETH.MESH.00442825-26
ETH.MESH.00484929 - 2005-2006 Gynecare Prolift Pelvic Floor Repair Systems
ETH.MESH.00523942 - Waltregny 2005 ICS Presentation
ETH.MESH.00524746-48
ETH.MESH.00525573
ETH.MESH.00526473-74 - Allison Brown Email re-Laser-cut Mesh
ETH.MESH.00541379-80 - Memo to File RE: Mesh Draying for TVT Devices 11.18.03
ETH.MESH.00575257 - Abbrevio laser cut vs. mechanically cut - notes from meeting with de leval - inappropriate
ETH.MESH.00575270-273 - Jean de Leval Email Re: DSCN3332.JPG May 30, 2009
ETH.MESH.00584811-13 - Memo from Kammerer/ Silimkhan re: Ultrasonic Slitting of PROLENE Mesh for TVT
ETH.MESH.00589602-607 - Teo, R. Randomized Trial of Tension-Free Vaginal Tape and Tension-Free Vaginal Tape Obturator for Urodynamic Stress Incontinence in Women. Journal of Urology 2011; 185: 1350-1355
ETH.MESH.00590896-897 - Piet Hinoul Email 3.11.09
ETH.MESH.00637343 - Gynemesh PS.ppt
ETH.MESH.00642325 - Email string re-TVTO versus TVTS efficacy and safety issues
ETH.MESH.00658177-198 - Surgeons Resource Monograph
ETH.MESH.00687819-22 - Email string re-Laser cut mesh
ETH.MESH.00747864 - Gynemesh PS DDSA (rev. 2 - Feb. 2005)
ETH.MESH.00823793-806
ETH.MESH.00836558-59 - Email string re - TVT-O groin pain
ETH.MESH.00857821 - Top Ten Reason to pursue Gynecare TVT Obturator System
ETH.MESH.00858080-081 - Perry Trial - Plaintiff's Exhibit 2313
ETH.MESH.00858094-95 - Gynecare R&D Monthly Update - March
ETH.MESH.00858096-97 - Gynecare R&D Monthly Update - May
ETH.MESH.00858175-176 - Mulberry Weekly Meeting MINUTES for 6.3.03
ETH.MESH.00858252-53 - 2004 Memo from London Brown to Dan Smith re Mechanical Cut vs. Laser Cut Mesh Rationale
ETH.MESH.00860142-144 - Email string re-Sample Media TVTO
ETH.MESH.00862176-185 - Prolene Revision History for MS-729-001
ETH.MESH.00862754-757 - 6.9.03 Dan Smith Email Re: Double Edged Sword
ETH.MESH.00863391 - T-366 - Dan Smith email - particle loss
ETH.MESH.00865069-72
ETH.MESH.00870466 - Ethicon Expert Meeting-Meshes for Pelvic floor
ETH.MESH.00870466-76 - 6.2.2006 Ethicon Expert Meeting Meshes for Pelvic Floor Repair
ETH.MESH.00918015 - Sunoco MSDS 04.13.05
ETH.MESH.00991195-257 - Clinical Study Report Evaluation of the TVM technique for treatment of genital prolapse Protocol Number CT-TVM-001-03

Production Materials

ETH.MESH.00993273 - 2006 TVT-O Anatomic Considerations Clinical Update: Special Considerations, Complications Summit Presentation by Raders and Lucente
ETH.MESH.00994917-18 - McCabe email re - Sheath Sales Tool
ETH.MESH.01075187-215 - Clinical Expert Report Gynecare Prolift Pelvic Floor Repair System dated 7.2.10
ETH.MESH.01186550-56 - Rosenblatt, P. Update on suburethral slings for stress urinary incontinence.
ETH.MESH.01202101-03 - Email string re - Revised writeup of the DeLeval and Waltregny visit
ETH.MESH.01202189 - Stale Kvitle Email regarding Mini Me follow up from our visit May 20, 2009
ETH.MESH.01202190-191 - David Waltregny Email Re: Mini Me follow up from our visit May 21, 2009
ETH.MESH.01203957-97 - The future of surgical meshes-the industry's perspective
ETH.MESH.01210987-95
ETH.MESH.01215019-24 - Tseng LH, et al. Randomized comparison of the suprapubic arc sling procedure vs TVT for stress incontinent women. Int Urogynecol J (2015) 16:230-235.
ETH.MESH.01218019 - Design FMEA TVT LCM Project
ETH.MESH.01219542-48 - Review of Surgeon Responses of VOC Questionnaire
ETH.MESH.01220135-45 - Email string re-New Standards for Urethral Slings
ETH.MESH.01221055-58 - Pariente J-L. An Independent biomechanical evaluation of commercially available suburethral slings- 8.5% particle loss.
ETH.MESH.01222075-79
ETH.MESH.01222617-54 - Protocol PSE Accession NO. 02-0579-T-2176
ETH.MESH.01228079-84 - Nilsson Podcast Transcript
ETH.MESH.01238454-56 - Email string re-TVTO length
ETH.MESH.01271289-301 - Gynecare TVT with Abdominal Guides Early Clinical Experience
ETH.MESH.01279975-976 - Harel Gadot Email re Next step in SUI sling
ETH.MESH.0128019 - Design FMEA TVT LCM Project
ETH.MESH.01310817-29 - Ethicon Biocompatibility Risk Assessment for Gynecare Prolift Total Pelvice Floor Repair System dated 1.19.05
ETH.MESH.01317508-613 - TVT Factbook DHF - Revised 05.14.2001
ETH.MESH.01317515-524 - TVT Preventia FMEA [T-2143]
ETH.MESH.01320328-33 - Performance Evaluation of TVT Secur PROLENE Mesh: Mechanical vs. Laser Cut. Study (LIMS #BE-2004-1920)
ETH.MESH.01320351-67- Corporate Product Characterization Plan, TVT-Laser Cut Mesh. Dated 02/06/2006
ETH.MESH.01424029-35 - Cobb WS, et al. The Argument for Lightweight Polypropylene Mesh in Hernia Repair. Surgical Innovation, Vol 12, No 1 (2005)
ETH.MESH.01595614-753 - Prolift +M IFU
ETH.MESH.01612323-33 - Patient Brochure: Pelvic Organ Prolapse "Get the Facts, Be Informed, Make Your Best Decision."
ETH.MESH.01751069-94
ETH.MESH.01752532-35 - Mesh design argumentation issues
ETH.MESH.01784779-82
ETH.MESH.01784823-28
ETH.MESH.01784823-28 - Clinical Expert report-Laser Cut Mesh
ETH.MESH.01785259-260 - Email string re: +M relaxation
ETH.MESH.01808311-318 - Trip Report Michael Tracey
ETH.MESH.01809056-58

Production Materials

ETH.MESH.01809080-81
ETH.MESH.01809082-83 - Memo re-VOC on new laser cut TVT mesh
ETH.MESH.01813259; ETH.MESH.02180759-61 - Email string with attachment re-Jeans Ideas.
ETH.MESH.01813975-78 - Email string re-FDA Prep-Plaintiff's Exhibit 460
ETH.MESH.01815660-64
ETH.MESH.01822361-363 - Dan Smith Email regarding TVT Secur October 18, 2006
ETH.MESH.01822361-62 - Dan Smith Email regarding TVT-Secur leading to less retention
ETH.MESH.02001398-473 - Prolift IFU
ETH.MESH.02017152-158
ETH.MESH.02017152-56 - 02.23.2007 Ethicon Expert Meeting: Meshes for Pelvic Floor Repair
ETH.MESH.02026591-95 - MSDS-c4001 Polypropylene Homopolymer
ETH.MESH.02090196-209 - Plaintiff's Exhibit 4085-04.15.2008
ETH.MESH.02105765-71 - Information on Surgical Mesh for Pelvic Organ Prolapse and Stress Urinary Incontinence posted by FDA dated 10.23.08 at bottom; Information on Surgical Mesh for Hernia Repairs posted by FDA dated 10.23.08
ETH.MESH.02134271-73 - Draft-Mechanisms of Cytotoxicity of TVT
ETH.MESH.02180759-761 - University of Liege De Leval Confidential Meeting TVT-O Modifications 3.29.04
ETH.MESH.02211890 - Bates stamped non-color version - LNE Pore Size Testing of TVT
ETH.MESH.02211890 - Test Report
ETH.MESH.02215374-375 - Jacquetin, et al. Prolene Soft (Gynecare) Mesh for Pelvic Organ Prolapse Surgical Treatment: A Prospective Study of 264 Patients.
ETH.MESH.02219584 - Scion PA/SUI Treatment Unmet Needs Exploratory Research - Presented January 22, 2010
ETH.MESH.02229063 - Secur placement
ETH.MESH.02232773-801 - Prolift +M Profession Education Slide Deck
ETH.MESH.02232854-74 - Prolift +M Profession Education Slide Deck
ETH.MESH.02233126-187 - Prolift +M Profession Education Slide Deck
ETH.MESH.02233290 - Prolift +M Profession Education Slide Deck
ETH.MESH.02234874-910 - Waltregny Presentation- A modified version of GYNECARE TVT™ Obturator System Tension-free Support for Incontinence with a shorter tape and reduced dissection
ETH.MESH.02236604-09
ETH.MESH.02248778 - Mechanical vs. Machine Cut - January 19, 2005 Prepared by: Allison London Brown, Gene Kammerer
ETH.MESH.02248778 - Mechanical vs. Machine cut Mesh
ETH.MESH.02259836 - Graft or no graft finl 11-21-04_27099046_1
ETH.MESH.02270857-858 - Owens 2012-09-13 3005 - Jacquetin high erosion rate with Vypro
ETH.MESH.02293715-716
ETH.MESH.02310653 - Selman email with attachment re - Information about FDA notification on use of mesh in pelvic surgery
ETH.MESH.02319312 - Memo re-TVT-base & TVT-O Complaint Review for Laser Cut Mesh Risk Analysis
ETH.MESH.02340331-335 - TVT IFU (12.22.03 to 02.11.05)
ETH.MESH.02340471-503 - TVT IFU
ETH.MESH.02340504-33
ETH.MESH.02340568-90 - TVT-S IFU

Production Materials

ETH.MESH.02340829-835 - TVT-O IFU - (01.07.04 to 03.04.05)
ETH.MESH.02340902-908
ETH.MESH.02341203-13 - TVT Abbrevio IFU
ETH.MESH.02341454-521 - Prolift IFU
ETH.MESH.02341522-27 - 2005 Prolift IFU
ETH.MESH.02341522-89 - Prolift IFU
ETH.MESH.02341658-1733 - Prolift IFU
ETH.MESH.02341734-809 - Prolift IFU
ETH.MESH.02342194 - Gynemesh PS IFU - 03.20.03 - 03.30.06
ETH.MESH.02589032 - Powerpoint - Investigating Mesh Erosion in Pelvic Floor Repair Report by Berman, et al. May 18, 2011
ETH.MESH.02614610-24 - Performance Evaluation of TVT U PROLENE Mesh: Mechanical vs. Laser Cut. Study (LIMS #BE-2004-1920) Version 2
ETH.MESH.02615519-658 - Prolift +M IFU
ETH.MESH.02620914-15 - TVT Issue Report
ETH.MESH.02622276-79 - Issue Report; TVT Retropubic 2001.
ETH.MESH.02654027-028 - TVT-O Issue Report 2006
ETH.MESH.03259439-40 - 4.24.2009 Gauld email chain re Green Journal
ETH.MESH.03364663-66
ETH.MESH.03365250-1
ETH.MESH.03427878-83
ETH.MESH.03427878-883 - TVT IFU - (11.29.10 to 11.26.14)
ETH.MESH.03427878-945 - TVT IFU
ETH.MESH.03458123-38 - Patient Brochure
ETH.MESH.03458123-38 - TVT Patient Brochure
ETH.MESH.03458123-38 - TVT Patient Brochure
ETH.MESH.03459088-104 - Patient Brochure
ETH.MESH.03667696-704 – Company Procedure for US Regulatory Affairs Review of Promotion and Advertising Materials for Medical Devices.
ETH.MESH.03715787 - Gynemesh PS CER (2002) - Weisberg
ETH.MESH.03715978-79 - Weisberg email re: TVT Question
ETH.MESH.03736120-27 - Gynecare Gynemesh PS a New Mesh for Pelvic Floor Repair Early Clinical Experience
ETH.MESH.03751819 - 2009 The Science of "What's Left Behind"...Evidence & Follow-Up of Mesh Use for SUI.
ETH.MESH.03905472-77 - Email string re-TVT recommendation from Dr. Alex Wang
ETH.MESH.03905968-75 - 2005 Prolift Patient Brochure
ETH.MESH.03905976-91 - Patient Brochure
ETH.MESH.03905992-6000 - Patient Brochure
ETH.MESH.03906001-20 - Prolift +M Patient Brochure
ETH.MESH.03906037-52 - Patient Brochure
ETH.MESH.03906976 - Exhibit 2227 - TVOT-04.30.2003-Meeting Report
ETH.MESH.03907468-69 - Second Generation TVT - by Axel Arnaud
ETH.MESH.03910175-77 - Arnaud email re - Soft Prolene
ETH.MESH.03910418-21 - Email string re-Mini TVT - mesh adjustment
ETH.MESH.03911107-08 - Email string re-TVT complications (an Prof. Hausler)
ETH.MESH.03913357-359 - Axel Arnaud Email 5.31.07 Re TVT TVT-O

Production Materials

ETH.MESH.03915380 - Axel Arnaud email re Dr. Lucente-TVT Procedure Improvements-Prevention of Overstretching
ETH.MESH.03916905-13
ETH.MESH.03922926-28
ETH.MESH.03924557-86 - Meshes in Pelvic Floor Repair-Findings from literature review and conversations-interviews with surgeons, June 6, 2000.
ETH.MESH.03930120-123 - Nilsson, C. Seven-Year Follow-up of the Tension-Free Vaginal Tape Procedure for Treatment of Urinary Incontinence. Obstet Gynecol 2004; 104(6): 1259-62
ETH.MESH.03932909-911 - Confidential - History of TVT-O
ETH.MESH.03932912-14 - The History of TVT
ETH.MESH.03934952-67
ETH.MESH.03941623 - de Leval Email RE: TVT ABBREVO ALERT - French and English Email and English Translation Certification Plaintiff's Exhibit 3619- Perry
ETH.MESH.04044797-800 - TVT Update Jacquetin, B - Klute, C - Stanton, S - Ulmsten, U - Success and Complications
ETH.MESH.04048515-520 - Carl Nilsson KOL Interview Project Scion 06.18.08
ETH.MESH.04050265-267 - Hinoul Letter regarding De Leval Meeting - Pain in Adductor in young Active Patients
ETH.MESH.04079609 - Gynecare TVT Abbrevio Professional Education (Dr. Babcock).
ETH.MESH.04081189-90 - Meeting Agenda
ETH.MESH.04081301-02 - Memo re - Items need attention
ETH.MESH.04082973-74 - Possible Complications for Surgeries to Correct POP and SUI
ETH.MESH.04092868-69 - Email re - 10100080654 and TVT IFUs
ETH.MESH.04094863-64 - 01.29.2009 email from Bryan Lisa to Meng Chen
ETH.MESH.04097335-36 - Meng Chen - Medical Assessment for mesh fraying-Tracking 10100054041
ETH.MESH.04181761-62 - Gynecare Prolift Pelvic Floor Repair System Physician Learner Profile
ETH.MESH.04381806-19 - 1997 Literature Review on Biocompatibility of Prolene Sutures and Implants
ETH.MESH.04384112 - Biocompatibility Risk Assessment for the TVT-L Device - June 6, 2001
ETH.MESH.04384126-65
ETH.MESH.04465690-692 - MSE0079 - Material Specification for Gynemesh PS - Revision A
ETH.MESH.04938298-299 - Piet Hinoul Email Re: Prof. de Leval - TVT Abbrevio
ETH.MESH.04939001
ETH.MESH.04941016 - Lightweight Mesh Developments (Powerpoint) UltraPro-Prolene-mass volume-area weight
ETH.MESH.04945231-239 - Email string re-Ultrapro vs Prolene Soft Mesh
ETH.MESH.04945496 - Bernd Klosterhalfen Email Re: Ultrapro vs. Prolene Soft Mesh April 18, 2005
ETH.MESH.05217098-100 - Modified Prolene Mesh Clearance Letter
ETH.MESH.05217103-144 - Modified Prolene Mesh 510(k)
ETH.MESH.05222673-705 - TVT IFU
ETH.MESH.05225354-85 - TVT IFU
ETH.MESH.05225380-384 - TVT IFU - (09.08.00 to 11.26.03)
ETH.MESH.05315240-65 - 28 Day Rat Study
ETH.MESH.05315252-65
ETH.MESH.05316775-812 - Report, PSE Accession NO. 02-0579-T-2133
ETH.MESH.05337217-220 - Email string, top one from D. Miller to J. Paradise, et al
ETH.MESH.05347751-762 - Email string re Investigator-initiated studied policy

Production Materials

ETH.MESH.05479411 - The (clinical) argument of lightweight mesh in abdominal surgery
ETH.MESH.05479535
ETH.MESH.05529274-75 - Gynecare TVT Tension Free Support for Incontinence
ETH.MESH.05529653 - Email string re - Problem statements for TVT brainstorming meeting
ETH.MESH.05572912-913 - Ethicon Professional Education Description
ETH.MESH.05588123-126 - Stephen Wohler Email - AW: How inert is polypropylene? July 9, 2007
ETH.MESH.05644163-171 - Pelvic Floor Repair-Surgeon's Feed-back on Mesh Concept
ETH.MESH.05795421-508 - 2001 slides from Parisi binder
ETH.MESH.05795537-99 - 1998 TVT Slide Deck
ETH.MESH.05795537-99 - TVT Professional Education Program: Speaker's Guide.
ETH.MESH.05799233-39 - TVT Exact IFU
ETH.MESH.05916450 - Chronic Pain-Prevention, Future - Bioengineers point of view-D21929 (Powerpoint)
ETH.MESH.05918776 - Email re: Marlex Experience
ETH.MESH.05958248 - Surgeons Resource Monograph
ETH.MESH.05998835-836 - Piet Hinoul Email Re: ALERTE TVT ABBREVO
ETH.MESH.06049894-96 - FDA posting FDA Safety Communication: Update on Serious Complications Associated with Transvaginal Placement of Surgical Mesh for Pelvic Organ Prolapse issued 7.13.11
ETH.MESH.06087471-2 - Patient Brochure
ETH.MESH.06087513-4 - Patient Brochure
ETH.MESH.06400722 - GYNECARE GYNEMESH PS CE Mark Technical File
ETH.MESH.06592243 - 09.14.2012 Email from Carl Nilsson to Laura Angelini
ETH.MESH.06695438 - Justification for Utilizing the Elasticity Test as the Elongation Requirements on TVT LCM
ETH.MESH.06696411-19
ETH.MESH.06859834-35
ETH.MESH.06878438-39
ETH.MESH.06881576-80 - Email string re-TVTO
ETH.MESH.06882641-2
ETH.MESH.06886410-11
ETH.MESH.06887138-40 - Email re IFU
ETH.MESH.06887138-40 - Waltregny email written on behalf of Professor de Leval.
ETH.MESH.06887241-244 - David Waltregny email 7.16.04 re TVT-O
ETH.MESH.06887244 - 07.16.04 David Waltregny email to Dan Smith re: TVT-O.
ETH.MESH.06887245-246 - Dan Smith Email 7.15.04
ETH.MESH.06893952 - Evaluation of UltraPro Meshes
ETH.MESH.06894461 - Klinge U, et al. Impact of Polymer Pore Size on the Interface Scar Formation in a Rat Model. Journal of Surgical Research 103, 208-214 (2002).
ETH.MESH.06917699-704 - Form For Customer Requirements Specification (CRS) For Project TVT-O PA
ETH.MESH.06923868-871 - TVTO-PA Clinical Strategy - 8.21.13 Exhibit A.M. Mitchell T-2177
ETH.MESH.06927231-235 - Email string re-Scion PA commercail recommendation
ETH.MESH.07192929 - Investigating Mesh Erosion in Pelvic Floor Repair Powerpoint
ETH.MESH.07226481 - Ethicon (Burkley) response to Clave paper re degradation
ETH.MESH.07226579-590 - 2000 - TVT CER

Production Materials

ETH.MESH.07246690-719 - Study Report dated May 8, 2012: A systematic review of patient-years of experience in prospective randomized controlled trials (RCTs) in incontinence.
ETH.MESH.07318311-313 - de Leval Email Re: TVT ABBREVO ALERT - French and English Email and English Translation Certification - Plaintiff's Exhibit 3613
ETH.MESH.07351297 - Application FMEA for TVT Classic Doc# FMEA-0000536 Rev.<1>
ETH.MESH.07383730-31 - Email string re-Ultrapro mesh information-identical mesh to Prolift +M
ETH.MESH.07387254-257 - Email RE: August Status Report - Gynecare marketing [11.6.13 Exhibit T-3365]
ETH.MESH.07393700
ETH.MESH.07455220 - 3.6.2012 Response to email from C. Huntington RE: inertness of polypropylene mesh
ETH.MESH.07692905-7
ETH.MESH.08003181-96 - TVT Patient Brochure
ETH.MESH.08003231-46 - TVT Patient Brochure
ETH.MESH.08003247-62 - Patient Brochure
ETH.MESH.08003263-78 - Patient Brochure
ETH.MESH.08003279-94 - TVT Patient Brochure
ETH.MESH.08003295-301
ETH.MESH.08003295-302 - TVT Patient Brochure
ETH.MESH.08003303-17
ETH.MESH.08107354 - Gynecare TVT Tension-free Support for Incontinence: Professional Education Slides
ETH.MESH.08117473 - 2012 Gynecare TVT Exact Profession Education Slide Deck w Production Cover (Updated).
ETH.MESH.08117625-26 - Prolift +M Profession Education Slide Deck
ETH.MESH.08156958 - 2002 Gynecare TVT Tension-Free Support for Incontinence: Advanced Users Forum for the Experienced Clinician.
ETH.MESH.08165497-99 - Meeting Minutes-TVT Development Team Meeting
ETH.MESH.08299913-917 - Nilsson C. Seventeen years' follow-up of the tension-free vaginal tape procedure for female stress urinary incontinence. Int Urogynecol J 2013; 24(8): 1265-9 [9.11.13 Exhibit T-1271]
ETH.MESH.08311158 - Results - 175 Patients Enrolled and Randomized
ETH.MESH.08315779 - Clinical Expert report-09.25.2012
ETH.MESH.08319128-129 - Ethicon DM Sales Rep Do's and Don'ts [7.11.13 Exhibit T 791]
ETH.MESH.08334244-45 - Email string re-Photographs of LCM vs MCM with powerpoint attachment
ETH.MESH.08476210 - Fax from FDA requesting changes to labeling
ETH.MESH.08476217-24 - Fax from FDA requesting changes to labelling
ETH.MESH.08568006-12 - Feola A, et al. Stress Shielding-The Impact of Mesh Stiffness on Vaginal Function. Female Pelvic Medicine & Reconstructive Surgery, Vol 17, No 5, Suppl 2, Sept/Oct 2011.
ETH.MESH.09029183-184 - 3 Run Repeatability Study of FSMK0238
ETH.MESH.09100506 - 2005 Prolift Profession Educational Slide Deck
ETH.MESH.09264945-46 - Prolene Mesh Re-Design Project
ETH.MESH.09306898-910 - Incontinence - Plaintiffs Exhibit 4164-R
ETH.MESH.09625731-737 -NDA 16-374 4.16.69
ETH.MESH.09629447-448 - Letter to Dr. Grigsby RE: Prolene Polypropylene Suture, U.S.P., NDA #16-374
ETH.MESH.09630649 - 4.26.1973 FDA Letter RE: NDA 16-374

Production Materials

ETH.MESH.09630649 - FDA Prolene NDA Supplement with Transitory language
ETH.MESH.09634081 - Section 6 - Info concerning the quantity of drug distributed
ETH.MESH.09634318 - Prolene Package Insert
ETH.MESH.09634664-77 - 1990 FDA reclassification letter
ETH.MESH.09634664-88 - July 5, 1990 FDA Order
ETH.MESH.09656792
ETH.MESH.09656795
ETH.MESH.09744840-45 - Patient Brochure
ETH.MESH.09744848-55 - Patient Brochure
ETH.MESH.09744858-63 - TVT Patient Brochure
ETH.MESH.09744866-67 - TVT Abbrevio
ETH.MESH.09746948-998 - License and Supply Agreement [Rosenzweig Exhibit 21 - 12.22.15]
ETH.MESH.09747038-097 - Medscand Agreement
ETH.MESH.09747337-369 - Asset Purchase Agreement
ETH.MESH.09888187-223 - Seven Year Data for Ten Year Prolene Study - Plaintiff's Exhibit 4102
ETH.MESH.09922570 - MO PA (TOPA) R&D Memo on PA Mesh Assessments for MO-PA
ETH.MESH.09922570-578 - R&D Memorandum of PA Mesh Assessments for TVTO-PA Revision 1
ETH.MESH.10027307-28 - 2000 June TVT Surgeons Resource Monograph
ETH.MESH.10038839 - Gynemesh PS Slide Deck 2004
ETH.MESH.10038839 - Production 159_000001_10197312_d
ETH.MESH.10038844 - The Use of Graft Material in Prolapse Repair - Dr. S...
ETH.MESH.10150872 - Supplier Chart
ETH.MESH.10179518 - Gynemesh PS CER signed by Piet Hinoul April 26, 2013...
ETH.MESH.10216874-875 - Email string RE: AUGS lecture-content of discussions
ETH.MESH.10220659 - Gynecare TVT Tension-free Support for Incontinence: Advanced Users Forum for the Experienced Clinician
ETH.MESH.10281860 - 2013 Clinical Expertise TVT Midurethral sling: market Update Prof Ed Slide Deck
ETH.MESH.10575607-13 - Prolene Mesh - Biological Evaluation in Rabbits
ETH.MESH.10686760 - Gynemesh PS aFMEA 2013_23916894_1.nrl
ETH.MESH.10686833 - Risk Management Report (RMR) for Gynemesh PS 2013_23
ETH.MESH.11335728
ETH.MESH.11336474-87 - Ten Year In Vivo Suture Study Scanning Electron Microscopy-5 Year Report
ETH.MESH.11543641 - Gynemesh PS.ppt
ETH.MESH.11543719 - Robinson Gynemesh PS Presentation 4.7.04 (Production 199_000001_10219936_d)
ETH.MESH.12009027-35 - Gynemesh II-New Mesh Design
ETH.MESH.1210987-95 - Email from Hinoul re: South Africa, TVTO sheaths getting stuck upon removal
ETH.MESH.1222075-79 - Letter to Weisberg/Robinson re: Elongation Characteristics of Laster Cut PROLENE Mesh for TVT, from Kammerer
ETH.MESH.12831391-393 - September 30, 1987 Letter to Dr. Melveger
ETH.MESH.12831391-404 - IR Microscopy of Explanted Prolene received from Prof. R. Guidoin.
ETH.MESH.12831391-92 - P4128 - IR Microscopy of Explanted Prolene received from Prof. R. Guidoin.
ETH.MESH.12831405 - June 15, 1982 Memo to Dr. Melveger RE: Crack Depth in Explanted Porlene, Polypropylene Sutures

Production Materials

ETH.MESH.14369950 - ISO 14971 - Medical Devices - Application of risk management to medical devices
ETH.MESH.161953-54 - 10/12/1990 Letter from FDA re: N16374, Prolene Polypropylene Nonabsorbable Suture Gynecare TVT Obturator System Sales Materials
ETH.MESH.16262740 - (2004)
ETH.MESH.16357664-68 - Therapeutic Products Directorate
ETH.MESH.16416002-004 - Helen Kahlson Email Re: Conversion to Laser Cut TVT
ETH.MESH.1751069-94 - 09/07/2009 Safety review: TVT and TVT-O procedures
ETH.MESH.17636681-84 - Identification of Issue - Problem Statement-Description
ETH.MESH.17776990-7011 - Biocompatibility Risk Assessment Report for TVT
ETH.MESH.1784779-82 - Memo re: TVT-Base & TVT-O Complaint Review for Laser Cut Mesh (LCM) Risk Analysis
ETH.MESH.1784823-28 - Clinical Expert Report
ETH.MESH.1809056-58 - Email re: Important Laser cut mesh update
ETH.MESH.1809080-81 - Memo re: Comparison of Laser-cut and machine-cut TVT Mesh to Meshes from Competitive Devices (BE02004-1641)
ETH.MESH.1815660-64 - Project Mulberry, Preliminary Clinical Diligence Report
ETH.MESH.222852-63 - 12/15/2003, Gynecare Final Report # 03*0740, TVT Obturator System
ETH.MESH.222899-909 - Clinical Expert Report
ETH.MESH.2236604-09 - TVT Obturator Brochure; "Results, Precision & Proven Mesh"
ETH.MESH.223779-84 - Risk Management Report, TVT Laser Cut Mesh (LCM). Document Number RMR-0000017, Rev. 3
ETH.MESH.22617620-770 - Letter to FDA re K974098 TVT
ETH.MESH.22631022-2029 - TVT - Response to Section 39 Request
ETH.MESH.22634691-92 - Email re - Physician and Patient Labeling Updates to Ethicon Urogynecologic Surgical Mesh - D-8
ETH.MESH.22865906-21 & ETH.MESH.24255174-89 - Email re - Ethicon 510(k) amendments for labeling changes - D-7
ETH.MESH.2293715-6 - Email from Dan Smith re: NG TVT-O NDP – Outcomes from Kickoff Meeting with Pr. De Leval & Dr. Waltregny
ETH.MESH.2340504-33 - TVT IFU
ETH.MESH.2340902-908 - TVT O IFU
ETH.MESH.262089-123 - Manuscript Draft: (de Leval) Novel surgical technique for the treatment of female stress urinary incontinence: Transobturator Vaginal Tape Inside-Out
ETH.MESH.3364663-66 - Email from O'Bryan re: ifu
ETH.MESH.3365250-1 - Email from Weisberg re: IFU update
ETH.MESH.341006-11 - 11/11/10 Letter from John Young re: Global Regulatory Strategy for TVT IFU (RMC P15506/E) Update (Part II, RA0001-2010, Rev. 1)
ETH.MESH.3427878-83 - TVT IFU
ETH.MESH.371496-594 - 01/28/98 Letter from FDA re: K974098 TVT System
ETH.MESH.3911390-1 - Email from Arnaud re: Transient Leg Pain with Mulberry
ETH.MESH.3922926-28 - Email re: OR Agenda Tunn
ETH.MESH.3932909-11 - History of TVT-O
ETH.MESH.3934952-67 - Tension-Free Vaginal Obturator Tape (TVOT) – April 30, 2003 – Meeting Report

Production Materials

ETH.MESH.3939167-71 - Waltregny (2006) Inside Out Transobturator Vaginal Tape for the Treatment of Female Stress Urinary Incontinence: Interim Results of a Prospective Study After a 1-Year Minimum Followup
ETH.MESH.4048515-20 - KOL Interview
ETH.MESH.4384126-65 - Clinical Evaluation Report, Gynecare TVT Tension-free Vaginal Tape / Tension-free Vaginal Tape Accessory Abdominal Guide
ETH.MESH.442825-26 - Email re: TVT Laser Mesh info
ETH.MESH.52235354-85
ETH.MESH.524746-48 - Email re: TVT Meeting with Agency
ETH.MESH.525573 - Email re: TVT Laser Cut Mesh
ETH.MESH.5315252-65 - Final Report, PSE Accession No. 97-0197, Project No. 16672
ETH.MESH.658177-98 - TVT Surgeon's Resource Monograph, A Report of the June 2000 Summit Meeting
ETH.MESH.6696411-19 - Email re: Performance Evaluation of TVT Prolene Blue Mesh
ETH.MESH.6859834-35 - Email re: Laser Cut TVT
ETH.MESH.6878438-39 - Memo re: VOC on new Laser Cut TVT Mesh
ETH.MESH.6882641-2 - Email from O'Bryan re: GYNECARE TVT Obturator System – FDA
ETH.MESH.6886410-11- Email from Weisberg re: Mulberry
ETH.MESH.7393700 - 05/13/2003 Memo to Gynecare Continence Health Sales Team re: Gynecare TVT Physician Training Policy
ETH.MESH.7692905-7 - Email re: Mesh Fraying Dr. EBERHARD letter
ETH.MESH.8003295-301 - Patient Brochure: "Stop coping, start living."
ETH.MESH.8003303-17 - Patient Brochure: "Stop coping, start living."
ETH.MESH.823793-806 - Transobturator Vaginal Tape Inside-Out (TVT-O): From Development to Clinical Experience
ETH.MESH.865069-72 - Email from Dan Smith re: Draft report translated by "Babel fish" http://babelfish.altavista.com/tr
ETH.MESH.PM.000001 - Prolift Professional Education Videos
ETH.MESH.PM.000006 - Anatomy Videos
ETH.MESH.PM.000007 - Prolift Professional Education Videos
ETH.MESH.PM.000009 - Anatomy Videos
ETH.MESH.PM.000014 - Prolift Professional Education Videos
ETH.MESH.PM.000015 - Prolift Professional Education Videos
ETH.MESH.PM.000019 - Prolift Professional Education Videos
ETH.MESH.PM.000027 - Prolift Professional Education Videos
ETH.MESH.PM.000032 - Prolift Professional Education Videos
ETH.MESH.PM.000033 - Prolift Professional Education Videos
ETH.MESH.PM.000034 - Prolift +M Professional Education Videos
ETH.MESH.PM.000037 - Prolift Professional Education Videos
ETH.MESH.PM.000038 - Prolift Professional Education Videos
ETH.MESH.PM.000039 - Prolift Professional Education Videos
ETH.MESH.PM.000048 - Prolift +M Professional Education Videos
ETH.MESH.PM.000057 - Anatomy Videos
ETH.MESH.PM.000058 - Prolift Professional Education Videos
ETH.MESH.PM.000065 - Prolift Professional Education Videos
ETH.MESH.PM.000068 - Anatomy Videos
ETH.MESH.PM.000075 - Prolift Professional Education Videos

Production Materials

ETH.MESH.PM.000076 - Prolift Professional Education Videos
ETH.MESH.PM.000078 - Prolift Professional Education Videos
ETH.MESH.PM.000088 - Anatomy Videos
ETH.MESH.PM.000089 - Anatomy Videos
ETH.MESH.PM.000090 - Anatomy Videos
ETH.MESH.PM.000092 - Prolift +M Professional Education Videos
ETH.MESH.PM.000134 - Anatomy Videos
ETH.MESH.PM.000145 - Prolift +M Professional Education Videos
ETH.MESH.PM.000151 - Anatomy Videos
ETH.MESH.PM.000154 - Anatomy Videos
ETH.MESH.PM.000179 - TVT Secur IFU V5e 2005 to disc (Original from Prof Ed DVD)
ETH.MESH.PM.000179 - TVT-Secur Key Tech Points 5.24.2007 (Color Original from Prof Ed DVD)
ETH.MESH.PM.000190 - Prolift Professional Education Videos
ETH.MESH.PM.000192 - Prolift Professional Education Videos
ETH.MESH01816988-990
ETH.MESH02017152 - Ethicon Expert Meeting-Meshes for the Pelvic Floor Repair
ETH.MESH-08476311 - Cytotoxicity assessment of Ulstem sling
ETH_10437-449 - IFU for Gynemesh PS (Gynemesh)
ETH-00254-261 - Patient Brochure Pelvic Organ Prolapse Get the Facts, Be Informed, Make Your Best Decision dated in 2006
ETH-00295-300 - Exh. 10 Gynecare Prolift IFU dated 2004
ETH-00797-927 - 510(k) files for Gynemesh PS
ETH-01363-365 - Exh. 15 Letter to Bryan Lisa from Mark M. Melkerson with FDA stamped 5.15.08 re: K071512 Gynecare Prolift with attached 510(k) K071512
ETH-02387 - Lucente V. Prospective Clinical Assessment Of The Total Vaginal Mesh (TVM) Technique For Treatment Of Pelvic Organ Prolapse - 6 And 12 Month Results
ETH-07252-81 - Gynecare Prolift Pelvic Floor Repair System Total, Anterior and Posterior Pelvic Floor Repair Surgical Technique
ETH-0977 - 2009 Prolift IFU
ETH-10505-96 - 2008 Prolift Slide deck
ETH-10977-983 - Gynecare Prolift IFU dated 2009
ETH-18415 - Memo to Hospital Materials Managers & or Directors from Gynecare Worldwide Ethicon dated 10.10.02 regarding Gynecare Gynemesh*PS
ETH-83454-55 - Burkley 2012-10-02 954 - Gynemesh PS pore size email
ETH-83788 - Burkley 2012-10-02 951 - Gynemesh PS pore size photo (Burkley)
Ethicon Final Report, PSE Accession No. 00-0035 An Exploratory 91-day Tissue Reaction Study of Polypropylene-Based Surgical Mesh in Rats (PSE Acc. No. 00-0035)
Exh 59 - Materials sent to Kaminski for review 01-30-2012
Exh. 59 – Gynecare Prolift Pelvic Floor Repair System Phycsian Learner Profile (2 pages)
Get the facts, be informed, make your best decision – (Defense 824)
Guidoin R and Chakfe N. Aneurysmal Deterioration of Arterial Substitutes.
Gynecology Solutions
Gynemesh PS Approval File [FDA]
Gynemesh PS Chart
Gynemesh PS Early Clinical Experience White Paper
Gynemesh PS Presentation
Gynemesh PS use in PFR (EWHU, Hatangadi)

Production Materials

Gynemesh PS white paper
Heniford DVD Transcription
HMESH_ETH_11642462 - Franchise Regulatory Labeling Guidance - Summary of Changes
Johnson & Johnson - Our Credo [8.9.13 A.M. Mitchell Exhibit T-3134]
June, 2009 Klosterhalfen intermediate report on explanted mesh (highlighted)
Klinge Presentation PVDF: a new alternative? Meeting o Hernia Experts Exhibit P-1944
Letter from Dr. Joerg L. Holste, re: Biocompatibility Risk Assessment for Laser-cut Implant of Gynecare TVT
Letter to Editor re: Ostergard & Sternschuss 2012 Post-implantation alterations of polypropylene in the human.
Librojo updated TVT Declaration (10-23-15) [12 pages]
May 15, 2008 510(K) Summary of Safety and Effectiveness
McCabe email re - Sheath Sales Tool - 464
MSDS-Marlex Polypropylenes
Our Credo[8.9.13 A.M. Mitchell Exhibit T-3134
P4117 - Figure 7: Sample 13159, Lot #3405405 (Photograph)
P4118 - Figure 26: J8041-13675 (Photograph)
P4122 - SEM Figure 183: Sample J7959 13409 (Photographs)
Payments to Medscand [9.16.13 Exhibit T-3192]
Payments to Medscand by J&J [9.16.13 Exhibit T-3183]
Payments to Ulmsten as Consultant [9.16.13 Exhibit T-3204]
PFR (GyneMesh PS) & UI (2004)000028_471419_d_7262186_1
Powerpoint - LCM Project: Photographs Comparing Laser Cut Mesh vs. Mechanical Cut Mesh
Prolene Resin Manufacturing Specifications 1.23.03 [DX23600-R.1-3]
Published clinical data and RCTs - Ethicon.com - 4204-C
Seven Year Dog Study - T-2263
Summary of Safety and Effectiveness submitted by Bryan Lisa for Gynecare Prolift and Prolift +M stamped 5.15.08 (2 pgs) – FOUND
T-2262 - Deposition Subject Matter Thomas Barbolt Deposition 1.8.14
Te Linde's Operative Gynecology - Plaintiff's Exhibit 3958
T-Pro (Thunder) Pipeline Leadership Team (PLT)
TVT & TVT-O Long Term Studies
TVT Abbrevio IFU - 01.2015
TVT Exact IFU - 01.2015
TVT IFU - 01.2015
TVT Patient Brochure - 2015
TVT-O la bandelette trans-obturatrice (Photograph)
TVT-Obturator - 01.2015
TVT-Obturator IFU - 01.2015
Use of Gynemesh PS in Prolapse Surgery (000001_4275674_d)

Company Witness Depositions

Deponent [Date of Deposition]
Angelini, Laura - 09.16.2013 Deposition Testimony
Angelini, Laura - 09.17.2013 Deposition Testimony
Angelini, Laura - 11.06.2013 Deposition Testimony
Angelini, Laura - 11.14.2013 Deposition Testimony
Arnaud, Axel - 07.19.13 Deposition Testimony
Arnaud, Axel - 09.25.13 Deposition Testimony
Barbolt, Thomas - 01.08.2014 Deposition Testimony
Barbolt, Thomas - 10.09.2012 Deposition Testimony
Beath, Catherine - 07.11.13 Deposition Testimony
Chen, Meng - 10.29.2013 Deposition Testimony
Chen, Meng - 10.30.2013 Deposition Testimony
Hart, James - 09.17.2013 Deposition Testimony
Hart, James - 09.18.2013 Deposition Testimony
Hart, James - 12.20.2013 Deposition Testimony
Hellhammer, Brigitte - 09.11.2013 Deposition Testimony
Hellhammer, Brigitte - 09.12.2013 Deposition Testimony
Hinoul, Piet - 01.13.2014 Deposition Testimony
Hinoul, Piet - 01.14.2014 Deposition Testimony
Hinoul, Piet - 01.15.2014 Deposition Testimony
Hinoul, Piet - 02.01.16 Carlino Testimony Played in Court
Hinoul, Piet - 04.05.2012 Deposition Testimony
Hinoul, Piet - 06.26.2013 Deposition Testimony
Hinoul, Piet - 06.27.2013 Deposition Testimony
Hinoul, Piet - 09.18.2012 Deposition Testimony
Holste, Joerg - 07.29.2013 Deposition Testimony
Holste, Joerg - 07.30.2013 Deposition Testimony
Holste, Joerg - 12.14.2012 Deposition Testimony
Holste, Joerg - 12.15.2012 Deposition Testimony
Isenberg, Richard - 11.05.13 Deposition Testimony
Isenberg, Richard - 11.06.13 Deposition Testimony
Kammerer, Gene - 12.03.2013 Deposition Testimony
Kammerer, Gene - 12.05.2013 Deposition Testimony
Kirkemo, Aaron - 01.06.14 Deposition Testimony
Kirkemo, Aaron - 01.07.14 Deposition Testimony
Klinge, Uwe - 11.04.2015 Deposition Testimony
Klosterhalfen, Bernd - 02.02.2014 Deposition Testimony
Lamont, Daniel - 09.11.2013 Deposition Testimony
Nager, Charles - 01.14.2016 Deposition Testimony
Nager, Charles - 06.10.2014 Deposition Testimony
Owens, Charlotte - 06.19.13 Deposition Testimony
Owens, Charlotte - 06.20.13 Deposition Testimony
Robinson, David - 07.24.2013 Deposition Testimony
Robinson, David - 07.25.2013 Deposition Testimony
Robinson, David - 09.11.2013 Deposition Testimony
Rosenzweig, Bruce - 01.14.2016 Deposition Testimony
Rosenzweig, Bruce - 12.22.2015 Deposition Testimony

Company Witness Depositions

Rovner, Eric - 01.14.2016 Deposition Testimony
Rovner, Eric - 08.26.2014 Deposition Testimony
Smith, Dan - 08.20.2013 Deposition Testimony
Smith, Dan - 08.21.2013 Deposition Testimony
Weisberg, Martin - 02.03.16 Carlino Testimony Played in Court
Weisberg, Martin - 05.24.2012 Deposition Testimony
Weisberg, Martin - 05.31.2013 Deposition Testimony
Weisberg, Martin - 08.09.2013 Deposition Testimony
Weisberg, Martin - 11.12.2015 Deposition Testimony
Weisberg, Martin - 11.13.2015 Deposition Testimony

Other Materials

Publically Available
10/20/08 FDA Public Health Notification: Serious Complications Associated with Transvaginal Placement of Surgical Mesh in Repair of Pelvic Organ Prolapse and Stress Urinary Incontinence.
2007 NIHCE Interventional procedure overview of single-incision sub-urethral short tape insertion for stress urinary incontinence in women.
2011 ACOG Committee Opinion Number 513. Vaginal placement of synthetic mesh for pelvic organ prolapse. American College of Obstetricians and Gynecologists. Obstet Gynecol 2011;188-:1459-1464.
2011 ACOG Frequently Asked Questions. American College of Obstetricians and Gynecologists. ACOG FAQ2.
2011 AUA Foundation - Stress Urinary Incontinence Monograph
2011 AUA Position Statement on the use of vaginal mesh for the repair of pelvic organ prolapse.
2011 IUGA Pelvic Organ Prolapse A guide for women.
2012 ABOG - Guide to Learning in Female Pelvic Medicine and Reconstructive Surgery
2012 Update of AUA SUI Guidelines- Appendices A11 and A16 (re Complications)
2013 ACOG Frequently Asked Questions. American College of Obstetricians and Gynecologists. ACOG FAQ183.
2013 AUA Position Statement on the Use of Vaginal mesh for the Surgical Treatment of Stress Urinary Incontinence
2013 AUA SUI Patient Guide: 1 in 3 women experience Stress Urinary Incontinence
2013 AUGS Position Statement on restriction of surgical options for pelvic floor disorders. Advancing Female Pelvic Medicine and Reconstructive Surgery. 2013;March:1-6.
2013 March - AUGS Position Statement on Restrictions of Surgical Options for PFD FINAL
2013 Oct. AUA Position Statement on the Use of Vaginal mesh for the Surgical Treatment of SUI
2013 Sept. NICE 171 Guideline - The management of urinary incontinence in women
2013 Sept. NICE Guideline - Urinary Incontinence: The management of urinary incontinence in women. Issued September 2013.
2014 Jan - AUGS-SUFU MUS Position Statement APPROVED 1 3 2014
2014 July - IUGA Position Statement on Mid-Urethral Slings for Stress Urinary Incontinence
2014 June - Joint ACOG-AUGS Position Statement on uncomplicated Stress Urinary Incontinence - CO 603
2014 Mar 12 - AUGS SUFU Provider FAQs MUS for SUI
2015 ACOG, AUGS Practice Bulletin Summary of 155 - Urinary Incontinence in Women (replaces 63 from June 2005)
2015 AUA. A Monograph from the Urology Care Foundation. SUI. Update 2015
2015 Mar EAU Guidelines on Urinary Incontinence
2015 SCENIHR Report, EU Commission FULL – Opinion on The safety of surgical meshes used in Urogynecological surgery.
21 CFR 801.109(c) - Device Labeling
21 CFR 860.7
24 Hour Summary of the Gastroenterology and Urology Devices Panel of the Medical Devices Advisory Committee Meeting [02.26.2016].
7/13/11 FDA: Surgical Placement of Mesh to Repair Pelvic Organ Prolapse Poses Risks.
A Comparative Transobturator Sling Matrix - Boston Scientific www.pelvic-floor-institute.com 2012
A Monograph from the Urology Care Foundation: Stress Urinary Incontinence.
A Summary of the evidence on the benefits and risks of vaginal mesh implants. October 28, 2014
ABOG and ABU - 2012 Guide to Learning in FPMRS

Other Materials

ACGME Program Requirements for Graduate FPMRS, July 1, 2014.
ACGME Program Requirements for Graduate Medical Education in FPMRS
ACGME Program Requirements.
ACOG Chronic Pelvic Pain
ACOG Committee Opinion No. 513 (2011). Vaginal placement of synthetic mesh for pelvic organ prolapse. ACOG 118: 1459-64
ACOG Frequently Asked Questions - When Sex Is Painful
ACOG Practice Bulletin 63 (Obstet Gyn) Clinical Mgmt Guidelines for Ob-Gyns. Urinary Incontinence in Women. (2005)
ACOG Surgery for Stress Urinary Incontinence FAQ
ACOG, AUGS Committee Opinion No. 694 Management of Mesh and Graft Complications in Gynecologic Surgery.Female Pelvic Med Reconstr Surg 2017.
ACOG, AUGS Practice Bulletin Summary of 155 (replaces 63 from 2005) Urinary Incontinence in Women. November 2015.
AUA (2011) - Position Statement on the Use of Vaginal Mesh for SUI
AUA Expert Witness Affirmation Statement
AUA Expert Witness Testimony In Medical Liability Cases.
AUA Foundation (2011) Stress Urinary Incontinence Monograph
AUA Foundation 2013 A Patient's Guide, 1 in 3 Women experience Stress Urinary Incontinence.
AUA Guideline for the Surgical Management of Female Stress Urinary Incontinence Update (2009)
AUA Guideline for the Surgical Management of Stress Urinary Incontinence (2009)
AUA National Medical Student Curriculum Urinary Incontinence
AUA National Medical Student Curriculum, updated August 2012
AUA Position Statement on the use of vaginal mesh for the repair of pelvic organ prolapse (Nov. 2011)
AUA Position Statement on the use of vaginal mesh for the surgical treatment of stress urinary incontinence [November 2011, October 2013 revised].
AUA Position Statement on the use of vaginal mesh for the surgical treatment of stress urinary incontinence [November 2011].
AUA Update Guideline for the Surgical Management of Stress Urinary Incontinence (2010)
AUA-SUI Pocket Guide for Physicians
AUGS - Blogs - Organizations Lend their Support to Mid-urethral Slings. By: Douglass S. Hale, MD on June 23, 2016
AUGS SUFU Frequently Asked Questions by Patients Mid-urethral Slings for Stress Urinary Incontinence
AUGS (2013) Position Statement on Restriction of Surgical Options for Pelvic Floor Disorders
AUGS 2016 (eposter) Serious adverse events with transvaginal mesh are rare.
AUGS Blogs Organizations Lend their Support to Mid-urethral Slings
AUGS Blogs: Midurethral Slings: A Treatment Worth Protecting.
AUGS FAQs-Mid-urethral Slings for SUI-DX23540
AUGS Position Statement on Restrictions of Surgical Options for Pelvic Floor Disorders
AUGS Practice Bulletin Summary, Number 155: Urinary Incontinence in Women [November 2015].
AUGS President's Perspective: Organizations Lend their Support to Mid-urethral Slings. June 23, 2016.
AUGS Resident Learning Objectives
AUGS SUFU Frequently Asked Questions by Patients MUS for SUI
AUGS SUFU Frequently Asked Questions by Providers MUS for SUI

Other Materials

AUGS SUFU Position Statement on MUS for SUI
AUGS webpage re: Mesh Information for Patients with Pelvic Floor Disorders (http://www.voicesforpfd.org/p/cm/ld/fid=87)
AUGS/SUFU Frequently Asked Questions by Patients: Midurethral Slings for Stress Urinary Incontinence.
AUGS/SUFU Frequently Asked Questions by Providers: Midurethral Slings for Stress Urinary Incontinence.
AUGS/SUFU Position Statement of Mesh Midurethral Slings for Stress Urinary Incontinence.
AUGS-SUFU MUS Position Statement updated June 2016
Batiste Trial - Plaintiff's Opening Presentation.
Brief Summary of the Gastroenterology and Urology Devices Panel of the Medical Devices Advisory Committee Meeting [02.26.2016].
Brief Summary of the Gastroenterology and Urology Panels of the Medical Devices Advisory Committee Meeting - February 26, 2016
CFR - Code of Federal Regulations Title 21. Current as of 4/1/15
Deposition Subject Matter-Design and Development of Mesh Products
Device Labeling Guidance
EAU Guidelines on Urinary Incontinence. Urinary Incontinence - partial update March 2015
EU Commission Fact Sheet - (based on 2015 SCENIHR Report) The safety of surgical meshes used in Urogynecological surgery.
EU Commission Fact Sheet 2015
European Commission: The safety of surgical meshes used in urogynecological surgery [December 2015].
Evidence Pyramid
Excerpts from the Deposition of Kimberly Kenton, M.D. taken on March 25, 2016.
FDA - Device Labeling Guidance #G91-1 March 1991
FDA 2013 Mar - Considerations about Surgical Mesh for SUI
FDA Considerations about Surgical Mesh for SUI
FDA Considerations about Surgical Mesh for SUI [03.27.2013].
FDA Executive Summary - Reclassification of Urogynecologic Surgical Mesh Instrumentation; Gastroenterology-Urology Medical Devices Advisory Committee Panel [02/26/2016]
FDA Executive Summary: Surgical mesh for treatment of women with POP and SUI [09.08.2011]
FDA Implants and Prosthetics
FDA March 27, 2013 Statement, Considerations about Surgical Mesh for SUI
FDA News Release: Surgical Placement of mesh to repair pelvic organ prolapse poses risk [07.13.2011].
FDA Public Health Notification - 2008 Oct. 20
FDA Public Health Notification - 2011 July 11
FDA Public Health Notification. 2008. http://www.fda.gov/MedicalDevices/Safety/AlertsandNotices/PublicHealthNotifications/
FDA Public Health Notification. 2011. http://www.fda.gov/MedicalDevices/Safety/AlertsandNotices/ucm262435 .
FDA Public Health Notification: Serious Complications Associated with Transvaginal Placement of Surgical Mesh in Repair of Pelvic Organ Prolapse and Stress Urinary Incontinence issued 10.20.08
FDA Questions (Reclassification of Urogynecologic Surgical Mesh Instrumentation), February 26, 2016.
FDA Questions: Reclassification of the Urogynecologic Surgical Mesh Instrumentation.

Other Materials

FDA Reclassification of Urogynecologic Surgical Mesh Instrumentation, February 26, 2016.
FDA Safety Communication 7.13.11 - Update on Serious Complications Associated with Transvaginal Placement of Surgical Mesh for Pelvic Organ Prolapse
FDA Statement re Considerations about Surgical Mesh for SUI; 2013 Mar 27
FDA Stress Urinary Incontinence
Female SUI Procedures
Final Appraisal Determination Tension Free Vaginal Tape Gynecare TVT for Stress Incontinence. National Institute for Clinical Excellence (2003)
Gastroenterology and Urology Devices Panel of the Medical Devices Advisory Committee: Medical Devices Classification/Reclassification. February 26, 2016
Guideline for the Surgical Management of Female Stress Urinary Incontinence: 2009 Update.
http://www.voicesforpfd.org - AUGS Patient Information: Mesh Information for Patients with Pelvic Floor Disorders
ICS Fact Sheet 2015
International Continence Society Stress Urinary Incontinence Fact Sheet (2013)
IUGA Guidelines for training in FPMRPS; Updated 2010
IUGA Interstitial Cystitis and Painful Bladder Syndrome (2011)
IUGA Low-Dose Vaginal Estrogen Therapy (2011)
IUGA Mid-urethral sling (MUS) procedures for stress incontinence (2011)
IUGA Position Statement on Midurethral Slings for Stress Urinary Incontinence.
IUGA Position Statement on MUS for SUI (2014)
Librojo updated TVT Declaration (10-23-15)
Nager (2014) AUGS - Final Presidential Blog
NICE Clinical Guideline 171- Urinary Incontinence: The management of urinary incontinence in women. Issued September 2013. (guidance.nice.org.uk/cg171)
Oxford Levels of Evidence Pyramid for Practitioners_ from Oxford website
Oxford Levels of Evidence; www.cebi.ox.ac.uk/fileadmin/_processed_/csm_Evidence_pyramid_bluef5c85529a0.jpg
Pence Direct Slides
Perry v. Ethicon Closing Statement [02.23.2015].
President's Letter From AUS RE: President's Perspective: Organizations Lend their Support to Mid-urethral Slings. June 23, 2016
RANZOG and UGSA 2014 Position Statement
RANZCOG Position statement on midurethral slings (May 2017)
RCT Pyramid
Rosenzweig Huskey Trial Testimony (8.25-26.2014)
Rosenzweig, Bruce (Carlino) Deposition Exhibits - 12.22.2015
SCENIHR Opinion on the safety of surgical meshes used in urogynecological surgery. [12.03.2015].
Slide re Dr. Hinoul - Ethicon Medical Director - Rosenzweig 64
Subjective parameters and objective outcome measures used in the studies included in the systematic review
Update AUA-SUI Guideline for the Surgical Management of Female Stress Urinary Incontinence: 2009 Update - Appendices A11 and A16 (re Complications)
Urinary Incontinence in Women. ACOG Practice Bulletin, Number 63, June 2005. Obstet Gynecol 2005; 105:1533-45
York Health Economics Consortium - Summaries of the Safety/Adverse Effects of Vaginal Tapes/Slings/Meshes for Stress Urinary Incontinence and Prolapse. Final Report. November 2012

MDL Wave Cases

Depositions
Blaivas, Jerry, M.D. (Plaintiff Expert, Urologist Professor) - 03.28.2014
Blaivas, Jerry, M.D. (Plaintiff Expert-Prolift General) - 03.02.2016
Elliott, Daniel, MD - 09.26.2015
Elliott, Daniel, MD (Bellew Prolift) - 09.13.2014
Elliott, Daniel, MD (Gross/Wicker/NJ Prolift) - 11.15.2012
Elliott, Daniel, MD (Gross/Wicker/NJ Prolift) - 11.16.2012
Elliott, Daniel, MD (Hammons Prolift) - 11.21.2015
Elliott, Daniel, MD (Plaintiff Expert - TVT-O & TVT-S) - 03.06.2016
Elliott, Daniel, MD (Plaintiff Expert) - 09.13.2014
Moore, Robert - 02.01.2016
Ostergard, Donald (General - Gynemesh PS, Prolift, Prolene Soft) - 03.09.2016
Rosenzweig, Bruce, MD - 01.13.2016
Rosenzweig, Bruce, MD - 01.14.2016
Rosenzweig, Bruce, MD - 08.24.2015
Rosenzweig, Bruce, MD (Cavness Prosima) - 07.13.2015
Rosenzweig, Bruce, MD. - 12.22.2015
Shobeiri, Abbas (Prolift General) - 08.24.2016
Weber, Anne (Budke Prolift) - 12.04.2014
Weber, Anne (DeLaCruz Prolift Prolift) - 10.22.2015
Weber, Anne (Gross/Wicker/NJ Prolift) - 11.05.2012
Weber, Anne (Gross/Wicker/NJ Prolift) - 11.06.2012
Weber, Anne (Hammons Prolift) - 9.01.2015
Weber, Anne (Schubert Prolift/Prolift+M) - 06.26.2013
Weber, Anne (Schubert Prolift/Prolift+M) - 10.21.2013
Zipper, Ralph (General) - 03.20.2016
Zipper, Ralph (General) - 09.26.2015
Expert Reports
All materials cited by Rosenzweig in TVT Wave cases
Blaivas, Jerry (Prolift General) - 01.17.2017
Elliott, Daniel (General Prolift)
Elliott, Daniel (General TVT) - 02.01.2016
Elliott, Daniel (General TVT-O) - 02.01.2016
Guelcher, Scott (General) - Received 05.22.2017
Iakovlev, Vladimir - 01.29.2016
Jordi, Howard (General) - 02.01.2016
Klinge, Uwe (POP General) - 11.17.2015
Klinge, Uwe (TVT General) - 11.16.2015
Mays, Jimmy - 05.22.2017
Ostergard, Donald (Prolift General) - 01.31.2016
Ostergard, Donald (Prolift, Gynemesh PS, Prolene General) - 05.19.17
Pence, Peggy (Notice of Adoption of Prior Reports) - 02.01.2016
Pence, Peggy (Prolift General) - 07.17.2014
Pence, Peggy (Supplemental TVT & TVT-O General) - 03.02.2016
Pence, Peggy (TVT General) - 10.14.2013

MDL Wave Cases

Plaintiff expert reports and materials cited in Wave general reports of Blaivas, Elliott, Ostergard, Rosenzweig, Shobeiri, Weber, and Zipper
Plaintiffs' Wave general expert reports and materials cited
Rosenzweig, Bruce (Prosima General) - 02.01.2016
Rosenzweig, Bruce (Prosima General) - 05.22.2017
Rosenzweig, Bruce (TVT General) - 05.22.2017
Rosenzweig, Bruce (TVT General) - 06.09.2014
Rosenzweig, Bruce (TVT General) - 08.24.2015
Rosenzweig, Bruce (TVT General) - 10.14.2013
Rosenzweig, Bruce (TVT Supplemental General) - 01.06.2017
Rosenzweig, Bruce (TVT, TVT-O Notice of Adoption of Prior Reports) - 12.15.2015
Shobeiri, S. Abbas, MD (General Prolift) - 01.29.2016
Weber, Anne M., MD (General Prolift) - 02.01.2016
Wilson, Anne (TVT General) - 01.25.2016
Zipper, Ralph (Prolift General) - 01.31.2016